



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

November 04, 2020

SCOTT ISLIP
ROUND ENGINEERING INC
10 SEGWUN RD
WATERDOWN ON L8B 0K6
CA

Service Request Type: BPV-Fitting Registration
Service Request No.: 2950876
Your Reference No.: R-1117B
Registered to: ENDRESS + HAUSER CONDUCTA INC

Dear SCOTT ISLIP,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0F22800.5

Main Design No.: Memosens CLS82D/CLS82E Hygienic Conductivity Sensors Per Scope Of Registration

Expiry Date: 04-Nov-2030

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be sent to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Zivko Gacevic P. Eng.
Mechanical Engineer, BPV
Tel.: 416-734-3429
Fax: 416-231-6183
Email: zgacevic@tssa.org



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

Endress+Hauser 

STATUTORY DECLARATION Registration of Fittings

I, LEONARD AMBROSINI, GENERAL MANAGER

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of ENDRESS+HAUSER CONDUCTA INC.

(Name of Manufacturer)

Located at SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX

(Plant Address)

1-714-577-5600

(Telephone No.)

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B31.3, ASME B31.1

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO:9001
which has been verified by the following authority, SQS

The items covered by this declaration, for which I seek registration, are category F type fittings. In support of
this application, the following information and/or test data are attached as follows:
DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN

(drawings, calculations, test reports, etc.)

Declared before me at _____ in the _____ of _____

the _____ day of _____ AD 20_____

See attached acknowledgment

Commissioner for Oaths:

(Printed name)

(Signature)

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category 'F'

CRN: _____

Registered by: _____

Dated: _____

NOTE: This registration expires on Nov. 4, 2030

Technical
Standards
and Safety
Authority

Boilers and
Pressure Vessels
Safety Program

REGISTERED

C.R.N.: 0F22800.5

Signed: Lucas Z...

Date: November 4, 2020.

CALIFORNIA ALL-PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California }

County of Orange }

On 01/29/2020 before me, Laurel Boles,
(Here insert name and title of the officer)

THIS IS PART OF CRN
0F22800.5

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

personally appeared Leonard Ambrosini,
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) (is) are subscribed to the within instrument and acknowledged to me that
he/she/they executed the same in his/her/their authorized capacity(ies), and that by
his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.


I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Laurel Boles

Notary Public Signature

(Notary Public Seal)



ADDITIONAL OPTIONAL INFORMATION

DESCRIPTION OF THE ATTACHED DOCUMENT

Technical Standards & Safety Authority

(Title or description of attached document)

Registration of Fittings

(Title or description of attached document continued)

Number of Pages 1 Document Date 01/29/2020

CAPACITY CLAIMED BY THE SIGNER

- ☒ Individual (s)
☐ Corporate Officer

(Title)

- ☐ Partner(s)
☐ Attorney-in-Fact
☐ Trustee(s)
☐ Other _____

INSTRUCTIONS FOR COMPLETING THIS FORM

This form complies with current California statutes regarding notary wording and, if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary law.

- State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. ~~he~~/she/~~they~~, is /~~are~~) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- Signature of the notary public must match the signature on file with the office of the county clerk.
 - ❖ Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
 - ❖ Indicate title or type of attached document, number of pages and date.
 - ❖ Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document with a staple.

ENDRESS+HAUSER CONDUCTA INC.

4123 LA PALMA AVE.

ANAHEIM, CA

92807, USA



21-Aug-20

Page 1 of 2

SCOPE OF CRN REGISTRATION**PRODUCT DESCRIPTION**

Description (Note 1)	Design Standard	End Connections	Drawings	EH TI Document
Memosens CLS82D / CLS82E	ASME B31.3, ASME B31.1, ASME BPE, ASME VIII-1 UG-101	1" NPT, G1", PG13.5, 1-1/2" and 2" ASME BPE, ISO2852, DIN 32676 Clamp Ferrule (Note 2), Varivent DN25 and DN40 (Note 2), NEUMO BioControl DN25, DN25 Standard, DN25 B. Braun port.	427197-B, 133951-G, 403150-M, 403159-N, 403163-M, 403164-L, 403167-L, 403168-M, 403170-M, 403171-M, 403172-M	TI01188C/07/EN/04.17

PRESSURE - TEMPERATURE RATINGS

MDMT	MAWP AT 68°F	MAWP AT 248°F	MAWP AT 284°F	NOTES
23°F	247 psia	131 psia	87 psia	It is recommended that the sensor be subjected to sterilization at 284°F for only a short time (45 minutes approximately)

MATERIALS OF CONSTRUCTION

PROCESS CONNECTION MATERIAL (NOTE 3,4)	SENSOR MATERIAL	NOTES
ASTM A479-316L, STAINLESS STEEL 1.4435 TYPE 316L, UNS S31603	POLYPHENYLENE SULFIDE PLASTIC, ASTM A479-316L, STAINLESS STEEL 1.4435 TYPE 316L, UNS S31603, PLATINUM AND CERAMIC.	Optional process connection materials may be used. See Note 3.

Note 1) This CRN Registration covers the CLS82D and CLS82E conductivity sensors. During the lifecycle of this product it may be necessary to update the sensor electronics that have no effect on the pressure retaining ability of the sensor. When this occurs the E in the product code will change to E which is the next letter in the alphabet. This process of updating the sensor electronics may occur multiple times during lifecycle of this product and therefore as long as the pressure retaining components of the sensor do not change the last letter in the above product code has no effect on the validity of the CRN.

Note 2) The ASME BPE Ferrule and Varivent connection shall be used with a clamp, however the assembly clamp is not part of this CRN. Pressure-Temperature ratings may be limited by the clamp type used in the joint assembly. The clamp used to complete the joint shall have its own CRN and shall have pressure-temperature ratings the same or higher than the product ratings.

THIS IS PART OF CRN
0F22800.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

ENDRESS+HAUSER CONDUCTA INC.

4123 LA PALMA AVE.
ANAHEIM, CA
92807, USA



21-Aug-20

Page 1 of 2

SCOPE OF CRN REGISTRATION

Note 3) The following additional alloys of superior or equivalent properties to those listed above are also included in the scope of registration: Type 304 S.Steel UNS S30400, Type 304L S.Steel UNS S30403, Type 316 S.Steel UNS S31600, Type 316L S.Steel UNS S31603, Alloy 20 UNS N08020, Hastelloy C-276 UNS N10276, Hastelloy C22 UNS N06022, Hastelloy B3 UNS N10676, Monel 400 UNS N04400 (Note Monel 400 limited to 100F max.), Inconel 600 UNS N06600, Inconel 625 UNS N06625, Inconel 825 UNS N08825, Duplex S.Steel UNS S31803, Super Duplex UNS S32750, Super Duplex UNS S32760, Titanium Grade 3 UNS R50550 (Note Titanium limited to 247°F max. for ASME B31.3 Service and 173°F max. for ASME B31.1 Service.)

Note 4) In accordance with ASME B31.1 para. 123.1.2(D) when this product is manufactured from a ASME B31.1 unlisted material and used under the ASME B31.1 code the facility owner must accept the use of the unlisted material.

Note 5) See Attached List of Endress+Hauser Manufacturing locations applicable to this CRN.

THIS IS PART OF CRN
0F22800.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

WORLDWIDE LOCATIONS APPENDIX – PAGE 1 OF 1

**ENDRESS+HAUSER CONDUCTA GMBH & CO. KG LOCATIONS
& CERTIFYING AUTHORITIES**

(rev. June 17, 2020)

Endress+Hauser Conducta GmbH & Co. KG

Dieselstrasse 24 / Postfach 100 154
70839 Gerlingen

Germany

ISO 9001 Certified by SQS

Endress+Hauser Conducta GmbH & Co. KG

Siemensstraße 2
64823 Groß-Umstadt

Germany

ISO 9001 Certified by SQS

Endress+Hauser Conducta Waldheim

Gewerbegebiet Richzenhain
Landsberger Straße 28
04736 Waldheim

Germany

ISO 9001 Certified by SQS

Endress+Hauser Conducta, Inc.

4123 East La Palma Ave, Suite 200
Anaheim, CA 92807

United States of America

ISO 9001 Certified by SQS

**Endress+Hauser Analytical Instruments
(Suzhou) Co., Ltd.**

No. 31 JiangTianLiLu
Suzhou Industrial Park 215126
People's Republic of China
ISO 9001 Certified by SQS

THIS IS PART OF CRN
0F22800.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

December 09, 2020

Attention: Tanya Francis
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO, ON M9W 6N9

The design submission, tracking number 2020-05709, originally received on November 27, 2020 was surveyed and accepted for registration as follows:

CRN :	0F22800.52	Accepted on:	December 09, 2020
Reg Type:	NEW DESIGN	Expiry Date:	November 04, 2030
Drawing No. :	SCOPE OF CRN REGISTRATION		
Fitting type:	MEMOSENS CLS82D/82E HYGIENIC CONDUCTIVITY SENSORS		
Design registered in the name of : ENDRESS + HAUSER CONDUCTA INC			

The registration is conditional on your compliance with the following notes:

*** Design Report #: R-1117B Rev 0*

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are ASME B31.1 and ASME B31.3.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3337 or fax (780) 437-7787 or e-mail Dick@absa.ca.

Sincerely,



DICK, ASHLING, P. Eng.
DOP Cert. No. D00007936

**STATUTORY DECLARATION
Registration of Fittings**

I, LEONARD AMBROSINI, GENERAL MANAGER
(name of applicant) (position title) (must be in a position of authority)
of ENDRESS+HAUSER
(name of manufacturer)
located at SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

Endress+Hauser 

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ASME B31.3, ASME B31.1 which specifies the dimensions, (title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached (title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, SQS (ISO 9001) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

CATEGORY F

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN **

DECLARED before me at _____ in the _____ of _____
(city) (province or state)
this _____ day of _____, _____
(Month) (Year)
(print) _____
(a Commissioner of Oaths or Notary Public)
(sign) _____
(a Commissioner of Oaths or Notary Public)

See attached acknowledgment

(signature of applicant)

For ABSA Office Use Only: ** Memosens CLS82D/CLS82E Hygienic Conductivity Sensors.

NOTES: ** See Scope of CRN Registration and Manufacturer locations for details.

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category _____

Registration Number: _____

(Signature of the Administrator/SCO)

Date Registered: _____

Expiry Date: _____

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulation Pressure Equipment Discipline.



This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

CALIFORNIA ALL-PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California }

County of Orange }

On 01/29/2020 before me, Laurel Boles,
(Here insert name and title of the officer)

personally appeared Leonard Ambrosini,
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) (s) are subscribed to the within instrument and acknowledged to me that
he/she/they executed the same in his/her/their authorized capacity(ies), and that by
his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.


I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Laurel Boles

Notary Public Signature

(Notary Public Seal)



ADDITIONAL OPTIONAL INFORMATION

DESCRIPTION OF THE ATTACHED DOCUMENT

Alberta Statutory Declaration

(Title or description of attached document)

Registration of Fittings

(Title or description of attached document continued)

Number of Pages 1 Document Date 01/29/2020

CAPACITY CLAIMED BY THE SIGNER

- ☒ Individual (s)
☐ Corporate Officer

(Title)

- ☐ Partner(s)
☐ Attorney-in-Fact
☐ Trustee(s)
☐ Other _____

INSTRUCTIONS FOR COMPLETING THIS FORM

This form complies with current California statutes regarding notary wording and, if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary law.

- State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. ~~he~~/she/~~they~~, is /~~are~~) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- Signature of the notary public must match the signature on file with the office of the county clerk.
 - ❖ Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
 - ❖ Indicate title or type of attached document, number of pages and date.
 - ❖ Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document with a staple.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.	
Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B31.3 ASME B31.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product Endress + Hauser 	Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Plastic
List of supporting documentation and identification of the actual items to be registered: - DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	

Declaration:

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME (ASME 2001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at _____

This _____ day of _____ AD _____


Commissioner of Oaths _____

Or Notary Public: (sign) _____

(Affix Official seal to the right)

See attached acknowledgment

Use this space for the Official Seal

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OF22800.5</u> <u>14878</u> FID#: _____ Marmosens CLS82D/CLS82E Hygienic conductivity sensors. Purpose is to renew CRN OF18550.5C 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. along with other corrections and additions. 11/2018 CRN expires Nov.4th, 2030 - DG	ACCEPTED PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT C.R.N. <u>OF 22800.59</u> DATE: <u>Dec 14/20</u>  INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH Form 1.0 - Fittings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.	
Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B31.3 ASME B31.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product Endress+Hauser 	
Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Plastic	
List of supporting documentation and Identification of the actual items to be registered: - DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	

Declaration:

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME (ASME 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at _____

This _____ day of _____ AD _____


Commissioner of Oaths _____

Or Notary Public: (sign) _____

(Affix Official seal to the right)

See attached acknowledgment

Use this space for the Official Seal

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OF22800.5</u> FID#: <u>14878</u> Memosens CLS82D/CLS82E Hygienic conductivity sensors. Purpose is to renew CRN OF18550.5C 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation along with other corrections and additions. 11/2018 CRN expires Nov.4th, 2030 - DG	 Sect 1.0 - Fittings Rev.2

Newfoundland and Labrador

☒ FITTINGS ☐ NUCLEAR COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.	
Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B31.3 ASME B31.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product Endress+Hauser 	Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Plastic
List of supporting documentation and identification of the actual items to be registered: - DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	

Declaration:

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at _____

This _____ day of _____ AD _____


Commissioner of Oaths _____

Or Notary Public: (sign) _____

(Affix Official seal to the right)

See attached acknowledgment

Use this space for the Official Seal

CRN: <u>0F22800.5</u> FID#: <u>14878</u> Memosens CLS82D/CLS82E Hygienic conductivity sensors. Purpose is to renew CRN 0F18550.5C 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. along with other corrections and additions. 11/2016 CRN expires Nov.4th, 2030 - DG	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. Newfoundland Labrador Service NL Registered <u>0F22800.50</u> Date <u>20/12/11</u> Engineering and Inspection Services Registered by  UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSELS AND COMPRESSED GAS REGULATIONS
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.	
Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B31.3 ASME B31.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	
Type of Construction Forged ☒ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Plastic	
List of supporting documentation and identification of the actual items to be registered: - DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	

Declaration:

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SAS (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at _____

This _____ day of _____ AD _____


Commissioner of Oaths _____

Or Notary Public: (sign) _____

(Affix Official seal to the right)

See attached acknowledgment

Use this space for the Official Seal

CRN: <u>0F22800.5</u> FID#: <u>14878</u> Memosens CLS82D/CLS82E Hygienic conductivity sensors. Purpose is to renew CRN 0F18550.5C Notes: - All Fittings shall be registered in the name of the Manufacturer. - Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. - The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. - Quality Control programs shall be resubmitted for validation. along with other corrections and additions. 11/2018 CRN expires Nov.4th, 2030 - DG	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.  Sect 1.0 - Fittings Rev.2
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.	
Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction ASME B31.3 ASME B31.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
Endress+Hauser 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Plastic
List of supporting documentation and identification of the actual items to be registered: - DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	

Declaration:

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at

This day of AD


Commissioner of Oaths

Or Notary Public (sign)

(Affix Official seal to the right)

See attached acknowledgment

Use this space for the Official Seal

CRN: <u>0F22800.5</u> FID#: <u>14878</u> Memosens CLS82D/CLS82E Hygienic conductivity sensors. Purpose is to renew CRN 0F18550.5C 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation along with other corrections and additions. 11/2018 CRN expires Nov.4th, 2030 - DG	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.  Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT C.R.N. <u>0F22800.5</u> SIGNED <u>[Signature]</u> DATE <u>DEC 15 2018</u> 16300 Book 10, Page 2
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.

Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX

Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.3
ASME B31.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

Endress+Hauser 

Type of Construction


Forged ☐ Welded ☐ Wrought ☐
 Cast ☐ Other ☐
 Describe other:
Plastic

List of supporting documentation and identification of the actual items to be registered:

- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN

Declaration:

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SAS (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths _____

Or Notary Public: (sign) _____

(Affix Official seal to the right)

See attached acknowledgment
 Use this space for the Official Seal

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F22800.5

FID#: 14878

Memosens CLS82D/CLS82E Hygienic conductivity sensors. Purpose is to renew CRN 0F18550.5C

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

along with other corrections and additions.
 11/2018


CRN expires Nov.4th, 2030 - DG

NUNAVUT
 Boilers and Pressure Vessels Act

REGISTERED

CRN 0F22800.5N

Date December 11, 2020

Signed 

Sect 1.0 - Fittings Rev.2
Michel Ledue
 Director Safety Services - CGS

Territorial Registration Fee

TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ON M9W 6N9

Date: December 30, 2020
Account #: 35231
Journal #: 77008

Attn: TSSA

Re: Application for Design Registration

The design, as detailed in your, 0F22800.5, for a Fitting is accepted for registration as follows:

Registered To: ENDRESS+HAUSER CONDUCTA **CRN:** 0F22800.51
INC

Drawing #: Scope of Registration

Drawing Revision: N/A

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

As required by CSA B51 4.2.1, this registration expires on 04-Nov-2030. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0F22800.5 registration shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Janina Mihailescu

janina.mihailescu@technicalsaftybc.ca
Design Administration

cc:



12/2/2020

TSSA
345 Carlingview Drive
TORONTO, ON M9W 6N9
CA

Dear Cecylia Garbacz

Re: Reciprocal CRN Registration in Manitoba

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R1126
CRN: 0F22800.54
Scope: Memosens CLS82D/CLS82E Hygienic Conductivity Sensors Per Scope Of
Registration
Manufacturer: ENDRESS + HAUSER CONDUCTA INC
Expiry Date: 4/Nov/30

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact me directly via email at Cheryl.Lashek@gov.mb.ca for any questions or concerns.

Cheryl Lashek, P.Eng
Director, ITSM
Inspection and Technical Services
Office of the Fire Commissioner
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8
T (204) 945-3507 | F (204) 948-2309

Montréal, 11 décembre 2020.

MADAME TANYA FRANCIS
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ONTARIO
CANADA M9W 6N9

Fabricant : ENDRESS + HAUSER CONDUCTA INC
4123 EAST LA PALME AVE. S 200
ANAHEIM CA
USA 92807

Numéro de dossier : 950252

Numéro(s) de dessin(s) : SCOPE OF REGISTRATION

Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement

Bonjour,

Nous vous informons que votre demande d'enregistrement de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) suivant : **0F22800.56.**

Nous portons votre attention sur certaines exigences réglementaires concernant les installations sous pression, ainsi que des codes et normes qui y sont associés :

- Le fabricant doit maintenir un programme de contrôle de la qualité valide pour fabriquer un équipement selon ce NEC;
- Ce numéro d'enregistrement demeure valide tant et aussi longtemps que les paramètres de conception demeurent inchangés. Dans le cas d'accessoires, l'enregistrement est valide pour une durée de 10 ans à partir de la date d'enregistrement. Les documents de conception doivent alors être resoumis pour validation;
- Le fabricant doit nous transmettre une copie de la *Déclaration de conformité du constructeur (Manufacturer's Data Report)* pour chaque appareil ou chaudière fabriqué selon ce NEC dans les 30 jours suivant la signature de cette déclaration;
- Le numéro de dessin enregistré et le numéro de révision doivent être indiqués sur la déclaration de conformité pour les équipements fabriqués selon ce NEC.

Le présent avis d'approbation ne dégage pas le fabricant de ses responsabilités quant à la conception ou à la construction des équipements ou d'accessoires fabriqués selon un NEC.

Bureau d'expertise et d'homologation en équipements sous pression

Montréal

545, boul. Crémazie Est, 7ième étage

Montréal (Québec) H2M 2V2

Téléphone : 514 873-6459

Sans frais : 1 866 262-2084

www.rbq.gouv.qc.ca

Montréal, le 11 décembre 2020.

MRS. TANYA FRANCIS
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ONTARIO
CANADA M9W 6N9

Manufacturer : ENDRESS + HAUSER CONDUCTA INC
4123 EAST LA PALME AVE. S 200
ANAHEIM CA
USA 92807

OUR REFERENCE : 950252
Design number : SCOPE OF REGISTRATION

Subject: Design registration confirmation

Hi,

We wish to inform you that your design registration application has been evaluated and that it was registered under the following Canadian Registration Number (CRN): **0F22800.56.**

The following is a reminder of your obligations regarding certain requirements of the regulation respecting pressure vessels, and the referenced codes and standards:

- The manufacturer must maintain a valid quality control program to manufacture equipment according to the CRN.
- The CRN remains valid as long as there are no changes to the design calculations that might affect the pressure boundary. The design registration of fittings expires 10 years after acceptance. It must, therefore, be resubmitted for validation.
- The manufacturer shall submit a copy of the *Manufacturer's Data Report* to us for each equipment manufactured according to this CRN within 30 days following the signing of this report.
- The drawing number and the revision number registered under this CRN must be indicated on the *Manufacturer's Data Report* for equipment manufactured according to the CRN.

This notice of approval does not relieve the manufacturer of their responsibilities with respect to the design or fabrication of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

Montréal

545, boul. Crémazie Est, 7ième étage
Montréal (Québec) H2M 2V2
Téléphone : 514 873-6459
Sans frais : 1 866 262-2084
www.rbq.gouv.qc.ca

Statutory Declaration Registration of Fittings

(a) Design Qualification

Endress+Hauser 

I¹ LEONARD AMBROSINI

(Name of applicant)

GENERAL MANAGER

(Position eg, president, plant manager, chief eng.)

of ENDRESS+HAUSER CONDUCTA INC.

(name of company)

Located at SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Boilers & Pressure Vessels Act:

☒ comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required:

Or

☐ are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with _____ code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.

(b) Quality control of Manufacture

I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of ISO 9001 _____, and has been verified by the following authority or authorized agency SQS _____

The fittings² covered by this declaration, for which I seek registration, are CATEGORY F _____

In support of the application, the following information, calculations and/or test data are attached:

DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN

Declared before me at _____

In the of _____ of _____

The _____ day of _____ AD 2000

A (commissioner for oaths)

See attached acknowledgment

Signature of Declarer³

For Official Use Only

The application is accepted for registration in Category _____ in accordance with the Boilers and Pressure Vessels Act and CSA Standard B51.

This registration must be revalidated after ten (10) years from the date of acceptance.

Registered Number CRN _____

For the Chief Inspector _____

Date _____



¹ Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.

² All fittings are required to be registered in the name of the Manufacturer.

³ This form shall be completed and signed by the president of highest official in the manufacturing plan where the fitting is produced.

CALIFORNIA ALL- PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California }

County of Orange }

On 01/29/2020 before me, Laurel Boles
(Here insert name and title of the officer)



personally appeared Leonard Ambrosini,
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) (S) are subscribed to the within instrument and acknowledged to me that
he/she/they executed the same in his/her/their authorized capacity(ies), and that by
his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.


I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Laurel Boles

Notary Public Signature

(Notary Public Seal)



ADDITIONAL OPTIONAL INFORMATION

DESCRIPTION OF THE ATTACHED DOCUMENT

Quebec Statutory Declaration

(Title or description of attached document)

Registration of Fittings

(Title or description of attached document continued)

Number of Pages 1 Document Date 01/29/2020

CAPACITY CLAIMED BY THE SIGNER

- ☒ Individual (s)
☐ Corporate Officer

(Title)

- ☐ Partner(s)
☐ Attorney-in-Fact
☐ Trustee(s)
☐ Other _____

INSTRUCTIONS FOR COMPLETING THIS FORM

This form complies with current California statutes regarding notary wording and, if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary law.

- State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/they- is /are) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- Signature of the notary public must match the signature on file with the office of the county clerk.
 - ❖ Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
 - ❖ Indicate title or type of attached document, number of pages and date.
 - ❖ Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document with a staple.

REGISTRATION OF A PRESSURE FITTING DESIGN

17-Dec-20

TSSA
345 Carlingview Drive
Toronto, Ontario
M9W 6N9**Attention: Tanya Francis****File Number: 11834 [0 F]****Re: Manufacturer: Endress + Hauser Conducta GmbH & Co. KG**
Item: Memosens CLS82D/CLS82E Conductivity Sensors
Catalog or Drawing: Per Scope of Registration (21-Aug-20) & Design Report R-1117B Rev. 0

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OF22800.53 Expiry Date: November 4, 2030

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,

Athan Syrgiannis, P.Eng.
Codes and Standards Compliance**Remarks:**

A valid quality control program must be maintained at the production facilities for the fitting registration to remain valid until the expiry date.

See Worldwide Locations Appendix - Page 1 of 1 for manufacturing locations.



Technical Safety Authority of Saskatchewan

2202 2nd Ave.
Regina, SK S4R 1K3
PH: (306)798-7112 Toll Free: (866)530-8599
FAX: (306)787-9273 Toll Free: (866)760-9255
Email: boilerpermits@tsask.ca
Website: www.tsask.ca

Statutory Declaration (Registration of Fittings)

TSK-1008

I. Declaration Information

I, LEONARD AMBROSINI
GENERAL MANAGER
(company title, e.g. vice president, plant manager, chief engineer)
(must be in a position of authority in the manufacturing plant where the fitting is produced)
of: ENDRESS+HAUSER CONDUCTA INC.
(name of manufacturer)

In this space, show facsimile of
manufacturer's logo or trademark as it will
appear on the fitting.

Endress+Hauser

located at: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX
(Plant Address - Apt/Street) (City, Prov) (Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)

- ☒ Comply with the requirements of ASME B31.1, B31.3 which specifies the dimensions,
(title of recognized North American Standard)
Materials of construction, pressure / temperature ratings and identification marking of the fittings, or
- ☐ Are not covered by the provisions of a recognized North American standard and are therefore manufactured
to comply with _____ as supported by the attached
data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis
for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been
verified by the following authority, ISO 9001 SQS as being suitable for the manufacturer
of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are
CATEGORY F

In support of this application, the following information, calculations and / or test data are attached:

DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN

II. Declaration

DECLARED before me at _____ In the _____ of _____
this _____ day of _____
(print name) (Signature) See attached Acknowledgment
(Signature of Commissioner of Oaths)

III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** and
CSA B51, Clause 4.2, and is accepted for registration in Category _____



Technical
Safety Authority
of Saskatchewan

Registration No. OF22800.53
File No. 11834
Registered
Date: December 17, 2020
Expiry Date: November 4, 2030

Codes & Standards Compliance Office

(Date Registered - MM DD YYYY)
(For the Administrator / Chief Inspector)

(Expiry Date - MM DD YYYY)

TSK-1008
Rev. 10/2012
Page 1 of 1

CALIFORNIA ALL-PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California }

County of Orange }

On 01/29/2020 before me, Laurel Boles,
(Here insert name and title of the officer)


personally appeared Leonard Ambrosini,
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) is are subscribed to the within instrument and acknowledged to me that
he she/they executed the same in his her/their authorized capacity(ies), and that by
his her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Laurel Boles
Notary Public Signature

(Notary Public Seal)



ADDITIONAL OPTIONAL INFORMATION

DESCRIPTION OF THE ATTACHED DOCUMENT

TSA of Saskatchewan

(Title or description of attached document)

Registration of Fittings

(Title or description of attached document continued)

Number of Pages 1 Document Date 01/29/2020

CAPACITY CLAIMED BY THE SIGNER

- ☒ Individual (s)
☐ Corporate Officer

(Title)

- ☐ Partner(s)
☐ Attorney-in-Fact
☐ Trustee(s)
☐ Other _____

INSTRUCTIONS FOR COMPLETING THIS FORM

This form complies with current California statutes regarding notary wording and, if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary law.

- State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/~~they~~, is /are) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- Signature of the notary public must match the signature on file with the office of the county clerk.
 - ❖ Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
 - ❖ Indicate title or type of attached document, number of pages and date.
 - ❖ Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document with a staple.

Statutory Declaration (Registration of Fittings)

TSK-1008

I. Declaration Information

I, LEONARD AMBROSINI,
GENERAL MANAGER
(company title, e.g. vice president, plant manager, chief engineer)
(must be in a position of authority in the manufacturing plant where the fitting is produced)
of: ENDRESS+HAUSER CONDUCTA INC.
(name of manufacturer)

In this space, show facsimile of
manufacturer's logo or trademark as it will
appear on the fitting.

Endress+Hauser 

located at: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX
(Plant Address – Apt/Street) (City, Prov) (Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)

- ☒ Comply with the requirements of ASME B31.1, B31.3 which specifies the dimensions,
(title of recognized North American Standard)
Materials of construction, pressure / temperature ratings and identification marking of the fittings, or
- ☐ Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, ISO 9001 SQS as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY F

In support of this application, the following information, calculations and / or test data are attached:

DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN

II. Declaration

DECLARED before me at _____ In the _____ of _____
this _____ day of _____
(print name) _____
(Signature of Commissioner of Oaths) _____
(Signature) _____
See attached acknowledgment

III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** and CSA B51, Clause 4.2, and is accepted for registration in Category _____



**Technical
Safety Authority
of Saskatchewan**

Registration No. OF22800.53
File No. 11834
Registered
Date: December 17, 2020
Expiry Date: November 4, 2030

Codes & Standards Compliance Office

(Date Registered – MM DD YYYY)
(For the Administrator / Chief Inspector)

(Expiry Date – MM DD YYYY)

CALIFORNIA ALL- PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California }


County of Orange }

On 01/29/2020 before me, Laurel Boles,
(Here insert name and title of the officer)

personally appeared Leonard Ambrosini,
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) (s) are subscribed to the within instrument and acknowledged to me that
he she/they executed the same in his her/their authorized capacity(ies), and that by
his her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.


I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.



Notary Public Signature

(Notary Public Seal)



ADDITIONAL OPTIONAL INFORMATION

DESCRIPTION OF THE ATTACHED DOCUMENT

TSA of Saskatchewan

(Title or description of attached document)

Registration of Fittings

(Title or description of attached document continued)

Number of Pages 1 Document Date 01/29/2020

CAPACITY CLAIMED BY THE SIGNER

- ☒ Individual (s)
☐ Corporate Officer

(Title)

- ☐ Partner(s)
☐ Attorney-in-Fact
☐ Trustee(s)
☐ Other _____

INSTRUCTIONS FOR COMPLETING THIS FORM

This form complies with current California statutes regarding notary wording and, if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary law.

- State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/they- is /are) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- Signature of the notary public must match the signature on file with the office of the county clerk.
 - ❖ Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
 - ❖ Indicate title or type of attached document, number of pages and date.
 - ❖ Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document with a staple.