
Safety Data Sheet according to WHS Regulations

Printing date 28.05.2019



eople for Process Automation

Page 1/8

Revision: 28.05.2019

1 Identification

Product identifier

Trade name: <u>Elektrolyt COS21/21D-A</u> Synonym: *Electrolyte COS21/21D-A*

Article number: 71368308

Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Version number 1

Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet Manufacturer/Supplier: Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-117 Fax.: +49 (0)7156 209-222 E-Mail: conducta_service@conducta.endress.com

Emergency telephone number: 0061 13 11 26

2 Hazard(s) Identification

Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

Label elements GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS05 Signal word Danger

Hazard-determining components of labelling: potassium hydroxide Hazard statements Causes severe skin burns and eye damage. **Precautionary statements** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. (Contd. on page 2)

according to WHS Regulations

Printing date 28.05.2019

Version number 1

Page 2/8

Revision: 28.05.2019

Trade name: Elektrolyt COS21/21D-A

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

1310-58-3potassium hydroxide \Leftrightarrow Skin Corr. 1A, H314; \diamondsuit Acute Tox. 4, H302 $\leq 1\%$ Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: no further information Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Advice for firefighters Protective equipment: Mount respiratory protective device.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Wear protective clothing.
Environmental precautions: Dilute with plenty of water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

according to WHS Regulations

Printing date 28.05.2019

Version number 1

Revision: 28.05.2019

Trade name: Elektrolyt COS21/21D-A

(Contd. of page 2)

7 Handling and Storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not use light alloy receptacles. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Storage class: 8 B Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:

1310-58-3 potassium hydroxide

NES (Australia) Peak limitation: 2 mg/m³

WES (Australia) Peak limitation: 2 mg/m³

Additional information: The lists valid during the making were used as basis.

Exposure controls Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR Chloroprene rubber, CR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

according to WHS Regulations

Printing date 28.05.2019

Version number 1

Revision: 28.05.2019

Trade name: Elektrolyt COS21/21D-A

(Contd. of page 3)

Page 4/8

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

9 Physical and Chemical Properties

Information on basic physical and chemical	properties
General Information Appearance: Form: Colour: Odour: Odour:	Fluid Colourless Odourless Not determined.
Important information on protection of healt and environment, and on safety. pH-value at 20 °C:	h 13
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	0 °C 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard. Not determined.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	1.01 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Water:	80.5 %
Solids content:	0.0 % (Contd. on page 5)

according to WHS Regulations

Printing date 28.05.2019

Version number 1

Page 5/8

Trade name: Elektrolyt COS21/21D-A

Other information

No further relevant information available.

(Contd. of page 4)

10 Stability and Reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions Reacts with various metals. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

1310-58-3 potassium hydroxide

Oral LD50 273 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation Strong caustic effect on skin and mucous membranes.

Serious eye damage/irritation

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Respiratory or skin sensitisation No sensitising effects known.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological Information

Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Not hazardous for water. Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low waterdangerous.

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

(Contd. on page 6)

according to WHS Regulations

Printing date 28.05.2019

Trade name: Elektrolyt COS21/21D-A

(Contd. of page 5)

Revision: 28.05.2019

Waste treatment methods Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Version number 1

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. Recommended cleansing agents: Water, if necessary together with cleansing agents.

*14 Transport information

UN-Number	
ADG, IMDG, IATA	UN1814
UN proper shipping name	
ADG	UN1814 POTASSIUM HYDROXIDE SOLUTION
IMDG	POTASSIUM HYDROXIDE SOLUTION
IATA	Potassium hydroxide solution
Transport hazard class(es)	
ADG	
Class	8 (C5) Corrosive substances.
Label	8
IMDG, IATA	
$\hat{\mathbf{A}}$	
A CONTRACTOR	
\mathbf{V}	
Class	8 Corrosive substances.
Label	8
Packing group	
ADG, IMDG, IATA	 Natarritantia
Environmental hazards: Special precautions for user	Not applicable.
Danger code (Kemler):	<i>Warning: Corrosive substances.</i> 80
EMS Number:	50 F-A,S-B
Segregation groups	Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E (Contd. on page 7)
	(Contd. on page 7) AUS

according to WHS Regulations

Printing date 28.05.2019

Version number 1

Revision: 28.05.2019

Trade name: Elektrolyt COS21/21D-A

(Contd. of page 6)

IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical Substances

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons

	5	
1310-58-3	potassium hydroxide	S5, S6, S10
7447-40-7	potassium chloride	S4

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS05 Signal word Danger

Signal word Danger

Hazard-determining components of labelling:

potassium hydroxide

Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWRC

Contact: MSDS@conducta.endress.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4

Page 8/8

Safety Data Sheet according to WHS Regulations

Printing date 28.05.2019

Version number 1

Trade name: Elektrolyt COS21/21D-A

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 * Data compared to the previous version altered. Revision: 28.05.2019

(Contd. of page 7)

– AUS —