

21.09.2024

Kit Components

Product code	Description
CY80TN-SX+SQ	CA80TN Reagent set for total nitrate

Components:

71495405	CA80TN Reagent RB, Component 1
71495406	CA80TN Reagent RB, Component 2
71495407	CA80TN Reagent RK

SECTION 1: Identification

Other means of identification

Trade name: **CA80TN Reagent RB, Component 1**

Article number: 71495405

CAS Number:

7775-27-1

EC number:

231-892-1

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture *Laboratory chemicals*

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser

Conducta GmbH+Co. KG

Dieselstraße 24

D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117

E-Mail: MSDS.PCC@endress.com

Regional representation:

Endress+Hauser Australia Pty Ltd

16 Giffnock Avenue

Macquarie Park, NSW 2113

Australia

Phone: 1300 363 707

Phone: +61 2 8877 7000

Emergency telephone number: *Poison Hotline: 13 11 26*

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture



flame over circle

Oxidising solids - Category 2

H272 May intensify fire; oxidizer.



health hazard

Respiratory sensitisation – Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Acute toxicity - oral – Category 4

H302 Harmful if swallowed.

Skin sensitisation – Category 1

H317 May cause an allergic skin reaction.

Label elements

GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 1)

Hazard pictograms



GHS03 GHS07 GHS08

Signal word *Danger*

Hazard-determining components of labelling:

sodium persulphate (100 %)

Hazard statements

*May intensify fire; oxidizer.**Harmful if swallowed.**May cause allergy or asthma symptoms or breathing difficulties if inhaled.**May cause an allergic skin reaction.*

Precautionary statements

*Keep away from heat/sparks/open flames/hot surfaces. No smoking.**Keep/Store away from clothing/combustible materials.**Avoid breathing dust/fume/gas/mist/vapours/spray.**Wear respiratory protection.**Dispose of contents/container in accordance with local/regional/national/international regulations.*

Other hazards

Results of PBT and vPvB assessment

PBT: *Not applicable.***vPvB:** *Not applicable.*

SECTION 3: Composition and Information on Ingredients

Substances

CAS No. Description

CAS: 7775-27-1 sodium persulphate

Identification number(s)

EC number: 231-892-1

SECTION 4: First Aid Measures

Description of first aid measures

General information:

*Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*

After inhalation:

*Supply fresh air and to be sure call for a doctor.**In case of unconsciousness place patient stably in side position for transportation.*

After skin contact:

*Immediately wash with water and soap and rinse thoroughly.**Immediately rinse with water.***After eye contact:** *Rinse opened eye for several minutes under running water.***After swallowing:** *Call for a doctor immediately.*

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 2)

SECTION 5: Fire Fighting Measures

Extinguishing media**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.**For safety reasons unsuitable extinguishing agents:** no further information**Special hazards arising from the substance or mixture** No further relevant information available.**Advice for firefighters** No further relevant information available.**Protective equipment:** No special measures required.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Wear protective clothing.**Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and Storage

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.**Information about fire - and explosion protection:** No special measures required.**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**Storage class:** 5.1 B**Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls and personal protection

Control parameters**Ingredients with limit values that require monitoring at the workplace:****CAS: 7775-27-1 sodium persulphate**

WES (Australia)	Peak limitation: 0.01 mg/m ³
	Sen

Additional information: The lists valid during the making were used as basis.**Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

— AUS —

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 3)

Hand protection*Protective gloves*

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

No chemical-protective gloves required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

Natural rubber, NR

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Body protection: *Protective work clothing*

* **SECTION 9: Physical and Chemical Properties****Information on basic physical and chemical properties****General Information**

Physical state

Solid

Colour:

White

Odour:

Odourless

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

Undetermined.

Flammability

Product is not flammable.

Lower and upper explosion limit

Lower:

Not determined.

Upper:

Not determined.

Flash point:

Not applicable.

pH

Not applicable.

Viscosity:

Kinematic viscosity

Not applicable.

Dynamic:

Not applicable.

Solubility

water:

Soluble.

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure:

Not applicable.

Density and/or relative density

Density at 20 °C:

1.1 g/cm³

Relative density

Not determined.

Vapour density

Not applicable.

Particle characteristics

Not determined.

Other information

Appearance:

Form:

Solid

Important information on protection of health and environment, and on safety.

Ignition temperature:

Not determined.

(Contd. on page 5)

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 4)

Explosive properties:

Product does not present an explosion hazard.
Not determined.

Solids content:

100.0 %

Molecular weight

238.09 g/mol

Change in condition

Evaporation rate

Not applicable.

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

May intensify fire; oxidizer.

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and Reactivity

Reactivity No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological Information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.**LD/LC50 values relevant for classification:****CAS: 7775-27-1 sodium persulphate**

Oral LD50 920 mg/kg (rat)

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Information on other hazards**Endocrine disrupting properties**

Substance is not listed.

(Contd. on page 6)

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 5)

SECTION 12: Ecological Information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

Other adverse effects**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations**Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information****UN number or ID number****IMDG, IATA**

UN1505

UN proper shipping name**ADG**

UN1505 SODIUM PERSULPHATE

IMDG

SODIUM PERSULPHATE

IATA

Sodium persulphate

Transport hazard class(es)**ADG****Class**

5.1 (O2) Oxidising substances.

Label

5.1

IMDG, IATA**Class**

5.1 Oxidising substances.

Label

5.1

Packing group**ADG, IMDG, IATA**

III

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Oxidising substances.

(Contd. on page 7)

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 6)

Hazard identification number (Kemler code): 50
EMS Number: F-A,S-Q
Stowage Category A
Segregation Code SG38 Stow "separated from" SGG2-ammonium compounds.
SG49 Stow "separated from" SGG6-cyanides
Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information:

ADG
Limited quantities (LQ) 5 kg
Transport category 3
Tunnel restriction code E

IMDG
Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation": UN 1505 SODIUM PERSULPHATE, 5.1, III

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals

Substance is listed.

Standard for the Uniform Scheduling of Medicines and Poisons

Substance is not listed.

Australia: Priority Existing Chemicals

Substance is listed.

GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS03 GHS07 GHS08

Signal word *Danger*

Hazard-determining components of labelling:

sodium persulphate (100 %)

Hazard statements

May intensify fire; oxidizer.

Harmful if swallowed.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep/Store away from clothing/combustible materials.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear respiratory protection.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

Seveso category P8 OXIDISING LIQUIDS AND SOLIDS

(Contd. on page 8)

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 7)

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t**Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t****National regulations:****Waterhazard class:** *Water hazard class 1 (Assessment by list): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWR**Contact:** MSDS.pcc@endress.com**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Oxidising solids - Category 2: Oxidizing solids – Category 2

Acute toxicity - oral – Category 4: Acute toxicity – Category 4

Respiratory sensitisation – Category 1: Respiratory sensitisation – Category 1

Skin sensitisation – Category 1: Skin sensitisation – Category 1

*** Data compared to the previous version altered.**

SECTION 1: Identification

Other means of identification

Trade name: CA80TN Reagent RB, Component 2

Article number: 71495406

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture *Laboratory chemicals*

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser
Conducta GmbH+Co. KG
Dieselstraße 24
D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117
E-Mail: MSDS.PCC@endress.com

Regional representation:
Endress+Hauser Australia Pty Ltd
16 Giffnock Avenue
Macquarie Park, NSW 2113
Australia

Phone: 1300 363 707
Phone: +61 2 8877 7000

Emergency telephone number: *Poison Hotline: 13 11 26*

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture



Skin corrosion/irritation – Category 2 H315 Causes skin irritation.

Eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS07

Signal word *Warning*

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 1)

Other hazards**Results of PBT and vPvB assessment**PBT: *Not applicable.*vPvB: *Not applicable.***SECTION 3: Composition and Information on Ingredients****Mixtures****Description:** *Mixture of substances listed below with nonhazardous additions.***Dangerous components:**

CAS: 1310-73-2	Sodium hydroxide	1-2.5%
EINECS: 215-185-5	⚠ Skin corrosion/irritation – Category 1A, H314; ⚠ Acute toxicity - oral – Category 4, H302	

Additional information: *For the wording of the listed hazard phrases refer to section 16.***SECTION 4: First Aid Measures****Description of first aid measures****General information:** *Immediately remove any clothing soiled by the product.***After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.***After skin contact:***Immediately wash with water and soap and rinse thoroughly.**Immediately rinse with water.***After eye contact:***Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.***After swallowing:** *If symptoms persist consult doctor.***Most important symptoms and effects, both acute and delayed***No further relevant information available.***Indication of any immediate medical attention and special treatment needed***No further relevant information available.***SECTION 5: Fire Fighting Measures****Extinguishing media****Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.***For safety reasons unsuitable extinguishing agents:** *no further information***Special hazards arising from the substance or mixture** *No further relevant information available.***Advice for firefighters** *No further relevant information available.***Protective equipment:** *No special measures required.***SECTION 6: Accidental Release Measures****Personal precautions, protective equipment and emergency procedures** *Wear protective clothing.***Environmental precautions:** *Dilute with plenty of water.***Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).***Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and Storage****Precautions for safe handling** *No special precautions are necessary if used correctly.*

(Contd. on page 3)

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 2)

Information about fire - and explosion protection: *No special measures required.***Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *Keep container tightly sealed.***Storage class:** 8 B**Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls and personal protection****Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 1310-73-2 Sodium hydroxide****WES (Australia)** Peak limitation: 2 mg/m³**Additional information:** *The lists valid during the making were used as basis.***Exposure controls****Appropriate engineering controls** *No further data; see section 7.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes and skin.***Respiratory protection:** *Not required.***Hand protection***Protective gloves**To avoid skin problems reduce the wearing of gloves to the required minimum.**Only use chemical-protective gloves with CE-labelling of category III.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.***Material of gloves***Nitrile rubber, NBR**Natural rubber, NR**The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Eyeface protection***Tightly sealed goggles***Body protection:** *Protective work clothing*

(Contd. on page 4)

— AUS —

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 3)

SECTION 9: Physical and Chemical Properties**Information on basic physical and chemical properties****General Information**

Physical state	Fluid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	100 °C (CAS: 7732-18-5 water)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	
Density at 20 °C:	1.008 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Not applicable.

Other information

Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard. Not determined.
Solvent content:	
Water:	98.5 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void

(Contd. on page 5)

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 4)

Substances and mixtures, which emit flammable
gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

SECTION 10: Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological Information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 1310-73-2 Sodium hydroxide

Oral	LD50	2,000 mg/kg (rat)
Inhalative	LC50/4 h	125 mg/l (fish)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological Information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information:

General notes: Not hazardous for water.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Page 6/7

Date of issue: 21.09.2024

Version 4 (replaces version 3)

Revision: 29.08.2024

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 5)

Uncleaned packaging:

Recommendation: *Disposal must be made according to official regulations.*

Recommended cleansing agents: *Water, if necessary together with cleansing agents.*

* SECTION 14: Transport information

UN number or ID number

UN1824

IMDG, IATA

UN proper shipping name

ADG

UN1824 SODIUM HYDROXIDE SOLUTION

IMDG

SODIUM HYDROXIDE SOLUTION

IATA

Sodium hydroxide solution

Transport hazard class(es)

ADG



Class

8 (C5) Corrosive substances.

Label

8

IMDG, IATA



Class

8 Corrosive substances.

Label

8

Packing group

ADG, IMDG, IATA

III

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A,S-B

Segregation groups

(SGG18) Alkalis

Stowage Category

A

Segregation Code

SG35 Stow "separated from" SGG1-acids

Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

ADG

Limited quantities (LQ)

5L

Transport category

3

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

(Contd. on page 7)

AUS

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 6)

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals*All ingredients are listed.***Standard for the Uniform Scheduling of Medicines and Poisons**

CAS: 1310-73-2 | Sodium hydroxide

S5, S6, S10

Australia: Priority Existing Chemicals*None of the ingredients is listed.***GHS label elements***The product is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms**

GHS07

Signal word *Warning***Hazard statements***Causes skin irritation.**Causes serious eye irritation.***Precautionary statements***Wear protective gloves / eye protection / face protection.**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**If skin irritation occurs: Get medical advice/attention.**Take off contaminated clothing and wash it before reuse.**If eye irritation persists: Get medical advice/attention.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** PCC-TWR**Contact:** MSDS.pcc@endress.com**Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute toxicity - oral - Category 4: Acute toxicity - Category 4**Skin corrosion/irritation - Category 1A: Skin corrosion/irritation - Category 1A**Skin corrosion/irritation - Category 2: Skin corrosion/irritation - Category 2**Eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A**** Data compared to the previous version altered.**

SECTION 1: Identification

Other means of identification

Trade name: **CA80TN Reagent RK**

Article number: 71495407

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture *Laboratory chemicals*

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser
Conducta GmbH+Co. KG
Dieselstraße 24
D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117
E-Mail: MSDS.PCC@endress.com

Regional representation:
Endress+Hauser Australia Pty Ltd
16 Giffnock Avenue
Macquarie Park, NSW 2113
Australia

Phone: 1300 363 707
Phone: +61 2 8877 7000

Emergency telephone number: *Poison Hotline: 13 11 26*

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture



corrosion

Eye damage/irritation – Category 1 H318 Causes serious eye damage.

Label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS05

Signal word *Danger*

Hazard-determining components of labelling:

hydrochloric acid (2-6 %)

Hazard statements

Causes serious eye damage.

Precautionary statements

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

AUS

Trade name: CA80TN Reagent RK

(Contd. of page 1)

Other hazards**Results of PBT and vPvB assessment**PBT: *Not applicable.*vPvB: *Not applicable.***SECTION 3: Composition and Information on Ingredients****Mixtures****Description:** *Mixture of substances listed below with nonhazardous additions.***Dangerous components:**

CAS: 7647-01-0 EINECS: 231-595-7	hydrochloric acid Skin corrosion/irritation – Category 1B, H314; Eye damage/irritation – Category 1, H318; Acute toxicity - oral – Category 4, H302; Specific target organ toxicity (single exposure) – Category 3, H335	2-6%
-------------------------------------	---	------

Additional information: *For the wording of the listed hazard phrases refer to section 16.***SECTION 4: First Aid Measures****Description of first aid measures****After inhalation:** *Supply fresh air; consult doctor in case of complaints.***After skin contact:** *Generally the product does not irritate the skin.***After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.***After swallowing:** *If symptoms persist consult doctor.***Most important symptoms and effects, both acute and delayed***No further relevant information available.***Indication of any immediate medical attention and special treatment needed***No further relevant information available.***SECTION 5: Fire Fighting Measures****Extinguishing media****Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.***For safety reasons unsuitable extinguishing agents:** *no further information***Special hazards arising from the substance or mixture** *No further relevant information available.***Advice for firefighters** *No further relevant information available.***Protective equipment:** *No special measures required.***SECTION 6: Accidental Release Measures****Personal precautions, protective equipment and emergency procedures***Wear protective equipment. Keep unprotected persons away.**Wear protective clothing.***Environmental precautions:***Dilute with plenty of water.**Do not allow to enter sewers/ surface or ground water.***Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Use neutralising agent.**Dispose contaminated material as waste according to section 13.***Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.*

(Contd. on page 3)

Trade name: CA80TN Reagent RK

(Contd. of page 2)

SECTION 7: Handling and Storage**Precautions for safe handling** *No special precautions are necessary if used correctly.***Information about fire - and explosion protection:** *No special measures required.***Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *Keep container tightly sealed.***Storage class:** 12**Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls and personal protection****Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 7647-01-0 hydrochloric acid**

WES (Australia)	Peak limitation: 7.5 mg/m ³ , 5 ppm
IOELV (EU)	Short-term value: 15 mg/m ³ , 10 ppm
	Long-term value: 8 mg/m ³ , 5 ppm

DNELs**CAS: 7647-01-0 hydrochloric acid**

Inhalative	DNEL short-term	15 mg/m ³ (worker) (local effects)
		15 mg/m ³ (consumer) (local effects)
	DNEL long-term	8 mg/m ³ (worker) (local effects)
		8 mg/m ³ (consumer) (local effects)

Additional information: *The lists valid during the making were used as basis.***Exposure controls****Appropriate engineering controls** *No further data; see section 7.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes.**Avoid contact with the eyes and skin.***Respiratory protection:** *Not required.***Hand protection**

Protective gloves

*To avoid skin problems reduce the wearing of gloves to the required minimum.**Only use chemical-protective gloves with CE-labelling of category III.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.***Material of gloves***Nitrile rubber, NBR**The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

(Contd. on page 4)

— AUS —

Trade name: CA80TN Reagent RK

(Contd. of page 3)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eyeface protection

Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and Chemical Properties**Information on basic physical and chemical properties****General Information**

Physical state	Fluid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	100 °C (CAS: 7732-18-5 water)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	
Density at 20 °C:	1.006 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Not applicable.

Other information**Appearance:**

Form: Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.
Not determined.**Solvent content:**

Water: 95.6 %

Solids content: 0.0 %

Change in condition

Evaporation rate: Not determined.

Information with regard to physical hazard classes

Explosives: Void

(Contd. on page 5)

Trade name: CA80TN Reagent RK

(Contd. of page 4)

Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological Information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 7647-01-0 hydrochloric acid

Oral | LD50 | 900 mg/kg (rabbit)

Serious eye damage/irritation Causes serious eye damage.

Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological Information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

— AUS —

Trade name: CA80TN Reagent RK

(Contd. of page 5)

Other adverse effects**Additional ecological information:****General notes:***Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water**Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**Must not reach sewage water or drainage ditch undiluted or unneutralised.***SECTION 13: Disposal considerations****Waste treatment methods****Recommendation***Must not be disposed together with household garbage. Do not allow product to reach sewage system.***Uncleaned packaging:***Recommendation: Disposal must be made according to official regulations.**Recommended cleansing agents: Water, if necessary together with cleansing agents.**** SECTION 14: Transport information****UN number or ID number**

IMDG, IATA

Void

UN proper shipping name

ADG, IMDG, IATA

Void

Transport hazard class(es)

ADG, ADN, IMDG, IATA

Class

Void

Packing group

ADG, IMDG, IATA

Void

Environmental hazards:

Not applicable.

Special precautions for user

Not applicable.

Maritime transport in bulk according to IMO

instruments

Not applicable.

UN "Model Regulation":

Void

SECTION 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Industrial Chemicals***All ingredients are listed.***Standard for the Uniform Scheduling of Medicines and Poisons**

CAS: 7647-01-0 | hydrochloric acid

S5, S6

Australia: Priority Existing Chemicals*None of the ingredients is listed.***GHS label elements***The product is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms**

GHS05

Signal word *Danger***Hazard-determining components of labelling:***hydrochloric acid (2-6 %)*

(Contd. on page 7)

— AUS —

Trade name: CA80TN Reagent RK

(Contd. of page 6)

Hazard statements*Causes serious eye damage.***Precautionary statements***Wear eye protection / face protection.**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a POISON CENTER/doctor.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** PCC-TWR**Contact:** MSDS.pcc@endress.com**Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**DNEL: Derived No-Effect Level (REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute toxicity - oral – Category 4: Acute toxicity – Category 4**Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B**Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1**Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3**** Data compared to the previous version altered.**