21.09.2024	Kit Components
Product code	Description
CY80TN-SX+SQ	CA80TN Reagent set for total nitrate
Components:	
71495405	CA80TN Reagent RB, Component 1
71495406	CA80TN Reagent RB, Component 2

CA80TN Reagent RK

71495407

Page 1/7

Revision: 21.09.2024

Printing date 21.09.2024 Version 5 (replaces version 4)

SECTION 1: Identification of the substance or mixture and of the supplier

Product identifier

Trade name: CA80TN Reagent RB, Component 1

Article number: 71495405

CAS Number: 7775-27-1 EC number: 231-892-1

Recommended use of the chemical and restrictions on use No further relevant information available.

Application of the substance / the mixture Laboratory chemicals

Supplier's details

Manufacturer/Supplier:

Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC @endress.com

Emergency phone number +27 (0)861 555 777

SECTION 2: Hazard identification

Classification of the substance or mixture



flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidiser.



health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



H302 Harmful if swallowed. Acute Tox. 4

Skin Sens. 1 H317 May cause an allergic skin reaction.

GHS label elements

GHS label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms







GHS03 GHS07 GHS08

Signal word Danger

Hazard-determining components of labelling:

sodium persulphate

Hazard statements

May intensify fire; oxidiser.

(Contd. on page 2)

Version 5 (replaces version 4)

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 1)

Revision: 21.09.2024

Harmful if swallowed.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

Avoid breathing dust/fume/gas/mist/vapours/spray.

[In case of inadequate ventilation] wear respiratory protection.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition or information on ingredients

Substances

CAS No. Description

CAS: 7775-27-1 sodium persulphate

Identification number(s) EC number: 231-892-1

SECTION 4: First-aid measures

Description of necessary first-aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Call for a doctor immediately.

Most important symptoms or effects, acute and delayed No further relevant information available.

Indication of immediate medical attention and special treatment needed, if necessary

No further relevant information available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: no further information

Specific hazards arising from the chemical No further relevant information available.

Special protective actions for fire fighters No further relevant information available.

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective clothing. Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Version 5 (replaces version 4)

Printing date 21.09.2024 Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 2)

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Storage class: 5.1 B

Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls or personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment (PPE)

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. No chemical-protective gloves required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

Natural rubber, NR

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 21.09.2024 Version 5 (replaces version 4) Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 3)

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

General Information

Physical state
Colour:

Odour:
Odourless
Odour threshold:
Melting point/freezing point:

نقطة الغليان أو نقطة الغليان الأولية ونطاق الغليان للسلطة ونطاق الغليان الأولية ونطلق الغليان الغل

Flammability Product is not flammable.

Upper or lower flammability or explosive limits

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.pHNot applicable.

Viscosity:

ViscosityNot applicable.Dynamic:Not applicable.

Solubility

water: Soluble.

Partition coefficient: n-octanol or water Not determined. Vapour pressure: Not applicable.

Vapour density + Relative density

Density at 20 °C:1.1 g/cm³Relative densityNot determined.Vapour densityNot applicable.

Other information Appearance:

Form: Solid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Not determined.

Explosive properties: Product does not present an explosion hazard.

Not determined.

Solids content: 100.0 % Molecular weight 238.09 g/mol

Change in condition

Evaporation rate Not applicable.

Information with regard to physical hazard

classes

Void **Explosives** Flammable gases Void **Aerosols** Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void

(Contd. on page 5)

Printing date 21.09.2024 Version 5 (replaces version 4) Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 4)

Oxidising solids May intensify fire; oxidiser.

Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

SECTION 10: Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

CAS: 7775-27-1 sodium persulphate

Oral LD50 920 mg/kg (rat)

Respiratory and skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Information on other hazards

endocrine disrupting potential

Substance is not listed.

SECTION 12: Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 21.09.2024 Version 5 (replaces version 4) Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 5)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

UN number

IMDG, IATA UN1505

UN proper shipping name

ADR UN1505 SODIUM PERSULPHATE

IMDGSODIUM PERSULPHATEIATASodium persulphate

Transport hazard class(es)

ADR



Class 5.1 (O2) Oxidising substances.

Label 5.1

IMDG, IATA



Class 5.1 Oxidising substances.

Label 5.1

Packing group

ADR, IMDG, IATA ///

Environmental hazards: Not applicable.

Special precautions for user Warning: Oxidising substances.

Hazard identification number (Kemler code): 50 EMS Number: F-A,S-Q

Stowage Category A

Segregation Code SG38 Stow "separated from" SGG2-ammonium

compounds.

SG49 Stow "separated from" SGG6-cyanides

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)5 kgTransport category3Tunnel restriction codeE

IMDG

Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation": UN 1505 SODIUM PERSULPHATE, 5.1, III

(Contd. on page 7)

Version 5 (replaces version 4)

Printing date 21.09.2024 Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 1

(Contd. of page 6)

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question **GHS** label elements

The substance is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms







GHS03 GHS07 GHS08

Signal word Danger

Hazard-determining components of labelling:

sodium persulphate

Hazard statements

May intensify fire; oxidiser.

Harmful if swallowed.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

Avoid breathing dust/fume/gas/mist/vapours/spray.

[In case of inadequate ventilation] wear respiratory protection.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

Seveso category P8 OXIDISING LIQUIDS AND SOLIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

National regulations:

Waterhazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWR Contact: MSDS.pcc@endress.com Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids - Category 2

Acute Tox. 4: Acute toxicity – Category 4

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

* Data compared to the previous version altered.

Page 1/7

Revision: 21.09.2024

Version 4 (replaces version 3)

SECTION 1: Identification of the substance or mixture and of the supplier

Product identifier

Trade name: CA80TN Reagent RB, Component 2

Article number: 71495406

Recommended use of the chemical and restrictions on use No further relevant information available.

Application of the substance / the mixture Laboratory chemicals

Supplier's details Manufacturer/Supplier:

Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC @endress.com

Emergency phone number +27 (0)861 555 777

SECTION 2: Hazard identification

Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

GHS label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



Signal word Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition or information on ingredients

Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Version 4 (replaces version 3)

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 1)

Revision: 21.09.2024

Dangerous components:		
CAS: 1310-73-2	Sodium hydroxide	1-2.5%
EINECS: 215-185-5	Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First-aid measures

Description of necessary first-aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

Most important symptoms or effects, acute and delayed No further relevant information available.

Indication of immediate medical attention and special treatment needed, if necessary No further relevant information available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: no further information

Specific hazards arising from the chemical No further relevant information available.

Special protective actions for fire fighters No further relevant information available.

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective clothing.

Environmental precautions: Dilute with plenty of water. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

Precautions for safe handling *No special precautions are necessary if used correctly.*Information about fire - and explosion protection: *No special measures required.*

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 3)

Printing date 21.09.2024 Version 4 (replaces version 3) Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 2)

Storage class: 8 B

Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls or personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-73-2 Sodium hydroxide

OEL Short-term value: 4 mg/m³

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment (PPE)

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye or face protection



Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

General Information

Physical state Fluid
Colour: Colourless
Odour: Odourless
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

(Contd. on page 4)

Version 4 (replaces version 3)

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 3)

Revision: 21.09.2024

100 °C (CAS: 7732-18-5 water) نقطة الغليان أو نقطة الغليان الأولية ونطاق الغليان

Flammability Not applicable.

Upper or lower flammability or explosive limits

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.pHNot determined.

Viscosity:

Viscosity Not determined.

Dynamic: Not determined.

Solubility

water: Fully miscible. Partition coefficient: n-octanol or water Not determined.

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Vapour density + Relative density

Density at 20 °C: 1.008 g/cm³
Relative density Not determined.
Vapour density Not determined.

Other information Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Not determined.

Void

Solvent content:

 Water:
 98.5 %

 Solids content:
 0.0 %

Change in condition

Evaporation rateNot determined.

Information with regard to physical hazard

classes Explosives

Flammable gases Void Void **Aerosols** Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

Reactivity No further relevant information available.

(Contd. on page 5)

Version 4 (replaces version 3) Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 4)

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 1310-73-2 Sodium hydroxide

Oral LD50 2,000 mg/kg (rat)
Inhalative LC50/4 h 125 mg/l (fish)

Skin corrosion or irritation Causes skin irritation.

Serious eye damage or irritation Causes serious eye irritation.

Information on other hazards

endocrine disrupting potential

None of the ingredients is listed.

SECTION 12: Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information: General notes: Not hazardous for water.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

UN number

IMDG, IATA UN1824

UN proper shipping name

ADR UN1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION

IATA Sodium hydroxide solution

(Contd. on page 6)

Printing date 21.09.2024 Version 4 (replaces version 3) Revision: 21.09.2024

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 5)

Transport hazard class(es)

ADR



Class 8 (C5) Corrosive substances.

Label

IMDG, IATA



Class 8 Corrosive substances.

Label 8

Packing group

ADR, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80 EMS Number: F-A.S-B

Segregation groups (SGG18) Alkalis

Stowage Category

Segregation Code SG35 Stow "separated from" SGG1-acids

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 5L
Transport category 3
Tunnel restriction code E

IMDG

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). **Hazard pictograms**



Signal word *Warning* **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 7)

Version 4 (replaces version 3)

Trade name: CA80TN Reagent RB, Component 2

(Contd. of page 6)

Revision: 21.09.2024

Precautionary statements

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWR Contact: MSDS.pcc@endress.com Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic


vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

^{*} Data compared to the previous version altered.



Page 1/7

Printing date 21.09.2024 Version 6 (replaces version 5) Revision: 21.09.2024

SECTION 1: Identification of the substance or mixture and of the supplier

Product identifier

Trade name: CA80TN Reagent RK

Article number: 71495407

Recommended use of the chemical and restrictions on use No further relevant information available.

Application of the substance / the mixture Laboratory chemicals

Supplier's details Manufacturer/Supplier:

Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC @endress.com

Emergency phone number +27 (0)861 555 777

SECTION 2: Hazard identification

Classification of the substance or mixture



Eye Dam. 1 H318 Causes serious eye damage.

GHS label elements **GHS** label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

hydrochloric acid

Hazard statements

Causes serious eye damage.

Precautionary statements

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition or information on ingredients

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 21.09.2024 Version 6 (replaces version 5) Revision: 21.09.2024

Trade name: CA80TN Reagent RK

(Contd. of page 1)

Dangerous components:			
CAS: 7647-01-0	hydrochloric acid	2-6%	
EINECS: 231-595-7	Skin Corr. 1B, H314; Eye Dam. 1, H318; 🔷 Acute Tox. 4, H302; STOT SE 3, H335		
	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %		
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %		
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %		
	STOT SE 3; H335: C ≥ 10 %		

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First-aid measures

Description of necessary first-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If symptoms persist consult doctor.

Most important symptoms or effects, acute and delayed No further relevant information available.

Indication of immediate medical attention and special treatment needed, if necessary

No further relevant information available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: no further information

Specific hazards arising from the chemical No further relevant information available.

Special protective actions for fire fighters No further relevant information available.

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

Precautions for safe handling *No special precautions are necessary if used correctly.*Information about fire - and explosion protection: *No special measures required.*

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 3)

Version 6 (replaces version 5)

Trade name: CA80TN Reagent RK

(Contd. of page 2)

Revision: 21.09.2024

Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed.

Storage class: 12

Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls or personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 hydrochloric acid		
OEL Short-term value: 4 ppm		
DNELs		
CAS: 7647-01-0 hydrochloric acid		
Inhalative DNEL short-term	15 mg/m³ (worker) (local effects)	
	15 mg/m³ (consumer) (local effects)	
DNEL long-term	8 mg/m³ (worker) (local effects)	
	8 mg/m³ (consumer) (local effects)	

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment (PPE)

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eves.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves


Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye or face protection



(Contd. on page 4)

Printing date 21.09.2024 Version 6 (replaces version 5)

Trade name: CA80TN Reagent RK

(Contd. of page 3)

Revision: 21.09.2024

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

General Information

Physical state Fluid
Colour: Colourless
Odour: Odourless
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

نقطة الغليان أو نقطة الغليان الأولية ونطاق الغليان الأولية ونطاق الغليان الأولية ونطاق الغليان الأولية ونطاق الغليان

Flammability Not applicable.

Upper or lower flammability or explosive limits

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.pHNot determined.

Viscosity:

Viscosity Not determined.

Dynamic: Not determined.

Solubility

water: Fully miscible.
Partition coefficient: n-octanol or water Not determined.

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Vapour density + Relative density

Density at 20 °C:1.006 g/cm³Relative densityNot determined.Vapour densityNot determined.

Other information Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Not determined.

Solvent content:

Water: 95.6 % **Solids content:** 0.0 %

Change in condition

Evaporation rateNot determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

(Contd. on page 5)

Printing date 21.09.2024 Version 6 (replaces version 5) Revision: 21.09.2024

Trade name: CA80TN Reagent RK

(Contd. of page 4)

Oxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid

SECTION 10: Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

Serious eye damage or irritation Causes serious eye damage.

Information on other hazards

endocrine disrupting potential

None of the ingredients is listed.

SECTION 12: Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

— ZA —

Printing date 21.09.2024 Version 6 (replaces version 5) Revision: 21.09.2024

Trade name: CA80TN Reagent RK

(Contd. of page 5)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

UN number

IMDG, IATA Void

UN proper shipping name

ADR, IMDG, IATA Void

Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

Packing group

ADR, IMDG, IATA Void

Environmental hazards:Special precautions for user
Not applicable.
Not applicable.

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

hydrochloric acid

Hazard statements

Causes serious eye damage.

Precautionary statements

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: *PCC-TWR* **Contact:** *MSDS.pcc* @*endress.com*

(Contd. on page 7)

Version 6 (replaces version 5)

Printing date 21.09.2024 Revision: 21.09.2024

Trade name: CA80TN Reagent RK

(Contd. of page 6)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

ZA —

^{*} Data compared to the previous version altered.