

SECTION 1: Identification

Other means of identification

Trade name: Cleaning solution

Synonym: for CA80PH/CR

Article number: CY800-AFx1

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture *Cleaning agent/ Cleaner*

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser
Conducta GmbH+Co. KG
Dieselstraße 24
D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117
E-Mail: MSDS.PCC@endress.com

Regional representation:
Endress+Hauser Australia Pty Ltd
16 Giffnock Avenue
Macquarie Park, NSW 2113
Australia

Phone: 1300 363 707

Phone: +61 2 8877 7000

Emergency telephone number: *Poison Hotline: 13 11 26*

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture



flame

Flammable liquids – Category 2

H225 Highly flammable liquid and vapour.



corrosion

Skin corrosion/irritation – Category 1B H314 Causes severe skin burns and eye damage.

Eye damage/irritation – Category 1 H318 Causes serious eye damage.

Label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS02 GHS05

Signal word *Danger*

Hazard-determining components of labelling:

hydrochloric acid (5-10 %)

(Contd. on page 2)

AUS

Trade name: Cleaning solution

(Contd. of page 1)

Hazard statements*Highly flammable liquid and vapour.**Causes severe skin burns and eye damage.***Precautionary statements***IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a POISON CENTER/doctor.**Specific treatment (see on this label).**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Other hazards***The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.***Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***SECTION 3: Composition and Information on Ingredients****Mixtures****Description:** *Mixture of substances listed below with nonhazardous additions.*

Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7	propan-2-ol ⚠ Flammable liquids – Category 2, H225; ⚠ Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H336	10-20%
CAS: 7647-01-0 EINECS: 231-595-7	hydrochloric acid ⚠ Skin corrosion/irritation – Category 1B, H314; ⚠ Eye damage/irritation – Category 1, H318; ⚠ Acute toxicity - oral – Category 4, H302; Specific target organ toxicity (single exposure) – Category 3, H335	5-10%
CAS: 5949-29-1 EINECS: 201-069-1	1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate ⚠ Skin corrosion/irritation – Category 2, H315; ⚠ Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	2-6%

Additional information: *For the wording of the listed hazard phrases refer to section 16.***SECTION 4: First Aid Measures****Description of first aid measures****General information:** *Immediately remove any clothing soiled by the product.***After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.***After skin contact:***Immediately wash with water and soap and rinse thoroughly.**Immediately rinse with water.***After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.***After swallowing:** *Drink plenty of water and provide fresh air. Call for a doctor immediately.***Most important symptoms and effects, both acute and delayed***No further relevant information available.***Indication of any immediate medical attention and special treatment needed***No further relevant information available.*

(Contd. on page 3)

Trade name: Cleaning solution

(Contd. of page 2)

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters No further relevant information available.

Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and Storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *Store in a cool location.*

Information about storage in one common storage facility: *Not required.*

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 3

Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls and personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

WES (Australia) Short-term value: 1230 mg/m³, 500 ppm

Long-term value: 983 mg/m³, 400 ppm

(Contd. on page 4)

Trade name: Cleaning solution

(Contd. of page 3)

CAS: 7647-01-0 hydrochloric acid		
WES (Australia) IOELV (EU)	Peak limitation:	7.5 mg/m ³ , 5 ppm
	Short-term value:	15 mg/m ³ , 10 ppm
	Long-term value:	8 mg/m ³ , 5 ppm
DNELs		
CAS: 7647-01-0 hydrochloric acid		
Inhalative	DNEL short-term	15 mg/m ³ (worker) (local effects)
		15 mg/m ³ (consumer) (local effects)
	DNEL long-term	8 mg/m ³ (worker) (local effects)
		8 mg/m ³ (consumer) (local effects)

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eyeface protection

Tightly sealed goggles

Body protection: Protective work clothing

(Contd. on page 5)

— AUS —

Trade name: Cleaning solution

(Contd. of page 4)

*** SECTION 9: Physical and Chemical Properties****Information on basic physical and chemical properties****General Information****Physical state***Fluid***Colour:***Colourless***Odour:***Alcohol-like***Odour threshold:***Not determined.***Melting point/freezing point:***Undetermined.***Boiling point or initial boiling point and boiling range***82 °C***Flammability***Highly flammable.***Lower and upper explosion limit****Lower:***2 Vol %***Upper:***12 Vol %***Flash point:***< 23 °C***Auto-ignition temperature:***425 °C***Decomposition temperature:***Not determined.***pH at 20 °C***<2***Viscosity:****Kinematic viscosity***Not determined.***Dynamic:***Not determined.***Solubility****water:***Not miscible or difficult to mix.***Partition coefficient n-octanol/water (log value)***Not determined.***Vapour pressure at 20 °C:***43 hPa***Density and/or relative density****Density:***Not determined.***Relative density***Not determined.***Vapour density***Not determined.***Particle characteristics***Not applicable.***Other information****Appearance:****Form:***Fluid***Important information on protection of health and environment, and on safety.****Ignition temperature:***Product is not selfigniting.***Explosive properties:***Product is not explosive. However, formation of explosive air/vapour mixtures are possible.***Solvent content:****Organic solvents:***15.0 %***Water:***71.4 %***Solids content:***0.0 %***Change in condition****Evaporation rate***Not determined.***Information with regard to physical hazard classes****Explosives***Void***Flammable gases***Void***Aerosols***Void***Oxidising gases***Void***Gases under pressure***Void***Flammable liquids***Highly flammable liquid and vapour.***Flammable solids***Void***Self-reactive substances and mixtures***Void***Pyrophoric liquids***Void*

(Contd. on page 6)

Trade name: Cleaning solution

(Contd. of page 5)

Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and Reactivity**Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological Information****Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 67-63-0 propan-2-ol**

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

CAS: 7647-01-0 hydrochloric acid

Oral	LD50	900 mg/kg (rabbit)
------	------	--------------------

Skin corrosion/irritation Causes severe skin burns and eye damage.**Serious eye damage/irritation** Causes serious eye damage.**Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological Information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

Other adverse effects**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)

Trade name: Cleaning solution

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

* SECTION 14: Transport information

UN number or ID number

IMDG, IATA

UN proper shipping name

ADG

UN2924

UN2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(ISOPROPANOL (ISOPROPYL ALCOHOL),
HYDROCHLORIC ACID)

IMDG

FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(ISOPROPANOL (ISOPROPYL ALCOHOL),
HYDROCHLORIC ACID)

IATA

Flammable liquid, corrosive, n.o.s. (containing
ISOPROPANOL (ISOPROPYL ALCOHOL),
HYDROCHLORIC ACID)

Transport hazard class(es)

ADG



Class
Label

3 (FC) Flammable liquids.
3+8

IMDG



Class
Label

3 Flammable liquids.
3/8

IATA



Class
Label

3 Flammable liquids.
3 (8)

Packing group

ADG, IMDG, IATA

II

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Flammable liquids.

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Page 8/9

Date of issue: 21.10.2024

Version 11 (replaces version 10)

Revision: 17.07.2023

Trade name: Cleaning solution

(Contd. of page 7)

Hazard identification number (Kemler code): 338
EMS Number: F-E,S-C
Segregation groups (SGG18) Alkalies
Stowage Category B
Stowage Code SW2 Clear of living quarters.
Segregation Code SG35 Stow "separated from" SGG1-acids
Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information:

ADG
Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code D/E

IMDG
Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation": UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(ISOPROPANOL (ISOPROPYL ALCOHOL),
HYDROCHLORIC ACID), 3 (8), II

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons

CAS: 7647-01-0 | hydrochloric acid | S5, S6


Australia: Priority Existing Chemicals

None of the ingredients is listed.

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS02 GHS05

Signal word Danger

Hazard-determining components of labelling:

hydrochloric acid (5-10 %)

Hazard statements

Highly flammable liquid and vapour.
Causes severe skin burns and eye damage.

Precautionary statements

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Trade name: Cleaning solution

(Contd. of page 8)

Directive 2012/18/EU**Named dangerous substances - ANNEX I** *None of the ingredients is listed.***Seveso category P5c** **FLAMMABLE LIQUIDS****Qualifying quantity (tonnes) for the application of lower-tier requirements** *5,000 t***Qualifying quantity (tonnes) for the application of upper-tier requirements** *50,000 t***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**DNEL: Derived No-Effect Level (REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Flammable liquids – Category 2: Flammable liquids – Category 2**Acute toxicity - oral – Category 4: Acute toxicity – Category 4**Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B**Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2**Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1**Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A**Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3**** Data compared to the previous version altered.**

— AUS —