

SECTION 1: Identification

Other means of identification

Trade name: Electrolyte COS41/COS51x, 50ml

Article number: COV45-41TNx/51Txx

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

electrolyte

Laboratory chemicals

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser

Conducta GmbH+Co. KG

Dieselstraße 24

D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117

E-Mail: MSDS.PCC@endress.com

Regional representation:

Endress+Hauser Australia Pty Ltd

16 Giffnock Avenue

Macquarie Park, NSW 2113

Australia

Phone: 1300 363 707

Phone: +61 2 8877 7000

Emergency telephone number: *Poison Hotline: 13 11 26*

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture



corrosion

Skin corrosion/irritation – Category 1A H314 Causes severe skin burns and eye damage.

Eye damage/irritation – Category 1 H318 Causes serious eye damage.

Label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS05

Signal word *Danger*

Hazard-determining components of labelling:

potassium carbonate (5-10 %)

Hazard statements

Causes severe skin burns and eye damage.

(Contd. on page 2)

— AUS —

Trade name: Electrolyte COS41/COS51x, 50ml

(Contd. of page 1)

Precautionary statements

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition and Information on Ingredients**Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 584-08-7	potassium carbonate	5-10%
EINECS: 209-529-3	☞ Eye damage/irritation – Category 1, H318; ☞ Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H335	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First Aid Measures**Description of first aid measures**

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Fire Fighting Measures**Extinguishing media****Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters No further relevant information available.

Protective equipment: Mount respiratory protective device.

(Contd. on page 3)

Trade name: Electrolyte COS41/COS51x, 50ml

(Contd. of page 2)

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures*Mount respiratory protective device.**Wear protective equipment. Keep unprotected persons away.**Wear protective clothing.***Environmental precautions:***Dilute with plenty of water.**Do not allow to enter sewers/ surface or ground water.***Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Use neutralising agent.**Dispose contaminated material as waste according to section 13.**Ensure adequate ventilation.***Reference to other sections***No dangerous substances are released.**See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.*

SECTION 7: Handling and Storage

Precautions for safe handling*Ensure good ventilation/exhaustion at the workplace.**Prevent formation of aerosols.***Information about fire - and explosion protection:** *Keep respiratory protective device available.***Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *Keep container tightly sealed.***Storage class:** *8 B***Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls and personal protection

Control parameters**Ingredients with limit values that require monitoring at the workplace:***The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.***Additional information:** *The lists valid during the making were used as basis.***Exposure controls****Appropriate engineering controls** *No further data; see section 7.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes.**Avoid contact with the eyes and skin.***Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

(Contd. on page 4)

Trade name: Electrolyte COS41/COS51x, 50ml

(Contd. of page 3)

Hand protection*Protective gloves and protective skin cream**Protective gloves**To avoid skin problems reduce the wearing of gloves to the required minimum.**Only use chemical-protective gloves with CE-labelling of category III.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.***Material of gloves***Nitrile rubber, NBR**Chloroprene rubber, CR**The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Eyeface protection***Tightly sealed goggles***Body protection:** *Protective work clothing***SECTION 9: Physical and Chemical Properties****Information on basic physical and chemical properties****General Information****Physical state***Fluid***Colour:***Colourless***Odour:***Odourless***Odour threshold:***Not determined.***Melting point/freezing point:***6 °C***Boiling point or initial boiling point and boiling range***100 °C***Flammability***Not applicable.***Lower and upper explosion limit****Lower:***Not determined.***Upper:***Not determined.***Flash point:***Not applicable.***Decomposition temperature:***Not determined.***pH at 20 °C***12.3***Viscosity:****Kinematic viscosity***Not determined.***Dynamic:***Not determined.***Solubility****water:***Fully miscible.***Partition coefficient n-octanol/water (log value)** *Not determined.***Vapour pressure at 20 °C:***23 hPa***Density and/or relative density****Density at 20 °C:***1.059 g/cm³***Relative density***Not determined.***Vapour density***Not determined.*

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Page 5/8

Date of issue: 23.10.2024

Version 9 (replaces version 8)

Revision: 23.10.2024

Trade name: Electrolyte COS41/COS51x, 50ml

(Contd. of page 4)

Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard. Not determined.
Solvent content:	
Water:	>85.0 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological Information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 584-08-7 potassium carbonate

Oral LD50 1,870 mg/kg (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 6)

AUS

Trade name: Electrolyte COS41/COS51x, 50ml

(Contd. of page 5)

Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological Information

Toxicity

Aquatic toxicity: *No further relevant information available.***Persistence and degradability** *No further relevant information available.***Bioaccumulative potential** *No further relevant information available.***Mobility in soil** *No further relevant information available.*

Results of PBT and vPvB assessment

PBT: *Not applicable.***vPvB:** *Not applicable.*

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information:

General notes:

*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water**Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**Must not reach sewage water or drainage ditch undiluted or unneutralised.**Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.*

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: *Disposal must be made according to official regulations.***Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

UN number or ID number

ADN, IMDG, IATA

Void

UN proper shipping name

ADG, ADN, IMDG, IATA

Void

Transport hazard class(es)

ADG, ADN, IMDG, IATA

Class

Void

Packing group

ADG, IMDG, IATA

Void

Environmental hazards:

Not applicable.

Special precautions for user

Not applicable.

Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

Void

(Contd. on page 7)

Trade name: Electrolyte COS41/COS51x, 50ml

(Contd. of page 6)

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals*All ingredients are listed.***Standard for the Uniform Scheduling of Medicines and Poisons**

CAS: 7758-02-3	potassium bromide	S4
CAS: 1310-58-3	potassium hydroxide	S5, S6, S10

Australia: Priority Existing Chemicals*None of the ingredients is listed.***GHS label elements***The product is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms**

GHS05

Signal word *Danger***Hazard-determining components of labelling:***potassium carbonate (5-10 %)***Hazard statements***Causes severe skin burns and eye damage.***Precautionary statements***IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a POISON CENTER/doctor.**Specific treatment (see on this label).**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** PCC-TWR**Contact:** MSDS.pcc@endress.com**Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)**ICAO: International Civil Aviation Organisation**ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances*

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Page 8/8

Date of issue: 23.10.2024

Version 9 (replaces version 8)

Revision: 23.10.2024

Trade name: Electrolyte COS41/COS51x, 50ml

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin corrosion/irritation – Category 1A: Skin corrosion/irritation – Category 1A

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**

AUS