

Government of India Ministry of Commerce & Industry Petroleum & Explosives Safety Organisation (PESO) 5th Floor, A-Block, CGO Complex, Seminary Hills, Nagpur - 440006

E-mail: explosives@explosives.gov.in Phone/Fax No: 0712 -2510248, Fax-2510577

Approval No: A/P/HQ/MH/104/8412 (P620212) Dated: 01/04/2025

M/s. Endress+Hauser SE+Co. KG, Hauptstrassee 1, Maulburg 79689

GERMANY

Approval of Flame Proof Type Electrical Equipments under Petroleum Rules 2002. under Petroleum Rules 2002- Regarding. Sub:

Sir(s),

To,

Please refer to your letter No. OIN1944802 dated 13/03/2025 on the subject.

The following Ex electrical equipment(s) manufactured by you according to IEC 60079-0 : 2017, IEC 60079-1 : 2014, IEC 60079-1 : 2023, standards and covered under Bureau Veritas Test reports mentioned below is/are approved for use in Zone 1 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			
				Name	Certificate No.	Certificate Date	Drawing no
1	Gammapilot FMG50	Ex db ia IIC T6T1Gb	P620212/1	Bureau Veritas	IECEx EPS 18.0098X (Issue No. 3)	14/05/2024	961002781
2	Gammapilot FMG50	Ex db IIC T6T1Gb	P620212/2	Bureau Veritas	IECEx EPS 18.0098X (Issue No. 3)	14/05/2024	961002781

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Bureau Veritas Test Reports referred to
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
- (a) Name of the manufacturer
- (b) Name and number by which the equipment is identified.
 (c) Number & date of the test report of the Bureau Veritas applicable to the equipment.
- (d) Equipment reference number of this letter by which use of apparatus is approved.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Bureau Veritas Test report and is identical with the one tested and certified at Bureau Veritas shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenence schedule, if any, recommended by Bureau Veritas in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characterestics.
- 6) The After sales service and maintanance of subject equipment shall be looked after by your representative ENDRESS + HAUSER (INDIA) PRIVATE LIMITED, 7B,7th Floor,Godrej One, Pirojshanagar

Conditions of the Approval:The special conditions of use given in the IECEx Certificate of Conformity shall be duly addressed by the manufacturer and information shall be passed on to the end user. The approval is valid subject the validity of QAR

This approval also covers the permissible variations as approved under the Bureau Veritas test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto 31/12/2029

Yours faithfully,

(Kanak Singh Meena) Dy. Controller of Explosives For Chief Controller of Explosives Nagpur

- 1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
- 2. ENDRESS + HAUSER (INDIA) PRIVATE LIMITED,7B,7th Floor,Godrej One,Pirojshanagar

for Chief Controller of Explosives Nagpur

(For more information regarding status, fees and other details please visit our website http://peso.gov.in)

This is System Generated document. Signature is not required.