



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX DEK 11.0027X** Page 1 of 4 Certificate history:
Status: **Current** Issue No: 2 [Issue 1 \(2016-07-11\)](#)
[Issue 0 \(2011-03-21\)](#)
Date of Issue: 2023-07-17
Applicant: **Endress+Hauser Wetzler GmbH+Co. KG**
Obere Wank 1
87484 Nesselwang
Germany
Equipment: **Surge Arrester, Type HAW569-DA2B**
Optional accessory:
Type of Protection: **Ex i**
Marking: **Ex ia [ia Ga] IIC T6...T4 Gb**

Approved for issue on behalf of the IECEx
Certification Body:

R. Schuller

Position:

Certification Manager

Signature:
(for printed version)

Date:
(for printed version)

2023-07-17

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

DEKRA Certification B.V.
Meander 1051
6825 MJ Arnhem
Netherlands





IECEX Certificate of Conformity

Certificate No.: **IECEX DEK 11.0027X**

Page 2 of 4

Date of issue: 2023-07-17

Issue No: 2

Manufacturer: **Endress+Hauser Wetzer GmbH+Co. KG**
Obere Wank 1
87484 Nesselwang
Germany

Manufacturing locations: **Endress+Hauser Wetzer GmbH+Co. KG**
Obere Wank 1
87484 Nesselwang
Germany

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

[IEC 60079-0:2017](#) Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

[IEC 60079-11:2011](#) Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[NL/DEK/ExTR11.0025/02](#)

Quality Assessment Report:

[DE/TUN/QAR06.0009/11](#)



IECEX Certificate of Conformity

Certificate No.: **IECEX DEK 11.0027X**

Page 3 of 4

Date of issue: 2023-07-17

Issue No: 2

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Surge Arrester, Type HAW569-DA2B serves to limit occasional surge voltages in intrinsically safe circuits.

Electrical data

Input circuit (Terminals X1.1, X1.2 and cable W1 (red), W2 (black)):

in type of protection intrinsic safety Ex ia IIC, for connection to a certified intrinsically safe circuit, with the following maximum values: $U_i = 30$ V; $I_i = 500$ mA; $C_i = 0$ nF; $L_i = 0$ μ H;

or in type of protection intrinsic safety Ex ia IIC, for connection to a certified intrinsically safe circuit or a circuit in accordance with FISCO, with the following maximum values: $U_i = 17.5$ V; $I_i = 380$ mA; $P_i = 5.32$ W; $C_i = 0$ nF; $L_i = 0$ μ H.

SPECIFIC CONDITIONS OF USE: YES as shown below:

Ambient temperature range:

-40 °C to +55 °C for temperature class T6

-40 °C to +70 °C for temperature class T5

-40 °C to +80 °C for temperature class T4

The dielectric strength of at least 500 V of the intrinsically safe circuits of Surge Arrester, Type HAW569-DA2B is limited only by the overvoltage protection.



IECEX Certificate of Conformity

Certificate No.: **IECEX DEK 11.0027X**

Page 4 of 4

Date of issue: 2023-07-17

Issue No: 2

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Assessed per IEC 60079-0 Ed. 7