



ترخيص باستخدام علامة الجودة الإماراتية LICENSE FOR THE USE OF EMIRATES QUALITY MARK



علامة الجودة الإماراتية
Emirates Quality Mark

Certificate Number:	25-03-23825/Q25-01-049912/NB0007	رقم الشهادة:
Registration Date:	28-Mar-2025	تاريخ الإصدار:
Valid Until:	27-Mar-2028	صالحة لغاية:
Issued To:	Endress & Hauser Process Automation UAE Trading LLC	أصدرت إلى:
Address:	Control Tower Building, Office no. 2601, Detroit Street, Motor City - 473547, Dubai ,United Arab Emirates	العنوان:
Sector:	Electrical كهرباء	قطاع:
Regulation:	ECAS-Ex الأجهزة الكهربائية المعدة للاستخدام في الأجواء القابلة للانفجار	اللائحة:
Product Category:	ECAS-Ex الأجهزة الكهربائية المعدة للاستخدام في الأجواء القابلة للانفجار	تصنيف المنتج:
Product Sub-Category:	See Schedule of Certification انظر بيان التسجيل المرفق	التصنيف الفرعي للمنتج:
Products details:	See Schedule of Certification انظر بيان التسجيل المرفق	تفاصيل المنتجات:

Products are EQM licensed based on compliance to the Approved Standards and EQM procedures



المنتجات حاصلة على علامة الجودة الإماراتية بناءً على مطابقتها للمواصفات المعتمدة و الإجراءات الخاصة بعلامة الجودة الإماراتية

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification

هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

Certificate type:		EQM		علامة الجودة الإماراتية		نوع الشهادة:	
Certificate Number:		25-03-23825/Q25-01-049912/NB0007				رقم الشهادة:	
Valid Until:		27-Mar-2028				صالحة لغاية:	
رقم التسلسل	الاسم التجاري	رقم الطراز	تفاصيل المنتج	تصنيف النجوم	التقارير	المواصفات المطبقة	بلد المنشأ
No.	Brand Name	Model Number	Product Details	Star Rating	Report Ref. No.	Applicable Standards	Country Of Origin
1	Endress+Hauser	FMG50	Gammapiilot FMG50; Type of Protection: db ia, db, tb; Marking: Ex db ia IIC T6...T1 Gb, Ex db IIC T6...T1 Gb, Ex tb IIIC T85°C Db, Ex db IIC T6...T1 Gb, Ex tb IIIC T85°C Db; Refer to IECEX EPS 18.0098X issue no. 3 for more details	N/A	IECEX EPS 18.0098X , DE/EPs/ ExTR18. 0105/03, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

2	Endress+ Hauser	FMP50	Level Transmitter Levelflex FMP50; Ex e, Ex d, Ex i ; Marking : Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X , NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	-------	---	-----	---	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

3	Endress+ Hauser	FMP51	Level Transmitter Levelflex FMP51; Ex d, Ex e, Ex i, Ex t ; Marking : Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

4	Endress+ Hauser	FMP 52	Level Transmitter Levelflex FMP52; Ex d, Ex e, Ex i, Ex t ; Marking : Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	--------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

5	Endress+ Hauser	FMP 53	Level Transmitter Levelflex FMP53; Ex d, Ex e, Ex i, Ex t ; Marking :Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	--------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

6	Endress+ Hauser	FMP 54	Level Transmitter Levelflex FMP54; Ex d, Ex e, Ex i, Ex t ; Marking :Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	--------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

7	Endress+ Hauser	FMP 55	Level Transmitter Levelflex FMP55; Ex d, Ex e, Ex i, Ex t ; Marking :Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	--------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

8	Endress+ Hauser	FMP56	Level Transmitter Levelflex FMP56; Ex d, Ex e, Ex i, Ex t ; Marking :Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	-------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

9	Endress+ Hauser	FMP57	Level Transmitter LevelflexFMP57; Ex d, Ex e, Ex i, Ex t ; Marking :Ex ec IIC T6...T1 Gc ,Ex ia IIC T6...T1 Ga ,Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb ,Ex ic IIC T6...T1 Gc ,Ex ta IIIC Txx °C T200 xx °C Da, Ex ta/tb IIIC Txx °C Da/Db ,Ex ia IIIC Txx °C Da/Db. For all process connections and other details refere to IECEX KEM 10.0043X issue 11	N/A	IECEX KEM 10.0043X NL/KEM/ ExTR10. 0055/12, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
---	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

10	Endress+ Hauser	NMR81	Tank Gauge Radar Micropilot NMR81; Type of Protection: Intrinsic Safety "ia", Flameproof "db"; Marking : Ex ia/db IIC T4...T1 Ga/Gb, Ex db [ia Ga] IIC T4...T1 Gb, Ex ia/db IIC T6...T1 Ga/Gb, Ex db [ia Ga] IIC T6...T1 Gb. Tamb refer to Annex. For rating,temp,class, ambient ranges and process connections refere to IECEx FMG 16.0011X issue 5	N/A	IECEX FMG 16.0011X US/FMG/ ExTR16. 0012/00, US/FMG/ ExTR16. 0012/01, US/FMG/ ExTR16. 0012/02, US/FMG/ ExTR16. 0012/03, US/FMG/ ExTR16. 0012/04, US/FMG/ ExTR16. 0012/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
----	--------------------	-------	---	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

11	Endress+ Hauser	NMR84	Tank Gauge Radar Micropilot NMR84; Type of Protection: Intrinsic Safety "ia", Flameproof "db"; Marking : Ex ia/db IIC T6...T1 Ga/Gb, Ex db [ia Ga] IIC T6...T1 Gb. Tamb refer to Annex. For rating,temp,class, ambient ranges and process connections refere to IECEx FMG 16.0011X issue 5	N/A	IECEX FMG 16.0011X US/FMG/ ExTR16. 0012/00, US/FMG/ ExTR16. 0012/01, US/FMG/ ExTR16. 0012/02, US/FMG/ ExTR16. 0012/03, US/FMG/ ExTR16. 0012/04, US/FMG/ ExTR16. 0012/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
----	--------------------	-------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيتها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

12	Endress+ Hauser	FTL41	Level Switch Liquiphant, FTL41, Type of protection; Ex d, Ex i; Marking: Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Ga/Gb, For process connections and other details refer to IECEX DEK 24.0010X issue 0	N/A	IECEX DEK 24.0010X NL/DEK/ ExTR24. 0013/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079- 15, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

13	Endress+ Hauser	FTL51B	Level Switch Liquiphant, FTL51B, Type of protection; Ex d, Ex e, Ex i, and Ex t; Marking: Ex ia IIC T6 Ga, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Ga/Gb, Ex db eb IIC T6...T1 Ga/Gb or Gb, Ex ia IIC T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex db IIC T6 Ga/Gb, Ex ta/tb IIIC Da/Db, For process connections and other details refere to IECEx DEK 24.0010X issue 0	N/A	IECEX DEK 24.0010X NL/DEK/ ExTR24. 0013/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079- 15, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

14	Endress+ Hauser	FTL62	Level Switch Liquiphant, FTL62, Type of protection; Ex d, Ex e, Ex i, and Ex t; Marking: Ex ia IIC/IIB T6 Ga/Gb, Ex db IIC/IIB T6 Ga/Gb, Ex db eb IIC T6...T1 Ga/Gb or Gb, Ex ia IIC/IIB T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC/IIB T6 Gc, Ex tc IIIC Dc, Ex db IIC/IIB T6 Ga/Gb, Ex ta/tb IIIC Da/Db, For process connections and other details refere to IECEx DEK 24.0010X issue 0	N/A	IECEX DEK 24.0010X NL/DEK/ ExTR24. 0013/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079- 15, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

15	Endress+ Hauser	FTL63	Level Switch Liquiphant, FTL63, Type of protection; Ex d, Ex e, Ex i, Ex nC and Ex t; Marking: Ex ia IIC T6 Ga, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Ga/Gb, Ex db eb IIC T6...T1 Ga/Gb or Gb, Ex ia IIC T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex db IIC T6 Ga/Gb, Ex ta/tb IIIC Da/Db, For process connections and other details refere to IECEX DEK 24.0010X issue 0	N/A	IECEX DEK 24.0010X NL/DEK/ ExTR24. 0013/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079- 15, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

16	Endress+Hauser	FTL64	Level Switch Liquiphant, FTL64, Type of protection; Ex d, Ex e, Ex i, and Ex t; Marking: Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Ga/Gb, Ex db eb IIC T6...T1 Ga/Gb or Gb, Ex ia IIC T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex db IIC T6 Ga/Gb, Ex ta/tb IIIC Da/Db. For process connections and other details refere to IECEx DEK 24.0010X issue 0	N/A	IECEX DEK 24.0010X , NL/DEK/ ExTR24. 0013/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079- 15, UAE.S IEC 60079-31	GERMANY
17	Endress+Hauser	FMR60	Microwave unit Micropilot type series FMR60; Type of Protection: Ex db, Ex ec, Ex ia, Ex ta/tb; Marking: Ex ia IIC T6...T1 Ga, Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb, Ex ia/ic [ia Ga] IIC T6...T1 Ga/Gb/Gc1), Ex ta IIIC T500 125 °C	N/A	IECEX IBE 16.0035X , DE/IBE/E xTR16.00 19/00, DE/IBE/E xTR16.00 19/01, DE/IBE/E xTR16.00 19/02, DE/IBE/E	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1,	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغىها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

			Da, Ex ta/tb IIC T85 °C Da/Db2), Ex ec IIC T6...T1 Gc2), Ex ic IIC T6...T1 Gc2), Ex ia/ec [ia Ga] IIC T6...T1 Ga/Gb/Gc1), Ex ia IIC T6...T1 Ga/Gb, Ex ia IIC T85 °C Da/Db, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb2), Ex ta/tb IIC T85 °C Da/Db2), Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb2). 1) Approval code not in combination with Display, Operation = L (not with connection M12) 2) Special product only with Ex e certified entry. Not in combination with Power supply, Output = A 3) The marking does not change when Power supply, Output = A For process connections and other details refer to IECEx IBE 16.0035X issue 4		xTR16.00 19/03, DE/IBE/E xTR16.00 19/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-7, UAE.S IEC 60079-31	
18	Endress+ Hauser	FMR62	Microwave unit Micropilot type series FMR62; Type of Protection: Ex db, Ex ec, Ex ia, Ex ta/tb;	N/A	IECEX IBE 16.0035X DE/IBE/E	UAE.S IEC 60079-11, UAE.S	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

Marking:Ex ia IIC T6...T1 Ga,Ex ia IIC T6...T1 Ga/Gb,Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb,Ex ia/ic [ia Ga] IIC T6...T1 Ga/Gb/Gc1),Ex ta IIIC T500 125 °C Da,Ex ta/tb IIIC T85 °C Da/Db2),Ex ec IIC T6...T1 Gc2),Ex ic IIC T6...T1 Gc2),Ex ia/ec [ia Ga] IIC T6...T1 Ga/Gb/Gc1),Ex ia IIC T6...T1 Ga/Gb,Ex ia IIIC T85 °C Da/Db,Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb2),Ex ta/tb IIIC T85 °C Da/Db2),Ex ia IIC T6...T1 Ga/Gb,Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb2). 1) Approval code not in combination with Display, Operation = L (not with connection M12) 2) Special product only with Ex e certified entry. Not in combination with Power supply, Output = A 3) The marking does not change when Power supply, Output = A For	xTR16.00 IEC 19/00, 60079- DE/IBE/E 26, xTR16.00 UAE.S 19/01, IEC DE/IBE/E 60079-0, xTR16.00 UAE.S 19/02, IEC DE/IBE/E 60079-1, xTR16.00 UAE.S 19/03, IEC DE/IBE/E 60079-7, xTR16.00 UAE.S 19/04, IEC DE/TUN/ 60079-31 QAR06.0 003/11
---	---

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

			process connections and other details refer to IECEx IBE 16.0035X issue 4				
19	Endress+ Hauser	FMR67	Microwave unit Micropilot type series FMR67; Type of Protection: Ex db, Ex ec, Ex ia, Ex ta/tb; Marking: Ex ia IIC T6...T1 Ga, Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb, Ex ia/ic [ia Ga] IIC T6...T1 Ga/Gb/Gc1), Ex ta IIIC T500 125 °C Da, Ex ta/tb IIIC T85 °C Da/Db2), Ex ec IIC T6...T1 Gc2), Ex ic IIC T6...T1 Gc2), Ex ia/ec [ia Ga] IIC T6...T1 Ga/Gb/Gc1), Ex ia IIC T6...T1 Ga/Gb, Ex ia IIIC T85 °C Da/Db, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb2), Ex ta/tb IIIC T85 °C Da/Db2), Ex ia IIC T6...T1 Ga/Gb, Ex ia/db [ia Ga] IIC T6...T1 Ga/Gb2). 1) Approval code not in combination with Display, Operation = L (not with connection M12) 2)	N/A	IECEX IBE 16.0035X , DE/IBE/E xTR16.00 19/00, DE/IBE/E xTR16.00 19/01, DE/IBE/E xTR16.00 19/02, DE/IBE/E xTR16.00 19/03, DE/IBE/E xTR16.00 19/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

			Special product only with Ex e certified entry. Not in combination with Power supply, Output = A 3) The marking does not change when Power supply, Output = A For process connections and other details refer to IECEx IBE 16.0035X issue 4				
20	Endress+Hauser	FTL51B	Level Switch Liquiphant Digital, type FTL51B,; Type of Protection: Ex d, Ex t, Ex i, Ex e ; Marking: Ex ia IIC T6 Ga, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Ga/Gb, Ex ia IIC T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex db IIC T6 Ga/Gb, Ex ta/tb IIIC Da/Db. For process connections and other details refer to IECEx DEK 22.0008X issue 1	N/A	IECEX DEK 22.0008X NL/DEK/ ExTR22. 0032/00, NL/DEK/ ExTR22. 0032/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

21	Endress+ Hauser	FTL62	Level Switch Liquiphant Digital, type FTL62; Type of Protection: Ex d, Ex t, Ex i, Ex e ; Marking: Ex ia IIC/IIB T6 Ga/Gb, Ex db IIC/IIB T6 Ga/Gb, Ex ia IIC/IIB T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC/IIB T6 Gc, Ex tc IIIC Dc, Ex db IIC/IIB T6 Ga/Gb, Ex ta/tb IIIC Da/Db For process connections and other details refere to IECEx DEK 22.0008X issue 1	N/A	IECEX DEK 22.0008X NL/DEK/ ExTR22. 0032/00, NL/DEK/ ExTR22. 0032/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

22	Endress+ Hauser	FTL63	Level Switch Liquiphant Digital, type FTL63; Type of Protection: Ex d, Ex t, Ex i, Ex e ; Marking: Ex ia IIC T6 Ga, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Ga/Gb, Ex ia IIC T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex db IIC T6 Ga/Gb, Ex ta/tb IIIC Da/Db. For process connections and other details refere to IECEx DEK 22.0008X issue 1	N/A	IECEX DEK 22.0008X NL/DEK/ ExTR22. 0032/00, NL/DEK/ ExTR22. 0032/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

23	Endress+ Hauser	FTL64	Level Switch Liquiphant Digital, type FTL64; Type of Protection: Ex d, Ex t, Ex i, Ex e ; Marking: Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Ga/Gb, Ex ia IIC T6 Ga/Gb, Ex ia IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex db IIC T6 Ga/Gb, Ex ta/tb IIIC Da/Db For process connections and other details refere to IECEx DEK 22.0008X issue 1	N/A	IECEX DEK 22.0008X NL/DEK/ ExTR22. 0032/00, NL/DEK/ ExTR22. 0032/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

24	Endress+Hauser	FMR6xB	Microwave units Micropilot, Type: FMR6xB ;Type of Protection : d, e, i, t ; Marking:Refer to the general product information for markings, process connections, and other details to IECEX SEV 22.0028X issue 1	N/A	IECEX SEV 22.0028X , CH/SEV/ ExTR22. 0030/01, NL/DEK/ ExTR23. 0022/00, CH/SEV/ ExTR19. 0044/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
25	Endress+Hauser	PMP51B	Pressure Transmitters type Cerabar PMP51B ; Type of Protection: Ex d, Ex i, Ex t ; Marking : Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db. For process connections and other details refere to IECEX DEK 22.0037X issue 0	N/A	IECEX DEK 22.0037X , NL/DEK/ ExTR22. 0037/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

26	Endress+Hauser	PMC51B	Pressure Transmitters type Cerabar PMC51B ; Type of Protection: Ex d, Ex i, Ex t ; Marking : Ex db [ia] IIC T6 Ga/Gb, Ex db ia IIC T6 Gb, Ex ta/tb IIIC Da/Db Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Gb, Ex ia IIIC Da/Db. For process connections and other details refere to IECEX DEK 22.0037X issue 0	N/A	IECEX DEK 22.0037X , NL/DEK/ ExTR22. 0037/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY
27	Endress+Hauser	PMP71B	Pressure Transmitters type Cerabar PMP71B ; Type of Protection: Ex d, Ex i, Ex t ; Marking : Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db, Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db. For process connections and other details refere to IECEX DEK 22.0037X issue 0	N/A	IECEX DEK 22.0037X , NL/DEK/ ExTR22. 0037/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

28	Endress+Hauser	PMC71B	Differential Pressure Transmitters type Cerabar PMC71B ; Type of Protection: Ex d, Ex i, Ex t ; Marking : Ex db [ia] IIC T6 Ga/Gb, Ex db ia IIC T6 Gb, Ex ta/tb IIIC Da/Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex ia IIC T6 Ga/Gb, Ex db ia IIC T6 Gb, Ex ia IIIC Da/Db. For process connections and other details refere to IECEx DEK 22.0037X issue 0	N/A	IECEX DEK 22.0037X NL/DEK/ExTR22.0037/00, DE/TUN/QAR06.0003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY
29	Endress+Hauser	PMD55B	Differential Pressure Transmitters type Deltabar PMD55B ; Type of Protection: Ex d, Ex i, Ex t ; Marking : Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db, Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db . For process connections and other details refere to IECEx DEK 22.0037X issue 0	N/A	IECEX DEK 22.0037X NL/DEK/ExTR22.0037/00, DE/TUN/QAR06.0003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

30	Endress+Hauser	PMD75B	Differential Pressure Transmitters type Deltabar PMD75B ; Type of Protection: Ex d, Ex i, Ex t ; Marking : Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db, Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db. For process connections and other details refer to IECEx DEK 22.0037X issue 0	N/A	IECEX DEK 22.0037X NL/DEK/ExTR22.0037/00, DE/TUN/QAR06.0003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY
31	Endress+Hauser	PMD78B	Differential Pressure Transmitters type Deltabar PMD78B ; Type of Protection: Ex d, Ex i, Ex t ; Marking : Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db, Db, Ex ec IIC T6 Gc, Ex tc IIIC Dc, Ex ia IIC T6 Ga/Gb, Ex db IIC T6 Gb, Ex ta/tb IIIC Da/Db. For process connections and other details refer to IECEx DEK 22.0037X issue 0	N/A	IECEX DEK 22.0037X NL/DEK/ExTR22.0037/00, DE/TUN/QAR06.0003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

32	Endress+ Hauser	PMD55	Differential Pressure Transmitters DELTABAR M Model PMD55 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4Ga/Gb, Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ ExTR09. 0017/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
33	Endress+ Hauser	PMC51	Pressure Transmitters CERABAR M Model PMC51 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4Ga/Gb, Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ ExTR09. 0017/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

34	Endress+ Hauser	PMP51	Pressure Transmitters CERABAR M Model PMP51 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4Ga/Gb, Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ ExTR09. 0017/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
35	Endress+ Hauser	PMP55	Pressure Transmitters CERABAR M Model PMP55 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4Ga/Gb, Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ ExTR09. 0017/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيتها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

36	Endress+ Hauser	FMB50	Pressure Transmitters DELTAPILOT M Model FMB50 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4Ga/Gb, Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ ExTR09. 0017/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
37	Endress+ Hauser	FMB51	Pressure Transmitters DELTAPILOT M Model FMB51 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4Ga/Gb, Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ ExTR09. 0017/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

38	Endress+Hauser	FMB52	Pressure Transmitters DELTAPILOT M Model FMB52 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4Ga/Gb, Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc. Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ExTR09.0017/05, DE/TUN/QAR06.0003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
39	Endress+Hauser	FMB53	Pressure Transmitters DELTAPILOT M Model FMB53 ; type of protection: Ex ia, ic Ex ta, tb Marking; Ex ia IIC T6...T4 Gb, Ex ic IIC T6...T4 Gc. Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 09.0016X issue 5	N/A	IECEX KEM 09.0016X , NL/KEM/ExTR09.0017/05, DE/TUN/QAR06.0003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

40	Endress+ Hauser	PMD55	Pressure transmitter Deltabar M Type PMD55 ; Type of Protection : Ex d ; Marking :Ex db IIC T6 or T4 Gb. process connections, Temperature ratings, and other details refere to IECEx KEM 09.0017 Issue 3	N/A	IECEX KEM 09.0017, NL/KEM/ ExTR09. 0023/03, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
41	Endress+ Hauser	PMP51	Pressure transmitter Cerabar M Type PMP51 ; Type of Protection : Ex d ; Marking :Ex db IIC T6 or T4 Gb. process connections, Temperature ratings, and other details refere to IECEx KEM 09.0017 Issue 3	N/A	IECEX KEM 09.0017, NL/KEM/ ExTR09. 0023/03, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
42	Endress+ Hauser	PMP55	Pressure transmitter Cerabar M Type PMP55 ; Type of Protection : Ex d ; Marking :Ex db IIC T6 or T4 Gb. process connections, Temperature ratings, and other details refere to IECEx KEM 09.0017 Issue 3	N/A	IECEX KEM 09.0017, NL/KEM/ ExTR09. 0023/03, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

43	Endress+Hauser	PMP51B	Pressure transmitter Cerabar , Type: PMP51B, Type of protection : ec, ia; Marking : Ex ia IIC T6...T1 Ga Ex ia IIC T6...T1 Gb Ex ia IIC T6...T1 Ga/GbEx ec IIC T6...T1 Gc, Ex ia IIIC T200 xxx °C Da/Db, Ex ia IIIC TL xxx °C Db.process connections, Temperature ratings, and other details refere to IECEx SEV 20.0009X issue 3	N/A	IECEX SEV 20.0009X CH/SEV/ ExTR19. 0044/05, CH/SEV/ ExTR20. 0002/01, CH/SEV/ ExTR20. 0012/02, NL/DEK/ ExTR23. 0022/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-7	GERMANY
44	Endress+Hauser	PMP71B	Pressure transmitter Cerabar , Type: PMP71B, Type of protection : ec, ia; Marking : Ex ia IIC T6...T1 Ga Ex ia IIC T6...T1 Gb Ex ia IIC T6...T1 Ga/GbEx ec IIC T6...T1 Gc, Ex ia IIIC T200 xxx °C Da/Db, Ex ia IIIC TL xxx °C Db.process connections, Temperature ratings, and other details refere to IECEx SEV 20.0009X issue 3	N/A	IECEX SEV 20.0009X CH/SEV/ ExTR19. 0044/05, CH/SEV/ ExTR20. 0002/01, CH/SEV/ ExTR20. 0012/02, NL/DEK/ ExTR23. 0022/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-7	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

45	Endress+Hauser	PMD55B	Differential pressure transmitter Deltabar, Type: PMD55B, Type of protection : ec, ia; Marking : Ex ia IIC T6...T1 Ga Ex ia IIC T6...T1 Gb Ex ia IIC T6...T1 Ga/GbEx ec IIC T6...T1 Gc, Ex ia IIIC T200 xxx °C Da/Db, Ex ia IIIC TL xxx °C Db.process connections, Temperature ratings, and other details refere to IECEx SEV 20.0009X issue 3	N/A	IECEX SEV 20.0009X CH/SEV/ ExTR19. 0044/05, CH/SEV/ ExTR20. 0002/01, CH/SEV/ ExTR20. 0012/02, NL/DEK/ ExTR23. 0022/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-7	GERMANY
46	Endress+Hauser	PMD75B	Differential pressure transmitter Deltabar, Type: PMD75B, Type of protection : ec, ia; Marking : Ex ia IIC T6...T1 Ga Ex ia IIC T6...T1 Gb Ex ia IIC T6...T1 Ga/GbEx ec IIC T6...T1 Gc, Ex ia IIIC T200 xxx °C Da/Db, Ex ia IIIC TL xxx °C Db.process connections, Temperature ratings, and other details refere to IECEx SEV 20.0009X issue 3	N/A	IECEX SEV 20.0009X CH/SEV/ ExTR19. 0044/05, CH/SEV/ ExTR20. 0002/01, CH/SEV/ ExTR20. 0012/02, NL/DEK/ ExTR23. 0022/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-7	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيتها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

47	Endress+Hauser	PMD78B	Differential pressure transmitter Deltabar, Type: PMD78B, Type of protection : ec, ia; Marking : Ex ia IIC T6...T1 Ga Ex ia IIC T6...T1 Gb Ex ia IIC T6...T1 Ga/GbEx ec IIC T6...T1 Gc, Ex ia IIIC T200 xxx °C Da/Db, Ex ia IIIC TL xxx °C Db.process connections, Temperature ratings, and other details refere to IECEx SEV 20.0009X issue 3	N/A	IECEX SEV 20.0009X CH/SEV/ ExTR19. 0044/05, CH/SEV/ ExTR20. 0002/01, CH/SEV/ ExTR20. 0012/02, NL/DEK/ ExTR23. 0022/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-7	GERMANY
48	Endress+Hauser	PMC51B	Pressure transmitter Cerabar, Type: PMC51B, Type of protection : ec, ia; Marking : Ex ia IIC T6...T1 Ga Ex ia IIC T6...T1 Gb Ex ia IIC T6...T1 Ga/GbEx ec IIC T6...T1 Gc, Ex ia IIIC T200 xxx °C Da/Db, Ex ia IIIC TL xxx °C Db.process connections, Temperature ratings, and other details refere to IECEx SEV 20.0009X issue 3	N/A	IECEX SEV 20.0009X CH/SEV/ ExTR19. 0044/05, CH/SEV/ ExTR20. 0002/01, CH/SEV/ ExTR20. 0012/02, NL/DEK/ ExTR23. 0022/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-7	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

49	Endress+Hauser	PMC71B	Pressure transmitter Cerabar, Type: PMC71B, Type of protection : ec, ia; Marking : Ex ia IIC T6...T1 Ga Ex ia IIC T6...T1 Gb Ex ia IIC T6...T1 Ga/Gb, Ex ec IIC T6...T1 Gc, Ex ia IIIC T200 xxx °C Da/Db, Ex ia IIIC TL xxx °C Db.process connections, Temperature ratings, and other details refere to IECEx SEV 20.0009X issue 3	N/A	IECEX SEV 20.0009X CH/SEV/ ExTR19. 0044/05, CH/SEV/ ExTR20. 0002/01, CH/SEV/ ExTR20. 0012/02, NL/DEK/ ExTR23. 0022/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-7	GERMANY
50	Endress+Hauser	PMP71	Pressure transmitter CERABAR-S Type PMP71, Type of protection : Ex ia, Ex ta, tb, tc; Marking : Ex ia IIC T6...T2Ga/Gb, Ex ia IIIC T200 70°C Da, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/DbEx ta/tc IIIC T200xxx°C Da/Dc .process connections, Temperature ratings, and other details refere to IECEx KEM 06.0011X issue 6	N/A	IECEX KEM 06.0011X NL/KEM/ ExTR06. 0005/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

51	Endress+Hauser	PMP75	Pressure transmitter CERABAR-S Type PMP75, Type of protection : Ex ia, Ex ta, tb, tc; Marking : Ex ia IIC T6...T2Ga/Gb, Ex ia IIIC T200 70°C Da, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/DbEx ta/tc IIIC T200xxx°C Da/Dc .process connections, Temperature ratings, and other details refere to IECEx KEM 06.0011X issue 6	N/A	IECEX KEM 06.0011X , NL/KEM/ ExTR06. 0005/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
52	Endress+Hauser	PMC71	Pressure transmitter CERABAR-S Type PMC71, Type of protection : Ex ia; Marking : Ex ia IIC T6...T2Ga/Gb, Ex ia IIIC T200 70°C Da, Ex ia IIIC T200xxx°C Da/Db.process connections, Temperature ratings, and other details refere to IECEx KEM 06.0011X issue 6	N/A	IECEX KEM 06.0011X , NL/KEM/ ExTR06. 0005/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

53	Endress+Hauser	FMB70	Pressure transmitter DELTAPILOT-S Type FMB70, Type of protection : Ex ia, Ex ta, tb, tc; Marking : Ex ia IIC T6...T2Ga/Gb, Ex ia IIIC T200 70°C Da, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/DbEx ta/tc IIIC T200xxx°C Da/Dc .process connections, Temperature ratings, and other details refere to IECEx KEM 06.0011X issue 6	N/A	IECEX KEM 06.0011X , NL/KEM/ ExTR06. 0005/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
54	Endress+Hauser	PMD75	Differential Pressure transmitter DELTABAR-S Types PMD75, Type of protection : Ex ia, Ex ta, tb, tc; Marking : Ex ia IIC T6...T2Ga/Gb, Ex ia IIIC T200 70°C Da, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/DbEx ta/tc IIIC T200xxx°C Da/Dc .process connections, Temperature ratings, and other details refere to IECEx KEM 06.0011X issue 6	N/A	IECEX KEM 06.0011X , NL/KEM/ ExTR06. 0005/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

55	Endress+ Hauser	FMD77	Differential Pressure transmitter DELTABAR-S Types FMD77, Type of protection : Ex ia, Ex ta, tb, tc; Marking : Ex ia IIC T6...T2Ga/Gb, Ex ia IIIC T200 70°C Da, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/DbEx ta/tc IIIC T200xxx°C Da/Dc .process connections, Temperature ratings, and other details refere to IECEx KEM 06.0011X issue 6	N/A	IECEX KEM 06.0011X , NL/KEM/ ExTR06. 0005/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
56	Endress+ Hauser	FMD78	Differential Pressure transmitter DELTABAR-S Types FMD78, Type of protection : Ex ia, Ex ta, tb, tc; Marking : Ex ia IIC T6...T2Ga/Gb, Ex ia IIIC T20070°C Da, Ex ia IIIC T200xxx°C Da/Db, Ex ta/tb IIIC T200xxx°C Da/DbEx ta/tc IIIC T200xxx°C Da/Dc .process connections, Temperature ratings, and other details refere to IECEx KEM 06.0011X issue 6	N/A	IECEX KEM 06.0011X , NL/KEM/ ExTR06. 0005/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيتها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

57	Endress+Hauser	PMC71	Pressure Transmitters CERABAR S Type PMC71, Type of protection : Ex db, Ex ia; Marking : Ex db ia IIC T6...T4 Gb, Ex db ia IIC T6...T3 Gb.process connections, Temperature ratings, and other details refere to IECEx KEM 10.0031 issue 4	N/A	IECEX KEM 10.0031, NL/KEM/ExTR10.0023/04, DE/TUN/QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
58	Endress+Hauser	PMP71	Pressure Transmitters CERABAR S Type PMP71, Type of protection : Ex db; Marking : Ex db IIC T6...T4 Gb.process connections, Temperature ratings, and other details refere to IECEx KEM 10.0031 issue 4	N/A	IECEX KEM 10.0031, NL/KEM/ExTR10.0023/04, DE/TUN/QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
59	Endress+Hauser	PMP75	Pressure Transmitters CERABAR S Type PMP75, Type of protection : Ex db; Marking : Ex db IIC T6...T1 Gb.process connections, Temperature ratings, and other details refere to IECEx KEM 10.0031 issue 4	N/A	IECEX KEM 10.0031, NL/KEM/ExTR10.0023/04, DE/TUN/QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

60	Endress+Hauser	PMD75	Differential Pressure Transmitters DELTABAR S Type PMD75, Type of protection : Ex db; Marking : Ex db IIC T6...T4 Gb.process connections, Temperature ratings, and other details refere to IECEx KEM 10.0031 issue 4	N/A	IECEX KEM 10.0031, NL/KEM/ ExTR10. 0023/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
61	Endress+Hauser	FMD77	Differential Pressure Transmitters DELTABAR S Type FMD77, Type of protection : Ex db; Marking : Ex db IIC T6...T1 Gb.process connections, Temperature ratings, and other details refere to IECEx KEM 10.0031 issue 4	N/A	IECEX KEM 10.0031, NL/KEM/ ExTR10. 0023/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
62	Endress+Hauser	FMD78	Differential Pressure Transmitters DELTABAR S Type FMD78, Type of protection : Ex db; Marking : Ex db IIC T6...T1 Gb.process connections, Temperature ratings, and other details refere to IECEx KEM 10.0031 issue 4	N/A	IECEX KEM 10.0031, NL/KEM/ ExTR10. 0023/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

63	Endress+ Hauser	PMP50- *A	CERABAR Type PMP50- *A ***** ,Type of protection : Intrinsic safety "i" ; Marking : Ex ia IIC T4...T1 Ga. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

64	Endress+ Hauser	PMP50- *B	CERABAR Type PMP50- *B*****, Type of protection : Intrinsic safety "i" ; Marking : Ex ia IIC T4...T1 Ga/Gb Ex ia IIC T4...T1 Gb. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

65	Endress+ Hauser	PMP50- *F	CERABAR Type PMP50- *F*****, Type of protection : Flameproof protection "d"; Marking : Ex db IIC T6...T1 Gb. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

66	Endress+ Hauser	PMP50- *G	CERABAR Type PMP50- *G*****, Type of protection : Dust ignition protection by enclosure "t"; Marking :Ex ta IIIC T200100°C Da, Ex tb IIIC T125°C Db. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

67	Endress+ Hauser	PMP50- *H	CERABAR Type PMP50- *H*****, Type of protection : Intrinsic safety "i"; Marking :Ex ia IIIC T135°C Da/Db Ex ia IIIC T135°C Db. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

68	Endress+ Hauser	PMP50- *K	CERABAR Type PMP50- *K*****, Type of protection : Intrinsic safety "i"; Marking Ex ia IIC T4...T1 Ga/Gb, Ex ia IIC T135°C Da/Db, process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

69	Endress+ Hauser	PMP50- *N	CERABAR Type PMP50- *N*****, Type of protection : Flameproof protection "d", Dust ignition protection by enclosure "t", Intrinsic safety "i"; Marking: Ex ia IIC T4...T1 Ga/Gb, Ex ta IIIC T200 100°C Da, Ex tb IIIC T125°C Db, Ex db IIC T6...T1 Gb. For process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

70	Endress+ Hauser	PMD50- *A	DELTABAR Type PMD50- *A ***** ,Type of protection : Intrinsic safety "i" ; Marking : Ex ia IIC T4...T1 Ga. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

71	Endress+ Hauser	PMD50- *B	DELTABAR Type PMD50- *B***** ,Type of protection : Intrinsic safety "i" , ; Marking : Ex ia IIC T4...T1 Ga/Gb Ex ia IIC T4...T1 Gb. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

72	Endress+ Hauser	PMD50- *F	DELTABAR Type PMD50- *F*****, Type of protection : Flameproof protection "d"; Marking : Ex db IIC T6...T1 Gb. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

73	Endress+ Hauser	PMD50- *G	DELTABAR Type PMD50- *G*****, Type of protection : Dust ignition protection by enclosure "t"; Marking :Ex ta IIIC T200 100°C Da, Ex tb IIIC T100°C Db. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

74	Endress+ Hauser	PMD50- *H	DELTABAR Type PMD50- *H*****, Type of protection : Intrinsic safety "i"; Marking :Ex ia IIIC T135°C Da/Db Ex ia IIIC T135°C Db. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	--------------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

75	Endress+ Hauser	PMD50- *K	DELTABAR Type PMD50- *K*****, Type of protection : Intrinsic safety "i"; Marking Ex ia IIC T4...T1 Ga/Gb, Ex ia IIIC T135°C Da/Db, Ex ia IIC T4...T1 Gb, Ex ia IIIC T135°C Db. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
76	Endress+ Hauser	PMP50- *L	CERABAR Type PMP50- *L*****, Type of protection : Intrinsic safety "i"; MarkingEx ec IIC T4...T1 Gc, Ex tc IIIC T125°C Dc. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيتها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

77	Endress+ Hauser	PMD50- *L	DELTABAR Type PMD50- *L ***** ,Type of protection : Intrinsic safety "i"; Marking: Ex ec IIC T4...T1 Gc, Ex tc IIIC T100°C Dc. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY
78	Endress+ Hauser	PMD50- *N	DELTABAR Type PMD50- *N ***** ,Type of protection : Flameproof protection "d", Dust ignition protection by enclosure "t", Intrinsic safety "i"; Marking: Ex ia IIC T4...T1 Ga/Gb, Ex ta IIIC T200 100°C Da, Ex tb IIIC T100°C Db, Ex db IIC T6...T1 Gb. For process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/00, US/FMG/ ExTR24. 0007/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

79	Endress+ Hauser	FMI5*-6** *****	Liquicap M Type FMI5*-6*****. Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIC T ³ Ga/Gb. ³ The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. Only for versions with rod 16 mm / 22 mm guaranteed the length 17 mm for the conical seal. Furthermore the gas tight seal fulfills the requirements acc. 60079-26 Ed.4. Not for type FMI5*-6*****24)E5)* * . For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	--------------------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

80	Endress+ Hauser	FTI5*-6** *****	Liquicap M Type FTI5*-6*****; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIC T ³) Ga/Gb. ³)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. Only for versions with rod 16 mm / 22 mm guaranteed the length 17 mm for the conical seal. Furthermore the gas tight seal fulfills the requirements acc. 60079-26 Ed.4. Not for type FTI5*-6*****24)E5)* *. For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	--------------------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

81	Endress+ Hauser	FM15*-6** ****24)E5)**	Liquicap M Type FM15*-6*****24)E5)* *; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIB T ³) Ga/Gb. 3)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied.4) 2 represents the F16 housing. 5) E represent connection plugs. Only for versions with rod 16 mm / 22 mm guaranteed the length 17 mm for the conical seal. Furthermore the gas tight seal fulfills the requirements acc. 60079-26 Ed.4. For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	-------------------------------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

82	Endress+ Hauser	FTI5*-6** ****24)E 5)**	Liquicap M Type FTI5*-6****24)E5)* *; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking:Ex ia IIB T ³) Ga/Gb. ³)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied.4) 2 represents the F16 housing. 5) E represent connection plugs.Only for versions withrod 16 mm / 22 mm guaranteed the length 17 mm for the conical seal. Furthermore the gas tight seal fulfills the requirements acc. 60079-26 Ed.4. For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	-------------------------------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

83	Endress+ Hauser	FMI5*-6** ****24)E5)**	Liquicap M Type FMI5*-6*****24)E5)* *; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIB T3)Gb.3)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied.4) 2 represents the F16 housing. 5) E represent connection plugs..For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X , DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	-------------------------------	---	-----	---	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

84	Endress+ Hauser	FTI5*-6** *****24)E 5)**	Liquicap M TypeFTI5*-6*****24)E5)**; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIB T3)Gb. 3)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied.4) 2 represents the F16 housing. 5) E represent connection plugs.For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	--------------------------------	---	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

85	Endress+ Hauser	FMI5*-6** *****	Liquicap M Type FMI5*-6*****; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIC T3)Gb.3)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. Not for type FMI5*-6*****24)E5)* *. For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X , DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	--------------------	--	-----	---	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

86	Endress+ Hauser	FTI5*-6** *****	Liquicap M Type FTI5*-6*****, Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIC T3)Gb.3)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. Not for type FTI5*-6*****24)E5)* *. For parameters, ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X , DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	--------------------	--	-----	---	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

87	Endress+ Hauser	FMI5*-5** *****1)*2) **	Liquicap M Type FMI5*-5*****1)*2)**; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIC T3) Ga/Gb Ex ia IIIC Txx°C Da/Db. Only for versions with rod 16 mm / 22 mm guaranteed the length 17 mm for the conical seal. Furthermore the gas tight seal fulfills the requirements acc. 60079-26 Ed.4. 3) The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. 1) (Type of enclosure) The numbers 1,3,4, 5 or 6 may be inserted. 2) (cable entry) The letters A, B, C or D may be inserted. For parameters, Type of enclosure, cable entry ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X , DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	-------------------------------	---	-----	---	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

88	Endress+ Hauser	FTI5*-5** *****1)*2)**	Liquicap M Type FTI5*-5*****1)*2)** ; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking:Ex ia IIC T3)Ga/Gb Ex ia IIIC Txx°C Da/Db. Only for versions withrod 16 mm / 22 mm guaranteed the length 17 mm for the conical seal. Furthermore the gas tight seal fulfills the requirements acc. 60079-26 Ed.4. 3)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. 1) (Type of enclosure) The numbers 1,3,4, 5 or 6 may be inserted. 2) (cable entry) The letters A, B, C or D may be inserted. For parameters, Type of enclosure, cable entry ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X , DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	-------------------------------	--	-----	---	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

89	Endress+ Hauser	FMI5*-5** *****1)*2) **	Liquicap M Type FMI5*-5*****1)*2)**; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIC T3) Gb Ex ia IIIC Txx°C Db. 3) The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. 1) (Type of enclosure) The numbers 1,3,4, 5 or 6 may be inserted. 2) (cable entry)The letters A, B, C or D may be inserted. For parameters, Type of enclosure, cable entry ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	-------------------------------	---	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

90	Endress+ Hauser	FTI5*-5** *****1)*2)**	Liquicap M Type FTI5*-5*****1)*2)** ; Type of Protection: Intrinsic Safety ""i"", Separation Elements or combined Levels of Protection; Marking: Ex ia IIC T3)Gb Ex ia IIIC Tx°C Db. 3)The numbers 3, 4, 5 or 6 may be inserted, or "T6...T3" may be applied. 1) (Type of enclosure)The numbers 1,3,4, 5 or 6 may be inserted. 2) (cable entry) The letters A, B, C or D may be inserted. For parameters, Type of enclosure, cable entry ,ambient temperature range and other details: please refer to Annex of IECEx BVS 08.0027X issue No: 2	N/A	IECEX BVS 08.0027X DE/BVS/ ExTR08. 0033/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
----	--------------------	-------------------------------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

91	Endress+Hauser	FTM50	Level Switch Soliphant M, Type FTM50; Type of Protection: Intrinsic Safety ""i"". For marking please refer to Annex 1 of IECEx DEK 15.0042X issue 1	N/A	IECEX DEK 15.0042X NL/DEK/ ExTR15. 0053/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
92	Endress+Hauser	FTM51	Level Switch Soliphant M, Type FTM51; Type of Protection: Intrinsic Safety ""i"". For marking please refer to Annex 1 of IECEx DEK 15.0042X issue 1	N/A	IECEX DEK 15.0042X NL/DEK/ ExTR15. 0053/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY
93	Endress+Hauser	FTM52	Level Switch Soliphant M, Type FTM52; Type of Protection: Intrinsic Safety ""i"". For marking please refer to Annex 1 of IECEx DEK 15.0042X issue 1	N/A	IECEX DEK 15.0042X NL/DEK/ ExTR15. 0053/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

94	Endress+ Hauser	FMD71	Deltabar FMD71; Type of protection : Intrinsic Safety "ia", Flameproof Enclosure "db". Marking: Ex db [ia] IIC T6...T3 Ga/Gb, Ex ia IIC T6...T3 Ga/Gb. For all other information please refer to IECEx FMG 12.0016X issue 6	N/A	IECEX FMG 12.0016X US/FMG/ ExTR12. 0013/00, US/FMG/ ExTR12. 0013/01, US/FMG/ ExTR12. 0013/02, US/FMG/ ExTR12. 0013/03, US/FMG/ ExTR12. 0013/04, US/FMG/ ExTR12. 0013/05, US/FMG/ ExTR12. 0013/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
----	--------------------	-------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

95	Endress+ Hauser	FMD72	Deltabar FMD72; Type of protection : Intrinsic Safety "ia", Flameproof Enclosure "db". Marking: Ex db [ia] IIC T6...T4 Ga/Gb, Ex ia IIC T6...T4 Ga/Gb. For all other information please refer to IECEx FMG 12.0016X issue 6	N/A	IECEX FMG 12.0016X US/FMG/ ExTR12. 0013/00, US/FMG/ ExTR12. 0013/01, US/FMG/ ExTR12. 0013/02, US/FMG/ ExTR12. 0013/03, US/FMG/ ExTR12. 0013/04, US/FMG/ ExTR12. 0013/05, US/FMG/ ExTR12. 0013/06, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
----	--------------------	-------	--	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

96	Endress+ Hauser	FMR50	Micropilot type series FMR50; type of protection : General requirements, Flameproof Enclosures "d", Intinsic safety "i", increased safety "e", dust ignition protection by enclosure "t", Equipment with separation Elements or combined Levels of Protection. For Markings refer to IECEX PTB 12.0044X - issue 4	N/A	IECEX PTB 12.0044X DE/PTB/ ExTR12. 0058/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

97	Endress+ Hauser	FMR51	Micropilot type series FMR51; type of protection : General requirements, Flameproof Enclosures "d", Intinsic safety "i", increased safety "e", dust ignition protection by enclosure "t", Equipment with separation Elements or combined Levels of Protection. For Markings refer to IECEX PTB 12.0044X - issue 4	N/A	IECEX PTB 12.0044X DE/PTB/ ExTR12. 0058/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

98	Endress+ Hauser	FMR52	Micropilot type series FMR52; type of protection : General requirements, Flameproof Enclosures "d", Intinsic safety "i", increased safety "e", dust ignition protection by enclosure "t", Equipment with separation Elements or combined Levels of Protection. For Markings refer to IECEX PTB 12.0044X - issue 4	N/A	IECEX PTB 12.0044X DE/PTB/ ExTR12. 0058/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

99	Endress+ Hauser	FMR53	Micropilot type series FMR53; type of protection : General requirements, Flameproof Enclosures "d", Intinsic safety "i", increased safety "e", dust ignition protection by enclosure "t", Equipment with separation Elements or combined Levels of Protection. For Markings refer to IECEX PTB 12.0044X - issue 4	N/A	IECEX PTB 12.0044X DE/PTB/ ExTR12. 0058/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

100	Endress+ Hauser	FMR54	Micropilot type series FMR54; type of protection : General requirements, Flameproof Enclosures "d", Intinsic safety "i", increased safety "e", dust ignition protection by enclosure "t", Equipment with separation Elements or combined Levels of Protection. For Markings refer to IECEX PTB 12.0044X - issue 4	N/A	IECEX PTB 12.0044X DE/PTB/ ExTR12. 0058/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

101	Endress+ Hauser	FMR56	Micropilot type series FMR56; type of protection : General requirements, Flameproof Enclosures "d", Intinsic safety "i", increased safety "e", dust ignition protection by enclosure "t", Equipment with separation Elements or combined Levels of Protection. For Markings refer to IECEX PTB 12.0044X - issue 4	N/A	IECEX PTB 12.0044X DE/PTB/ ExTR12. 0058/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

102	Endress+Hauser	FMR57	Micropilot type series FMR57; type of protection : General requirements, Flameproof Enclosures "d", Intrinsic safety "i", increased safety "e", dust ignition protection by enclosure "t", Equipment with separation Elements or combined Levels of Protection. For Markings refer to IECEx PTB 12.0044X - issue 4	N/A	IECEx PTB 12.0044X , DE/PTB/ ExTR12. 0058/04, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
103	Endress+Hauser	FTL50	Liquid Level Switch Liquiphant M Type FTL50 ; Type of protection : Ex i, Ex d; Marking : Ex ia IIC T6...T3 Ga/Gb Ex ia IIIC T200 165 °C TL 80 °C Da/Db Ex ia IIC T6...T3 Ga. For Process connection and all other details please refer to IECEx DEK 15.0028X issue 2	N/A	IECEx DEK 15.0028X , NL/DEK/ ExTR15. 0036/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيتها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

104	Endress+Hauser	FTL50H	Liquid Level Switch Liquiphant M Type FTL50H ; Type of protection : Ex i, Ex d; Marking : Ex ia IIC T6...T3 Ga/Gb Ex ia IIIC T200 165 °C TL 80 °C Da/Db Ex ia IIC T6...T3 Ga. For Process connection and all other details please refer to IECEx DEK 15.0028X issue 2	N/A	IECEX DEK 15.0028X , NL/DEK/ ExTR15. 0036/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
105	Endress+Hauser	FTL51	Liquid Level Switch Liquiphant M Type FTL51 ; Type of protection : Ex i, Ex d; Marking : Ex ia IIC T6...T3 Ga/Gb Ex ia IIIC T200 165 °C TL 80 °C Da/Db Ex ia IIC T6...T3 Ga. For Process connection and all other details please refer to IECEx DEK 15.0028X issue 2	N/A	IECEX DEK 15.0028X , NL/DEK/ ExTR15. 0036/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

106	Endress+Hauser	FTL51H	Liquid Level Switch Liquiphant M Type FTL51H ; Type of protection : Ex i, Ex d; Marking : Ex ia IIC T6...T3 Ga/Gb Ex ia IIC T200 165 °C TL 80 °C Da/Db Ex ia IIC T6...T3 Ga. For Process connection and all other details please refer to IECEx DEK 15.0028X issue 2	N/A	IECEX DEK 15.0028X , NL/DEK/ ExTR15. 0036/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
107	Endress+Hauser	FTL51C	Liquid Level Switch Liquiphant M Type FTL51C ; Type of protection : Ex i, Ex d; Marking :Ex ia IIC T6...T3 Ga/Gb Ex ia IIC T200 165 °C TL 80 °C Da/Db Ex ia IIB T6...T3 Ga/Gb Ex ia IIC T6...T3 Ga/Gb. For Process connection and all other details please refer to IECEx DEK 15.0028X issue 2	N/A	IECEX DEK 15.0028X , NL/DEK/ ExTR15. 0036/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

108	Endress+ Hauser	FTL70	Liquid Level Switch Liquiphant S Type FTL70 ; Type of protection : Ex i, Ex d; Marking :Ex db ia IIC T6...T2 Ga/Gb Ex ia IIIC T200 245 °C TL 80 °C Da/Db Ex ia IIIC T200 295 °C TL 80 °C Da/Db Ex ia IIIC T200 315 °C TL 80 °C Da/Db . For Process connection and all other details please refer to IECEx DEK 15.0028X issue 2	N/A	IECEX DEK 15.0028X NL/DEK/ ExTR15. 0036/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
109	Endress+ Hauser	FTL71	Liquid Level Switch Liquiphant S Type FTL70 ; Type of protection : Ex i, Ex d; Marking :Ex db ia IIC T6...T2 Ga/Gb Ex ia IIIC T200 245 °C TL 80 °C Da/Db Ex ia IIIC T200 295 °C TL 80 °C Da/Db Ex ia IIIC T200 315 °C TL 80 °C Da/Db . For Process connection and all other details please refer to IECEx DEK 15.0028X issue 2	N/A	IECEX DEK 15.0028X NL/DEK/ ExTR15. 0036/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغىها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

110	Endress+ Hauser	FTL50	Liquid Level Switch Liquiphant M Type FTL50 ; Type of protection : Ex d e; Marking :Ex db eb IIC T6..T3 Ga/Gb Ex db IIC T6..T3 Ga/Gb . For Process connection and all other details please refer to IECEx DEK 15.0060X issue 2	N/A	IECEX DEK 15.0060X NL/DEK/ ExTR15. 0080/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY
111	Endress+ Hauser	FTL50H	Liquid Level Switch Liquiphant M Type FTL50H ; Type of protection : Ex d e; Marking :Ex db eb IIC T6..T3 Ga/Gb Ex db IIC T6..T3 Ga/Gb . For Process connection and all other details please refer to IECEx DEK 15.0060X issue 2	N/A	IECEX DEK 15.0060X NL/DEK/ ExTR15. 0080/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

112	Endress+Hauser	FTL51	Liquid Level Switch Liquiphant M Type FTL51 ; Type of protection : Ex d e; Marking :Ex db eb IIC T6..T3 Ga/Gb (Pos. V = *N or *S) Ex db IIC T6..T3 Ga/Gb (Pos. V = *N or *S) Ex db IIB T6..T3 Ga/Gb (Pos. V = *K, *L or *M) Ex db eb IIB T6..T3 Ga/Gb (Pos. V = *K, *L or *M) Ex db IIC T6..T3 Ga/Gb (Pos. V = *K, *L or *M) (1) Ex db eb IIC T6..T3 Ga/Gb (Pos. V = *K, *L or *M) (1). For Process connection and all other details please refer to IECEx DEK 15.0060X issue 2	N/A	IECEX DEK 15.0060X , NL/DEK/ ExTR15. 0080/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY
113	Endress+Hauser	FTL51H	Liquid Level Switch Liquiphant M Type FTL51H ; Type of protection : Ex d e; Marking :Ex db eb IIC T6..T3 Ga/Gb Ex db IIC T6..T3 Ga/Gb . For Process connection and all other details please refer to IECEx DEK 15.0060X issue 2	N/A	IECEX DEK 15.0060X , NL/DEK/ ExTR15. 0080/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

114	Endress+Hauser	FTL51C	Liquid Level Switch Liquiphant M Type FTL51 ; Type of protection : Ex d e; Marking :Ex db eb IIC T6..T3 Ga/Gb (Pos. V = *N or *S) Ex db IIC T6..T3 Ga/Gb (Pos. V = *N or *S) Ex db IIB T6..T3 Ga/Gb (Pos. V = *K, *L or *M) Ex db eb IIB T6..T3 Ga/Gb (Pos. V = *K, *L or *M) Ex db IIC T6..T3 Ga/Gb (Pos. V = *K, *L or *M) (1) Ex db eb IIC T6..T3 Ga/Gb (Pos. V = *K, *L or *M) (1). For Process connection and all other details please refer to IECEx DEK 15.0060X issue 2	N/A	IECEX DEK 15.0060X , NL/DEK/ ExTR15. 0080/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY
115	Endress+Hauser	FTL70	Liquid Level Switch Liquiphant S Type FTL70 ; Type of protection : Ex d e; Marking :Ex db eb IIC T6...T1 Ga/Gb Ex db IIC T6...T1 Ga/Gb . For Process connection and all other details please refer to IECEx DEK 15.0060X issue 2	N/A	IECEX DEK 15.0060X , NL/DEK/ ExTR15. 0080/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

116	Endress+Hauser	FTL71	Liquid Level Switch Liquiphant S Type FTL71 ; Type of protection : Ex d e; Marking :Ex db eb IIC T6...T1 Ga/Gb Ex db IIC T6...T1 Ga/Gb . For Process connection and all other details please refer to IECEx DEK 15.0060X issue 2	N/A	IECEX DEK 15.0060X NL/DEK/ ExTR15. 0080/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7	GERMANY
117	Endress+Hauser	NRF80	Tank Side Monitor Type NRF80: Type of protection Flameproof "db", Intrinsically Safe" ia" ; Marking : Ex db [ia Ga] IIC T6 Gb Ta = -40°C to +50°C, +55°C, or +60°C IP66/IP68. Please refer to IECEx FMG 16.0026X issue 5 for process connections and all other details	N/A	IECEX FMG 16.0026X US/FMG/ ExTR16. 0028/00, US/FMG/ ExTR16. 0028/01, US/FMG/ ExTR16. 0028/02, US/FMG/ ExTR16. 0028/03, US/FMG/ ExTR16. 0028/04, US/FMG/ ExTR16. 0028/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

118	Endress+ Hauser	NRF81	Tank Side Monitor Type NRF80: Type of protection Flameproof "db", Intrinsically Safe" ia" ; Marking : Ex db [ia Ga] IIC T6 Gb Ta = -40C to +50°C, +55°C, or +60°C IP66/IP68. Please refer to IECEx FMG 16.0026X issue 5 for process connections and all other details	N/A	IECEX FMG 16.0026X US/FMG/ ExTR16. 0028/00, US/FMG/ ExTR16. 0028/01, US/FMG/ ExTR16. 0028/02, US/FMG/ ExTR16. 0028/03, US/FMG/ ExTR16. 0028/04, US/FMG/ ExTR16. 0028/05, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079-0, UAE.S IEC 60079-1	GERMANY
-----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

119	Endress+ Hauser	FTL80	Liquiphant FailSafe Level Switch FTL80; Type of Protection: i, d, e, t; Marking: Ex ia IIC T6* Ga Ex ia IIC T6* Ga/Gb Ex db IIC T6* Ga/Gb Ex db eb IIC T6* Ga/Gb Ex ia IIC T6* Ga/Gb Ex ia IIIC T80°C Da/Db Ex db IIC T6* Ga/Gb Ex ta IIIC T80°C Da / Ex tb IIIC T80°C Db. Please refer to IECEx FMG 12.0014X for process connections and all other details	N/A	IECEX FMG 12.0014X US/FMG/ ExTR12. 0011/00, US/FMG/ ExTR12. 0011/01, US/FMG/ ExTR12. 0011/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

120	Endress+ Hauser	FTL81	Liquiphant FailSafe Level Switch FTL81; Type of Protection: i, d, e, t; Marking: Ex ia IIC T6* Ga Ex ia IIC T6* Ga/Gb Ex db IIC T6* Ga/Gb Ex db eb IIC T6* Ga/Gb Ex ia IIC T6* Ga/Gb Ex ia IIIC T80°C Da/Db Ex db IIC T6* Ga/Gb Ex ta IIIC T80°C Da / Ex tb IIIC T80°C Db. Please refer to IECEx FMG 12.0014X issue 2 for process connections and all other details	N/A	IECEX FMG 12.0014X US/FMG/ ExTR12. 0011/00, US/FMG/ ExTR12. 0011/01, US/FMG/ ExTR12. 0011/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

121	Endress+ Hauser	FTL85	Liquiphant FailSafe Level Switch FTL81; Type of Protection: i, d, e, t; Marking: Ex ia IIC T6* Ga Ex ia IIC T6* Ga/Gb Ex db IIC T6* Ga/Gb Ex db eb IIC T6* Ga/Gb Ex ia IIC T6* Ga/Gb Ex ia IIIC T80°C Da/Db Ex db IIC T6* Ga/Gb Ex ta IIIC T80°C Da / Ex tb IIIC T80°C Db. Please refer to IECEx FMG 12.0014X issue 2 for process connections and all other details	N/A	IECEX FMG 12.0014X US/FMG/ ExTR12. 0011/00, US/FMG/ ExTR12. 0011/01, US/FMG/ ExTR12. 0011/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	--	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

122	Endress+ Hauser	FTM50	Level Switches Soliphant M, Type FTM50; Type of protection : Ex t and Ex i : Marking : Ex ta/tb IIIC T** °C Da/Db Ex ta/tb [ia Da] IIIC T83 °C Da/Db Ex tb [ia Da] IIIC T83 °C Db Ex ia IIIC T** °C Da/Db Ex ia IIIC T200** °C Da Ex ia IIIC T90 °C Da/Db Ex ia IIIC T200 90 °C Da refer to Annex 1 to NL/DEK/ExTR15.004 7/01 for detailed information and IECEX DEK 15.0036X issue 1	N/A	IECEX DEK 15.0036X NL/DEK/ ExTR15. 0047/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	---	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

123	Endress+ Hauser	FTM51	Level Switches Soliphant M, Type FTM51; Type of protection : Ex t and Ex i : Marking : Ex ta/tb IIIC T** °C Da/Db Ex ta/tb [ia Da] IIIC T83 °C Da/Db Ex tb [ia Da] IIIC T83 °C Db Ex ia IIIC T** °C Da/Db Ex ia IIIC T200** °C Da Ex ia IIIC T90 °C Da/Db Ex ia IIIC T200 90 °C Da refer to Annex 1 to NL/DEK/ExTR15.004 7/01 for detailed information and IECEX DEK 15.0036X issue 1	N/A	IECEX DEK 15.0036X NL/DEK/ ExTR15. 0047/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	---	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيتها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

124	Endress+ Hauser	FTM52	Level Switches Soliphant M, Type FTM52; Type of protection : Ex t and Ex i : Marking : Ex ta/tb IIIC T** °C Da/Db Ex ta/tb [ia Da] IIIC T83 °C Da/Db Ex tb [ia Da] IIIC T83 °C Db Ex ia IIIC T** °C Da/Db Ex ia IIIC T200** °C Da Ex ia IIIC T90 °C Da/Db Ex ia IIIC T200 90 °C Da refer to Annex 1 to NL/DEK/ExTR15.004 7/01 for detailed information and IECEX DEK 15.0036X issue 1	N/A	IECEX DEK 15.0036X NL/DEK/ ExTR15. 0047/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079-0, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	---	-----	--	---	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

125	Endress+ Hauser	FTM50	Level Switch Soliphant M, Type FTM50; Type of Protection : Ex d, Ex e, Ex i and Ex t. For markings and process connections please refer to Annex 1 of IECEx DEK 13.0088X	N/A	IECEX DEK 13.0088X NL/DEK/ ExTR13. 0092/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

126	Endress+ Hauser	FTM51	Level Switch Soliphant M, Type FTM51; Type of Protection : Ex d, Ex e, Ex i and Ex t. For markings and process connections please refer to Annex 1 of IECEx DEK 13.0088X	N/A	IECEX DEK 13.0088X NL/DEK/ ExTR13. 0092/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
-----	--------------------	-------	---	-----	--	--	---------

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

127	Endress+ Hauser	FTM52	Level Switch Soliphant M, Type FTM52; Type of Protection : Ex d, Ex e, Ex i and Ex t. For markings and process connections please refer to Annex 1 of IECEx DEK 13.0088X	N/A	IECEX DEK 13.0088X , NL/DEK/ ExTR13. 0092/02, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079- 26, UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	GERMANY
128	Endress+ Hauser	FHX50	Remote display, Model FHX50; Type of protection : Ex i. Markings : Ex ia IIC T6...T1 Ga Ex ia IIC T100 °C or T105 °C Db Ex ic IIC T6...T1 Gc Ex ic IIC T100 °C or T105 °C Dc. For other details please refere to IECEx DEK 12.0046X issue 3	N/A	IECEX DEK 12.0046X , NL/DEK/ ExTR12. 0057/03, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079- 11, UAE.S IEC 60079-0	GERMANY

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان التسجيل

SCHEDULE OF CERTIFICATION

129	Endress+Hauser	PMP43	Pressure Transmitter Cerabar PMP43, Type of protection : Intrinsic Safety "ia" & "ic". Markings : Ex ia IIC T4 Ga, Ex ia IIIB T135°C Da, Ex ia IIC T4 Ga, Ex ia IIIB T135°C Da , Ex ic IIIB T135°C Dc, Ex ic IIC T4 Gc . For other details please refer to IECEx CSA 25.0016X Issue 1	N/A	IECEx CSA 25.0016X CA/CSA/ ExTR25. 0004/00, CA/CSA/ ExTR25. 0004/01, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-11, UAE.S IEC 60079-0	GERMANY
130	Endress+Hauser	PMP50- *L	CERABAR Type PMP50- *L ***** ,Type of protection : Intrinsic safety "i"; MarkingEx ec IIC T4...T1 Gc, Ex tc IIIC T125°C Dc. process connections, Temperature ratings, and other details refer to IECEx FMG 24.0008X issue 1	N/A	IECEx FMG 24.0008X US/FMG/ ExTR24. 0007/01, US/FMG/ ExTR24. 0007/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-31	GERMANY

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لخطم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغىها.



بيان التسجيل
SCHEDULE OF CERTIFICATION

131	Endress+ Hauser	PMD50- *L	DELTABAR Type PMD50- *L***** ,Type of protection : Intrinsic safety "i"; MarkingEx ec IIC T4...T1 Gc, Ex tc IIIC T100°C Dc. process connections, Temperature ratings, and other details refere to IECEx FMG 24.0008X issue 1	N/A	IECEX FMG 24.0008X US/FMG/ ExTR24. 0007/01, US/FMG/ ExTR24. 0007/00, DE/TUN/ QAR06.0 003/11	UAE.S IEC 60079-31	GERMANY
Nothing Follows							

This is an electronic certificate and does not
require stamp and signature. Certificate will be
invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي
كشط أو تغيير في هذه الشهادة يلغيها.



بيان المصنع
SCHEDULE OF FACTORY

Certificate type:		EQM	علامة الجودة الإماراتية	نوع الشهادة:	
Certificate Number:		25-03-23825/Q25-01-049912/NB0007		رقم الشهادة:	
Valid Until:		27-Mar-2028		صالحة لغاية:	
رقم التسلسل	اسم المصنع	العنوان	المدينة	البلد	
No.	Factory Name	Address	City	Country	
1	Endress+Hauser SE+Co.KG	Endress+Hauser SE+Co. KG Hauptstrasse 1 79689 Maulburg Germany Phone +49 7622 28-0 www.ehlp.endress.com	Maulburg	GERMANY	

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.