according to Regulation (EC) No 1907/2006, Article 31 Printing date 21.10.2024 Version 4 (rep

Version 4 (replaces version 3)

Endress+Hauser

eople for Process Automation

Revision: 21.10.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**1.1 Product identifier** 

Trade name: Cleaning solution alkaline

Article number: CAY746-VxxAAE

**1.2 Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.* 

Application of the substance / the mixture Cleaning agent/ Cleaner Laboratory chemicals

**1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:**  *Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24* 

D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC @endress.com

1.4 Emergency telephone number: 0091-26589391

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: potassium hydroxide Hazard statements H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. Precautionary statements P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.10.2024

Version 4 (replaces version 3)

### Trade name: Cleaning solution alkaline

P305+P351+P33	(Contd. of page 1) 88 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

# Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
	potassium hydroxide	20-40%		
EINECS: 215-181-3	Skin Corr. 1A, H314; Specific concentration limits: Skin Corr. 1A; H302			
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %			
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %			
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %			
Additional information. For the wording of the listed beyond physics refer to conting 10				

Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

Call for a doctor immediately. Drink plenty of water and provide fresh air. Call for a doctor immediately. **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.* 

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

### 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.10.2024

Version 4 (replaces version 3)

### Trade name: Cleaning solution alkaline

**5.3 Advice for firefighters** *No further relevant information available.* **Protective equipment:** *Mount respiratory protective device.* 

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Wear protective clothing.
6.2 Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about fire - and explosion protection: Keep respiratory protective device available.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *No special requirements.* Information about storage in one common storage facility: *Not required.* Further information about storage conditions: *Keep container tightly sealed.* Storage class: *8 B* 7.3 Specific end use(s) *No further relevant information available.* 

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls Appropriate engineering controls *No further data; see section 7.* Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

### **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

Revision: 21.10.2024

(Contd. of page 2)

Printing date 21.10.2024

Version 4 (replaces version 3)

### Trade name: Cleaning solution alkaline

### Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

### Material of gloves

Nitrile rubber, NBR Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

### **Eye/face protection**



Tightly sealed goggles

Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties				
General Information				
Physical state	Fluid			
Colour:	Colourless			
Odour:	Odourless			
Odour threshold:	Not determined.			
Melting point/freezing point:	Undetermined.			
Boiling point or initial boiling point and boiling				
range	100 °C			
Flammability	Not applicable.			
Lower and upper explosion limit				
Lower:	Not determined.			
Upper:	Not determined.			
Flash point:	Not applicable.			
Decomposition temperature:	Not determined.			
pH at 20 °C	13			
Viscosity:				
Kinematic viscosity	Not determined.			
Dynamic:	Not determined.			
Solubility				
water:	Fully miscible.			
Partition coefficient n-octanol/water (log value)	Not determined.			
Vapour pressure at 20 °C:	23 hPa			
Density and/or relative density				
Density at 20 °C:	1.364 g/cm³			
Relative density	Not determined.			
Vapour density	Not determined.			

(Contd. on page 5)

Revision: 21.10.2024

(Contd. of page 3)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.10.2024

Version 4 (replaces version 3)

Trade name: Cleaning solution alkaline

	(Contd. of page 4)
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
	Not determined.
Solvent content:	
Water:	70.0 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	9
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** *No further relevant information available.* 

**10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** *Harmful if swallowed.* 

LD/LC50 values relevant for classification:

CAS: 1310-58-3 potassium hydroxide

Oral LD50 273 mg/kg (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage. Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 6)

Revision: 21.10.2024

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.10.2024

Version 4 (replaces version 3)

# Trade name: Cleaning solution alkaline

# 11.2 Information on other hazards

# Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

### **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:** 

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

14.1 UN number or ID number IMDG, IATA 14.2 UN proper shipping name ADR IMDG IATA 14.3 Transport hazard class(es)

UN1814

UN1814 POTASSIUM HYDROXIDE SOLUTION POTASSIUM HYDROXIDE SOLUTION Potassium hydroxide solution

ADR



Class

8 (C5) Corrosive substances.

(Contd. on page 7)

IND -

(Contd. of page 5)

Revision: 21.10.2024

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.10.2024

Version 4 (replaces version 3)

Revision: 21.10.2024

# Trade name: Cleaning solution alkaline

Label	(Contd. of page 6) 8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

 Hazard-determining components of labelling:

 potassium hydroxide

 Hazard statements

 H302 Harmful if swallowed.

 H314 Causes severe skin burns and eye damage.

 Precautionary statements

 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P310
 Immediately call a POISON CENTER/doctor.

 P321
 Specific treatment (see on this label).

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.10.2024

Version 4 (replaces version 3)

### Trade name: Cleaning solution alkaline

P405 P501 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

#### National regulations:

**Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### 16.1 Relevant phrases

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
16.3 Recommended restriction of use

Department issuing SDS: PCC-TWR Contact: MSDS.pcc@endress.com

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 \* Data compared to the previous version altered.

Revision: 21.10.2024

(Contd. of page 7)

IND -