



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

स्पीड पोस्ट
SPEED POST

E-mail : explosives@explosives.gov.in

Phone/Fax No : 0712 -2510248, Fax-2510577

Dated : 14/06/2018

Approval No : A/P/HQ/MH/104/5925 (P422881)



19 JUN 2018

To,

M/s. Endress+Hauser GmbH+Co.KG,
Hauptstrasse 1, Maulberg
79689 pradeep.karnik@in.endress.com
GERMANY

Sub : Approval of Intrinsically Safe Type Pressure Transmitters under Petroleum Rules 2002- Regarding

Sir(s),

Please refer to your letter No. **OIN189356** dated **16/05/2018** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **EN 60079-0 : 2012/A11 : 2013, EN 60079-11 : 2012, EN 60079-26 : 2015, IEC 60079-0 : 2011, IEC 60079-11 : 2011, IEC 60079-26 : 2014**, standards and covered under **DEKRA Certification B.V.** Test reports mentioned below is/are approved for use in **Zone 0, Zone 1, Zone 2**, of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Differential Pressure Transmitters DELTABAR M Model PMD55 and Pressure Transmitters CERABAR M Models PMC51, PMP51 and PMP55 and DELTAPILOT M Models FMB50, FMB51, FMB52 and FMB53	Ex ia IIC T6 ...T3 Ga/Gb	P422881/1	DEKRA Certification B.V	IECEX KEM 09.0016 Issue No 4	16/02/2017	As per test report No. NL/KEM/ExTR09.0017/04
2	Differential Pressure Transmitters DELTABAR M Model PMD55 and Pressure Transmitters CERABAR M Model PMC51, Model PMP51 and Model PMP55 and DELTAPILOT M Model FMB50, Model FMB51, Model FMB52 and Model FMB53	Exia IIC T6...T3 Ga/Gb	P422881/2	DEKRA Certification B.V	KEMA09 ATEX 0048 Issue No. 5	16/02/2017	As per test report No. NL/KEM/ExTR09.0017/04

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the DEKRA Certification B.V. Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the DEKRA Certification B.V. applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the DEKRA Certification B.V. Test report and is identical with the one tested and certified at DEKRA Certification B.V. shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by DEKRA Certification B.V. in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative Endress+Hauser (India) Pvt Ltd, Endress+Hauser (India) Pvt Ltd

Conditions of the Approval:-

The approval for above equipments is subject to validity of IECEx Quality Assessment Report No. DETUN/QAR06.0003 and Production Quality Assessment Notification No. TUV97 ATEX1151Q respectively.

This approval also covers the permissible variations as approved under the DEKRA Certification B.V. test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.
The Approval is Valid upto **31/12/2022**

Yours faithfully,

(Ninad Dattaram Gawade)
Dy. Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
2. Endress+Hauser (India) Pvt Ltd, Endress+Hauser (India) Pvt Ltd

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.