

स्पीड पोस्ट
SPEED POST



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in

Phone/Fax No: 0712-2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/5870 (P410188)

Dated : 05/04/2018

To,

M/s. Endress+Hauser Flowtec AG,
Kagenstrasse 7 ,Reinach BL 1
4153
SWITZERLAND



Sub : Approval of Flame Proof, Intrinsically Safe Type Equipment under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. CCOE/EH-MKT/Promass dated 17/01/2018 on the subject.

The following Ex electrical equipment(s) manufactured by you according to IEC -60079-0-2011, IEC 60079-1:2014-06, IEC 60079-26-2014, IEC-60079-11-2011, standards and covered under DEKRA Exam GmbH Test reports mentioned below is/are approved for use in Zone 1, Zone 2 of Gas IIC hazardous areas coming under the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Measuring systems type Promass*** ** *, CNG mass DCI8*F**-, Cubemass DCI8*** ** *	Exdb (ia Ga) IIC T1-T6 Gb	P410188/1	DEKRA Exam GmbH	IECEx BVS 06.0019X Issue No. 4	15/01/2018	as per test report

This Approval is granted subject to observance of the following conditions:-

1) The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the DEKRA Exam GmbH Test Reports referred to above.

2) The equipment shall be used only with approved type of accessories and associated apparatus.

3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-

- Name of the manufacturer
- Name and number by which the equipment is identified.
- Number & date of the test report of the DEKRA Exam GmbH applicable to the equipment.
- Equipment reference number of this letter by which use of apparatus is approved.
- Protection level.

4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the DEKRA Exam GmbH Test report and is identical with the one tested and certified at DEKRA Exam GmbH shall be furnished with each equipment.

5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by DEKRA Exam GmbH in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.

7) The IEC -60079-0-2011, IEC 60079-1:2014-06, IEC 60079-26-2014, IEC-60079-11-2011, shall be filled for maintenance and repair or overhaul of the subject equipments shall be looked after by your representative M/s. Endress Hauser (India) Pvt Ltd, PlotNo, 7B, 7B, 7th Floor, Godrej One, Pirojshanagar Vikhroli, Mumbai, Mumbai, Taluka: Mumbai, District: MUMBAI, State: Maharashtra, PIN: 400079

Conditions of the Approval:-

The approval for above equipment is subject to validity of IECEx QAR DE/TUN/QAR06.0004

The components used in the subject equipments are as follows

Transmitter enclosure type Proline G02 and G12 covered under certificate of conformity IECEx BVS06.0012U.

Coriolis Sensors Type Promass, Sensor covered under certificate of conformity IECEx BVS10.0007U.

Transmitter electronic type Promag 5 a, promass40/8 a, Proline Prosonic Flow 9 a, T-mass 6 a covered under certificate of conformity IECEx BVS06.0006U.

This approval also covers the permissible variations as approved under the DEKRA Exam GmbH test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2022**



Yours faithfully,

(Ninad Dattaram Gawade)
Dy. Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
2. Endress+Hauser (India) Pvt Ltd,

Pirajshenagar, Godrej one, 7B 7th floor.
Nikholi (CEES) H 00079.

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.