Safety Data Sheet in accordance with SANS

Printing date 14.08.2019

Endress+Hauser

People for Process Automation

Page 1/7

Revision: 14.08.2019

1 Identification of the substance or mixture and of the supplier

Version number 3

Product identifier

Trade name: Electrolyte for CCS240/241

Article number: 50064294

Relevant identified uses of the substance or mixture and uses advised against *No further relevant information available.*

Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet Manufacturer/Supplier: Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24

Further information obtainable from:

Phone: +49 (0)7156 209-117 Fax.: +49 (0)7156 209-222 E-Mail: conducta_service@conducta.endress.com

Emergency telephone number: +27 (0)861 555 777

2 Hazards identification

Classification of the substance or mixture

Corrosion

D-70839 Gerlingen

Skin Corr. 1 H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements **GHS** label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS05 Signal word Danger Hazard statements Causes severe skin burns and eye damage. **Precautionary statements** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterisation: Mixtures **Description**: aqueous solution

Dangerous components: Void

in accordance with SANS Printing date 14.08.2019

Version number 3

Trade name: Electrolyte for CCS240/241

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: no further information Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Advice for firefighters Protective equipment: Mount respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Wear protective clothing. **Environmental precautions:** Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liguid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. **Reference to other sections** No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed.

(Contd. of page 1)

in accordance with SANS

Printing date 14.08.2019

Version number 3

Revision: 14.08.2019

Trade name: Electrolyte for CCS240/241

(Contd. of page 2) Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about fire - and explosion protection: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Storage class: 8 B Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

Exposure controls Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Protective gloves and protective skin cream



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR Chloroprene rubber, CR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

- ZA -

in accordance with SANS Printing date 14.08.2019

Version number 3

Trade name: Electrolyte for CCS240/241

Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties	
General Information Appearance: Form: Colour: Odour: Odour: Odour threshold:	Fluid Colourless Odourless Not determined.
Important information on protection of healt and environment, and on safety. pH-value at 20°C:	h 1
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard. Not determined.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	1 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Water:	99.8 %
Solids content: Other information	0.0 % No further relevant information available. (Contd. on page 5) ZA

Revision: 14.08.2019

(Contd. of page 3)

in accordance with SANS Printing date 14.08.2019

Version number 3

Revision: 14.08.2019

Trade name: Electrolyte for CCS240/241

(Contd. of page 4)

Page 5/7

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity Primary irritant effect: Skin corrosion/irritation Strong caustic effect on skin and mucous membranes. Serious eye damage/irritation Strong caustic effect. Strong irritant with the danger of severe eye injury. Respiratory or skin sensitisation No sensitising effects known. Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

in accordance with SANS

Printing date 14.08.2019

Version number 3

Revision: 14.08.2019

Trade name: Electrolyte for CCS240/241

Uncleaned packaging: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

UN proper shipping name ADR, ADN, IMDG, IATA Void
Transport hazard class(es)
ADR, ADN, IMDG, IATA
Class Void
Packing group
ADR, IMDG, IATA Void
Environmental hazards: Not applicable.
Special precautions for user Not applicable.
Transport in bulk according to Annex II of
Marpol and the IBC CodeNot applicable.UN "Model Regulation":Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS05 Signal word Danger Hazard statements Causes severe skin burns and eye damage. Precautionary statements IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label).

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWRC

Contact: MSDS.pcc@endress.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

(Contd. of page 5)

ZA —

Safety Data Sheet

in accordance with SANS

Printing date 14.08.2019

Version number 3

Revision: 14.08.2019

Trade name: Electrolyte for CCS240/241

(Contd. of page 6) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 * Data compared to the previous version altered.