## UL Product **iQ**™

## QUYX2.E225237 - Process Control Equipment, Electrical - Component

## Process Control Equipment, Electrical - Component

See General Information for Process Control Equipment, Electrical - Component

#### ENDRESS+HAUSER WETZER GMBH + CO. KG

Obere Wank 1 87484 Nesselwang, GERMANY

Compact thermometers, TMR31-x, TMR35-x, where x-optional alphabetic character.

Digital field displays, Models RIA 14, RIA 16.

Graphic data managers, Models type RSG40, RSG45 and Ecograph T, type RSG35.

Temperature field transmitters, Models TMT142, TMT162 (FW 01.XX.XX)/(FW 04.XX.XX), TMT162 PA/FF.

Graphic data manager, Model Memograph M.

Process display units, Models RMA42, RIA45, RIA46, CM14.

Graphic data manager, Model RSG45 (DIN Rail mountable).

Process Control Equipment, Model(s) TMT18x, TMT11x, TMT12x, TMT8x Temperature transmitter models: TMT82, TMT82 DIN Rail, TMT84, TMT85, TMT110, TMT111, TMT112, TMT121, TMT122, TMT127, TMT128, TMT180, TMT180, TMT181, TMT181, TMT182, TMT187, TMT188.

Marking: Company name, type designation and the Recognized Component Mark



Last Updated on 2019-04-02

(UL)

E225237

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

### UL Product **iQ**™



### Process Control Equipment, Electrical

See General Information for Process Control Equipment, Electrical

#### ENDRESS+HAUSER WETZER GMBH + CO. KG

Obere Wank 1 87484 Nesselwang, GERMANY

Digital Field Displays, Model(s) RIA15

Limit switches, Model(s) Flowphant T, Thermopant T

Last Updated on 2019-04-03

(UL)

E225237

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

## UL Product **iQ**<sup>™</sup>

# QUYX8.E225237 - Process Control Equipment, Electrical Certified for Canada - Component

### Process Control Equipment, Electrical Certified for Canada -Component

See General Information for Process Control Equipment, Electrical Certified for Canada - Component

#### ENDRESS+HAUSER WETZER GMBH + CO. KG

Obere Wank 1 87484 Nesselwang, GERMANY **Compact thermometers**, TMR31-x, TMR35-x, x-optional alphabetic character.

Digital field displays, Models RIA 14, RIA 16.

Graphic data managers, Models type RSG40, RSG45 and Ecograph T, type RSG35.

Temperature field transmitters, Models TMT142, TMT162 (FW 01.XX.XX)/(FW 04.XX.XX), TMT162 PA/FF.


Graphic data manager, Model Memograph M.

Process display units, Models RMA42, RIA45, RIA46, CM14.

Graphic data manager, Model RSG45 (DIN Rail mountable).

Process Control Equipment, Model(s) TMT18x, TMT11x, TMT12x, TMT8x Temperature transmitter models: TMT82, TMT82 DIN Rail, TMT84, TMT85, TMT110, TMT111, TMT112, TMT121, TMT122, TMT127, TMT128, TMT180, TMT180, TMT181, TMT181, TMT182, TMT187, TMT188.

Marking: Company name, type designation and the Recognized Component Mark for Canada



UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"





E225237

## UL Product **iQ**<sup>™</sup>

# QUYX7.E225237 - Process Control Equipment, Electrical Certified for Canada

## Process Control Equipment, Electrical Certified for Canada

See General Information for Process Control Equipment, Electrical Certified for Canada

#### ENDRESS+HAUSER WETZER GMBH + CO. KG

Obere Wank 1 87484 Nesselwang, GERMANY Digital Field Displays, Model(s) RIA15

Limit switches, Model(s) Flowphant T, Thermopant T

Last Updated on 2019-04-03

(Սլ)

E225237

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

