

Government of India Ministry of Commerce & Industry Petroleum & Explosives Safety Organisation (PESO) 5th Floor, A-Block, CGO Complex, Seminary Hills, Nagpur - 440006

E-mail : explosives@explosives.gov.in Phone/Fax No : 0712 -2510248, Fax-2510577

Dated : 13/08/2021

Approval No : A/P/HQ/MH/104/6847 (P510375)

To,

M/s. Endress + Hauser Yamanashi Co.,Ltd., 862-1, Mitsukunugi Sakaigawa-cho, Fuefuki-shi, Yamanashi-Ken 406-0846 JAPAN

Sub :

Sir(s),

Please refer to your letter No. OIN834530 dated 30/07/2021 on the subject.

Approval of Flame Proof Type Electrical Equipments under Petroleum Rules 2002- Regarding.

The following Ex electrical equipment(s) manufactured by you according to IEC 60079-0 : 2011, IEC 60079-1 : 2014-06, IEC 60079-11 : 2011, IEC 60079-26 : 2014, standards and covered under FM Approvals LLC Test reports mentioned below is/are approved for use in Zone 1 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			
				Name	Certificate No.	Certificate Date	Drawing no
1	Proservo NMS8x	Ex db [ia Ga] IIC T6T1 Ga/Gb	P510375/1	FM Approvals LLC	IECEx FMG 16.0001X Issue No. 6	20/11/2020	960017854 Version 01.00 Page 1-39

This Approval is granted subject to observance of the following conditions:-

1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the FM Approvals LLC Test Reports referred to above

2)The equipment shall be used only with approved type of accessories and associated apparatus.

3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:

(a) Name of the manufacturer

(b) Name and number by which the equipment is identified.

(c) Number & date of the test report of the FM Approvals LLC applicable to the equipment.

(d) Equipment reference number of this letter by which use of apparatus is approved.

(e) Protection level.

4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the FM Approvals LLC Test report and is identical with the

one tested and certified at FM Approvals LLC shall be furnished with each equipment. 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenence schedule, if any, recommended by FM Approvals LLC in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characterestics. 6) The After sales service and maintanance of subject equipment shall be looked after by your representative Endress+Hauser India Pvt. Ltd., 7B, 7th Floor, Godrej One, Pirojshanagar, Vikhroli (East), Mumbai 400079

Conditions of the Approval:-

The approval for above equipment is subject to validity of IECEx Quality Assessment Report No. DE/TUN/QAR06.0003.

This approval also covers the permissible variations as approved under the FM Approvals LLC test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto 31/12/2025

Yours faithfully.

(Ninad Dattaram Gawade) Dy. Controller of Explosives For Chief Controller of Explosives Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI 2. Endress+Hauser India Pvt. Ltd., 7B, 7th Floor, Godrej One, Pirojshanagar, Vikhroli (East), Mumbai 400079

> for Chief Controller of Explosives Nagpur

(For more information regarding status,fees and other details please visit our website http://peso.gov.in) This is System Generated document. Signature is not required.