

19.03.2022

Kit Components

Product code	Description
CAY249-VxxAAE	CA72TP-C+D Reagent Set for total phosphate yellow

Components:

71251096	Reagent TP1, Component 1 for total phosphate
71251123	Reagent TP2 for total phosphate (C+D)

SECTION 1: Identification of the substance or mixture and of the supplier**1.1 Product identifier**Trade name: **Reagent TP1, Component 1**Synonym: *for total phosphate*

Article number: 71251096

CAS Number:

7775-27-1

EC number:

231-892-1

1.2 Relevant identified uses of the substance or mixture and uses advised against*No further relevant information available.*Application of the substance / the mixture *Laboratory chemicals***1.3 Details of the supplier of the safety data sheet**

Manufacturer/Supplier:

*Endress+Hauser**Conducta GmbH+Co. KG**Dieselstraße 24**D-70839 Gerlingen*

Further information obtainable from:

Phone: +49 (0)7156 209-10117

E-Mail: MSDS.PCC@endress.com

1.4 Emergency telephone number: 0064 800 764 766

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008

*flame over circle*Ox. Sol. 2 H272 *May intensify fire; oxidiser.**health hazard*Resp. Sens. 1 H334 *May cause allergy or asthma symptoms or breathing difficulties if inhaled.*Acute Tox. 4 H302 *Harmful if swallowed.*Skin Sens. 1 H317 *May cause an allergic skin reaction.*

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

*Xn; Harmful*R22: *Harmful if swallowed.**Xn; Sensitising*R42/43: *May cause sensitisation by inhalation and skin contact.**O; Oxidising*R8: *Contact with combustible material may cause fire.*Information concerning particular hazards for human and environment: *Not applicable.*

(Contd. on page 2)

Trade name: Reagent TP1, Component 1

(Contd. of page 1)

2.2 Label elements**Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Code letter and hazard designation of product:

Xn Harmful
O Oxidising

Risk phrases:

- 8 Contact with combustible material may cause fire.
22 Harmful if swallowed.
42/43 May cause sensitisation by inhalation and skin contact.

Safety phrases:

- 2 Keep out of the reach of children.
13 Keep away from food, drink and animal feedingstuffs.
17 Keep away from combustible material.
22 Do not breathe dust.
24 Avoid contact with skin.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

*** SECTION 3: Composition/Information on ingredients****3.1 Substances****CAS No. Description**

CAS: 7775-27-1 sodium persulphate

Identification number(s)

EC number: 231-892-1

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Trade name: Reagent TP1, Component 1

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed*No further relevant information available.***SECTION 5: Fire fighting measures****5.1 Extinguishing media****Suitable extinguishing agents:***CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.***For safety reasons unsuitable extinguishing agents:** *no further information***5.2 Special hazards arising from the substance or mixture** *No further relevant information available.***5.3 Advice for firefighters** *No further relevant information available.***Protective equipment:** *No special measures required.***SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures** *Wear protective clothing.***6.2 Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.***6.3 Methods and material for containment and cleaning up:***Dispose contaminated material as waste according to item 13.**Ensure adequate ventilation.***6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****7.1 Precautions for safe handling** *Ensure good ventilation/exhaustion at the workplace.***Information about fire - and explosion protection:** *No special measures required.***7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *None.***Storage class:** *5.1 B***7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:** *Not required.***Additional information:** *The lists valid during the making were used as basis.***8.2 Exposure controls****Appropriate engineering controls** *No further data; see item 7.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.***Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

(Contd. on page 4)

Trade name: Reagent TP1, Component 1

(Contd. of page 3)

Hand protection*Protective gloves*

To avoid skin problems reduce the wearing of gloves to the required minimum.
Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

Natural rubber, NR

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Body protection: *Protective work clothing*

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Physical state***Solid***Colour:***Colourless***Odour:***Odourless***Odour threshold:***Not determined.***Melting point/freezing point:***Undetermined.***Boiling point or initial boiling point and boiling range***Undetermined.***Flammability***Product is not flammable.***Lower and upper explosion limit****Lower:***Not determined.***Upper:***Not determined.***Flash point:***Not applicable.***Decomposition temperature:***Not determined.***pH***Slightly acidic***Viscosity:****Kinematic viscosity***Not applicable.***Dynamic:***Not applicable.***Solubility****water:***Easily soluble.***Partition coefficient n-octanol/water (log value)***Not determined.***Vapour pressure:***Not applicable.***Density and/or relative density****Density at 20 °C:***1.1 g/cm³***Relative density***Not determined.***Vapour density***Not applicable.***9.2 Other information****Appearance:****Form:***Crystalline powder***Important information on protection of health and environment, and on safety.****Auto-ignition temperature:***Not determined.***Explosive properties:**

Product does not present an explosion hazard.
Not determined.

(Contd. on page 5)

Trade name: Reagent TP1, Component 1

(Contd. of page 4)

Solids content:	100.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	May intensify fire; oxidiser.
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

CAS: 7775-27-1 sodium persulphate

Oral	LD50	920 mg/kg (rat)
------	------	-----------------

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

11.2 Information on other hazards**Endocrine disrupting properties**

Substance is not listed.

SECTION 12: Ecological information**12.1 Toxicity**

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

Trade name: Reagent TP1, Component 1

(Contd. of page 5)

12.4 Mobility in soil *No further relevant information available.*

12.5 Results of PBT and vPvB assessment

PBT: *Not applicable.*

vPvB: *Not applicable.*

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: *Disposal must be made according to official regulations.*

*** SECTION 14: Transport information**

14.1 UN number or ID number

IMDG, IATA

UN1505

14.2 UN proper shipping name

ADR

UN1505 SODIUM PERSULPHATE

IMDG

SODIUM PERSULPHATE

IATA

Sodium persulphate

14.3 Transport hazard class(es)

ADR



Class

5.1 (O2) Oxidising substances.

Label

5.1

IMDG, IATA



Class

5.1 Oxidising substances.

Label

5.1

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Oxidising substances.

Hazard identification number (Kemler code):

50

EMS Number:

F-A, S-Q

Stowage Category

A

Segregation Code

SG39 Stow "separated from" SGG2-ammonium compounds other than AMMONIUM PERSULPHATE (UN 1444).

SG49 Stow "separated from" SGG6-cyanides

(Contd. on page 7)

Trade name: Reagent TP1, Component 1

(Contd. of page 6)

14.7 Maritime transport in bulk according to IMO instruments *Not applicable.*

Transport/Additional information:

ADR

Limited quantities (LQ)	5 kg
Transport category	3
Tunnel restriction code	E

IMDG

Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation": UN 1505 SODIUM PERSULPHATE, 5.1, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Inventory of Chemicals

Substance is listed.

HSNO Approval numbers

HSR001357

Directive 2012/18/EU

Named dangerous substances - ANNEX I *Substance is not listed.*

Seveso category P8 OXIDISING LIQUIDS AND SOLIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

National regulations:

Waterhazard class: *Water hazard class 1 (Assessment by list): slightly hazardous for water.*15.2 Chemical safety assessment: *A Chemical Safety Assessment has not been carried out.*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.3 Recommended restriction of use

Department issuing SDS: PCC-TWR

Contact: MSDS.pcc@endress.com

Abbreviations and acronyms:

RID: *Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*IATA-DGR: *Dangerous Goods Regulations by the "International Air Transport Association" (IATA)*ICAO: *International Civil Aviation Organisation*ICAO-TI: *Technical Instructions by the "International Civil Aviation Organisation" (ICAO)*ADR: *Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*IMDG: *International Maritime Code for Dangerous Goods*IATA: *International Air Transport Association*GHS: *Globally Harmonised System of Classification and Labelling of Chemicals*EINECS: *European Inventory of Existing Commercial Chemical Substances*CAS: *Chemical Abstracts Service (division of the American Chemical Society)*LC50: *Lethal concentration, 50 percent*LD50: *Lethal dose, 50 percent*PBT: *Persistent, Bioaccumulative and Toxic*vPvB: *very Persistent and very Bioaccumulative*Ox. Sol. 2: *Oxidizing solids – Category 2*Acute Tox. 4: *Acute toxicity – Category 4*Resp. Sens. 1: *Respiratory sensitisation – Category 1*

(Contd. on page 8)

Safety Data Sheet

in accordance with HSNO

Page 8/8

Printing date 19.03.2022

Version 6 (replaces version 5)

Revision: 19.03.2022

Trade name: Reagent TP1, Component 1

Skin Sens. 1: Skin sensitisation – Category 1

(Contd. of page 7)

*** Data compared to the previous version altered.**

— NZ —

SECTION 1: Identification of the substance or mixture and of the supplier**1.1 Product identifier****Trade name:** Reagent TP2**Synonym:** *for total phosphate (C+D)***Article number:** 71251123**1.2 Relevant identified uses of the substance or mixture and uses advised against***No further relevant information available.***Application of the substance / the mixture** *Laboratory chemicals***1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:***Endress+Hauser**Conducta GmbH+Co. KG**Dieselstraße 24**D-70839 Gerlingen***Further information obtainable from:***Phone: +49 (0)7156 209-10117**E-Mail: MSDS.PCC@endress.com***1.4 Emergency telephone number:** 0064 800 764 766**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008***corrosion**Skin Corr. 1A H314 Causes severe skin burns and eye damage.**Eye Dam. 1 H318 Causes serious eye damage.***Classification according to Directive 67/548/EEC or Directive 1999/45/EC***C; Corrosive**R35: Causes severe burns.***Information concerning particular hazards for human and environment:***The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.***Classification system:***The classification is according to the latest editions of the EU-lists, and extended by company and literature data.***2.2 Label elements****Labelling according to EU guidelines:***The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.***Code letter and hazard designation of product:***C Corrosive***Hazard-determining components of labelling:***sulphuric acid***Risk phrases:***35 Causes severe burns.*

Trade name: Reagent TP2

(Contd. of page 1)

Safety phrases:

- 20 When using do not eat or drink.
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
 60 This material and its container must be disposed of as hazardous waste.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment









PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/Information on ingredients**3.2 Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7664-93-9 EINECS: 231-639-5	 sulphuric acid  C R35  Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	15-25%
CAS: 13718-26-8 EINECS: 237-272-7	 sodium metavanadate  T R25;  Xi R36/37/38  Acute Tox. 3, H301;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.
 Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Fire fighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Trade name: Reagent TP2

(Contd. of page 2)

5.3 Advice for firefighters No further relevant information available.**Protective equipment:** Mount respiratory protective device.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep container tightly sealed.**Storage class:** 8 B**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 7664-93-9 sulphuric acid**WES (New Zealand) Long-term value: 0.1 mg/m³
confirmed carcinogenIOELV (EU) Long-term value: 0.05 mg/m³**DNELs****CAS: 7664-93-9 sulphuric acid**Inhalative DNEL short-term 0.1 mg/m³ (worker) (local effects)DNEL long-term 0.05 mg/m³ (worker) (local effects)**PNECs****CAS: 7664-93-9 sulphuric acid**

PNEC 8.8 mg/L (Wastewater treatment plant)

0.25 mg/L (sea water)

PNEC 2.5 µg/L (fresh water)

(Contd. on page 4)

Trade name: Reagent TP2

(Contd. of page 3)

PNEC	2 µg/kg (marine sediment)
	2 µg/kg (freshwater sediment)

Additional information: *The lists valid during the making were used as basis.*

8.2 Exposure controls

Appropriate engineering controls *No further data; see item 7.*

Individual protection measures, such as personal protective equipment**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eyeface protection

Tightly sealed goggles

Body protection: *Protective work clothing*

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information**

Physical state

Fluid

Colour:

Light yellow

Odour:

Odourless

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

100 °C

Flammability

Not applicable.

(Contd. on page 5)

Trade name: Reagent TP2

(Contd. of page 4)

Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	<1
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.01 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard. Not determined.
Solvent content:	
Water:	74.7 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity10.1 Reactivity *No further relevant information available.***10.2 Chemical stability****Thermal decomposition / conditions to be avoided:***No decomposition if used according to specifications.*

(Contd. on page 6)

Trade name: Reagent TP2

(Contd. of page 5)

10.3 Possibility of hazardous reactions *No dangerous reactions known.***10.4 Conditions to avoid** *No further relevant information available.***10.5 Incompatible materials:** *No further relevant information available.***10.6 Hazardous decomposition products:** *No dangerous decomposition products known.***SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity****LD/LC50 values relevant for classification:****CAS: 13718-26-8 sodium metavanadate**

Oral | LD50 | 98 mg/kg (rat)

Skin corrosion/irritation *Causes severe skin burns and eye damage.***Serious eye damage/irritation** *Causes serious eye damage.***11.2 Information on other hazards****Endocrine disrupting properties***None of the ingredients is listed.***SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** *No further relevant information available.***12.2 Persistence and degradability** *No further relevant information available.***12.3 Bioaccumulative potential** *No further relevant information available.***12.4 Mobility in soil** *No further relevant information available.***12.5 Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***12.6 Endocrine disrupting properties***The product does not contain substances with endocrine disrupting properties.***12.7 Other adverse effects****Additional ecological information:****General notes:***Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water**Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**Must not reach sewage water or drainage ditch undiluted or unneutralised.**Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.***SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation***Must not be disposed together with household garbage. Do not allow product to reach sewage system.***Uncleaned packaging:****Recommendation:** *Disposal must be made according to official regulations.***Recommended cleansing agents:** *Water, if necessary together with cleansing agents.**** SECTION 14: Transport information****14.1 UN number or ID number****IMDG, IATA**

UN2796

(Contd. on page 7)

— NZ —

Trade name: Reagent TP2

(Contd. of page 6)

14.2 UN proper shipping name

ADR UN2796 SULPHURIC ACID
IMDG SULPHURIC ACID
IATA Sulphuric acid

14.3 Transport hazard class(es)

ADR



Class 8 (C1) Corrosive substances.
Label 8

IMDG, IATA



Class 8 Corrosive substances.
Label 8

14.4 Packing group

ADR, IMDG, IATA II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A, S-B

Segregation groups

Strong acids

Stowage Category

B

Segregation Code

SG36 Stow "separated from" SGG18-alkalis.
 SG49 Stow "separated from" SGG6-cyanides

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code E

IMDG

Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation": UN 2796 SULPHURIC ACID, 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Inventory of Chemicals

All ingredients are listed.

HSNO Approval numbers

CAS: 13718-26-8	sodium metavanadate	HSR005981
-----------------	---------------------	-----------

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)

Trade name: Reagent TP2

(Contd. of page 7)

National regulations:**Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.1 Relevant phrases

H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
R25 Toxic if swallowed.
R35 Causes severe burns.
R36/37/38 Irritating to eyes, respiratory system and skin.

16.3 Recommended restriction of use**Department issuing SDS:** PCC-TWR**Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**