

19.03.2022

Kit Components

Product code	Description
CAY249-VxxAAE	CA72TP-C+D Reagent Set for total phosphate yellow

Components:

71251096	Reagent TP1, Component 1 for total phosphate
71251123	Reagent TP2 for total phosphate (C+D)

SECTION 1: Identification of the substance or mixture and of the supplier**Product identifier****Trade name:** Reagent TP1, Component 1**Synonym:** *for total phosphate***Article number:** 71251096**CAS Number:**

7775-27-1

EC number:

231-892-1

Recommended use of the chemical and restrictions on use *No further relevant information available.***Application of the substance / the mixture** *Laboratory chemicals***Supplier's details****Manufacturer/Supplier:***Endress+Hauser**Conducta GmbH+Co. KG**Dieselstraße 24**D-70839 Gerlingen***Further information obtainable from:***Phone: +49 (0)7156 209-10117**E-Mail: MSDS.PCC@endress.com***Emergency phone number** +27 (0)861 555 777**SECTION 2: Hazard identification****Classification of the substance or mixture***flame over circle**Ox. Sol. 2 H272 May intensify fire; oxidiser.**health hazard**Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.**Acute Tox. 4 H302 Harmful if swallowed.**Skin Sens. 1 H317 May cause an allergic skin reaction.***GHS label elements****GHS label elements***The substance is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms**

GHS03 GHS07 GHS08

Signal word *Danger***Hazard-determining components of labelling:***sodium persulphate*

Trade name: Reagent TP1, Component 1

(Contd. of page 1)

Hazard statements*May intensify fire; oxidiser.**Harmful if swallowed.**May cause allergy or asthma symptoms or breathing difficulties if inhaled.**May cause an allergic skin reaction.***Precautionary statements***Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**Keep away from clothing and other combustible materials.**Avoid breathing dust/fume/gas/mist/vapours/spray.**[In case of inadequate ventilation] wear respiratory protection.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Other hazards***The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.***Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***SECTION 3: Composition or information on ingredients****Substances****CAS No. Description***CAS: 7775-27-1 sodium persulphate***Identification number(s)****EC number:** *231-892-1***SECTION 4: First-aid measures****Description of necessary first-aid measures****General information:***Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***After inhalation:***Supply fresh air and to be sure call for a doctor.**In case of unconsciousness place patient stably in side position for transportation.***After skin contact:***Immediately wash with water and soap and rinse thoroughly.**Immediately rinse with water.***After eye contact:** *Rinse opened eye for several minutes under running water.***After swallowing:** *Call for a doctor immediately.***Most important symptoms or effects, acute and delayed** *No further relevant information available.***Indication of immediate medical attention and special treatment needed, if necessary***No further relevant information available.***SECTION 5: Fire-fighting measures****Suitable extinguishing media****Suitable extinguishing agents:***CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.***For safety reasons unsuitable extinguishing agents:** *no further information***Specific hazards arising from the chemical** *No further relevant information available.***Special protective actions for fire fighters** *No further relevant information available.*

(Contd. on page 3)

Trade name: Reagent TP1, Component 1

(Contd. of page 2)

Protective equipment: *No special measures required.***SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures** *Wear protective clothing.***Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.***Methods and material for containment and cleaning up:***Dispose contaminated material as waste according to item 13.**Ensure adequate ventilation.***Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****Precautions for safe handling** *Ensure good ventilation/exhaustion at the workplace.***Information about fire - and explosion protection:** *No special measures required.***Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *None.***Storage class:** *5.1 B***Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls or personal protection****Control parameters****Ingredients with limit values that require monitoring at the workplace:** *Not required.***Additional information:** *The lists valid during the making were used as basis.***Exposure controls****Appropriate engineering controls** *No further data; see item 7.***Individual protection measures, such as personal protective equipment (PPE)****General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.***Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.***Hand protection***Protective gloves**To avoid skin problems reduce the wearing of gloves to the required minimum.**Only use chemical-protective gloves with CE-labelling of category III.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**No chemical-protective gloves required.***Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.**Nitrile rubber, NBR*

(Contd. on page 4)

Trade name: Reagent TP1, Component 1

(Contd. of page 3)

*Natural rubber, NR***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Body protection:** *Protective work clothing***SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****General Information****Physical state***Solid***Colour:***Colourless***Odour:***Odourless***Odour threshold:***Not determined.***Melting point/freezing point:***Undetermined.***نقطة الغليان أو نقطة الغليان الأولية ونطاق الغليان***Undetermined.***Flammability***Product is not flammable.***Upper or lower flammability or explosive limits****Lower:***Not determined.***Upper:***Not determined.***Flash point:***Not applicable.***Decomposition temperature:***Not determined.***pH***Slightly acidic***Viscosity:****Viscosity***Not applicable.***Dynamic:***Not applicable.***Solubility****water:***Easily soluble.***Partition coefficient: n-octanol or water***Not determined.***Vapour pressure:***Not applicable.***Vapour density + Relative density****Density at 20 °C:***1.1 g/cm³***Relative density***Not determined.***Vapour density***Not applicable.***Other information****Appearance:****Form:***Crystalline powder***Important information on protection of health and environment, and on safety.****Auto-ignition temperature:***Not determined.***Explosive properties:***Product does not present an explosion hazard.**Not determined.***Solids content:***100.0 %***Change in condition****Evaporation rate***Not applicable.***Information with regard to physical hazard classes****Explosives***Void***Flammable gases***Void***Aerosols***Void***Oxidising gases***Void***Gases under pressure***Void***Flammable liquids***Void***Flammable solids***Void***Self-reactive substances and mixtures***Void***Pyrophoric liquids***Void*

(Contd. on page 5)

Trade name: Reagent TP1, Component 1

(Contd. of page 4)

Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	May intensify fire; oxidiser.
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information**

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.**LD/LC50 values relevant for classification:****CAS: 7775-27-1 sodium persulphate**

Oral | LD50 | 920 mg/kg (rat)

Respiratory and skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Information on other hazards**endocrine disrupting potential**

Substance is not listed.

SECTION 12: Ecological information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

Other adverse effects**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

Trade name: Reagent TP1, Component 1

(Contd. of page 5)

SECTION 13: Disposal considerations**Waste treatment methods****Recommendation***Must not be disposed together with household garbage. Do not allow product to reach sewage system.***Uncleaned packaging:****Recommendation:** *Disposal must be made according to official regulations.**** SECTION 14: Transport information****UN number**

IMDG, IATA

UN1505

UN proper shipping name

ADR

UN1505 SODIUM PERSULPHATE

IMDG

SODIUM PERSULPHATE

IATA

Sodium persulphate

Transport hazard class(es)

ADR



Class

5.1 (O2) Oxidising substances.

Label

5.1

IMDG, IATA

Class

5.1 Oxidising substances.

Label

5.1

Packing group

ADR, IMDG, IATA

III

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Oxidising substances.

Hazard identification number (Kemler code): 50**EMS Number:**

F-A,S-Q

Stowage Category

A

Segregation Code

SG39 Stow "separated from" SGG2-ammonium compounds other than AMMONIUM PERSULPHATE (UN 1444).

SG49 Stow "separated from" SGG6-cyanides

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

5 kg

Transport category

3

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

(Contd. on page 7)

Trade name: Reagent TP1, Component 1

UN "Model Regulation":

UN 1505 SODIUM PERSULPHATE, 5.1, III

(Contd. of page 6)

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

GHS label elements*The substance is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms**

GHS03 GHS07 GHS08

Signal word *Danger***Hazard-determining components of labelling:***sodium persulphate***Hazard statements***May intensify fire; oxidiser.**Harmful if swallowed.**May cause allergy or asthma symptoms or breathing difficulties if inhaled.**May cause an allergic skin reaction.***Precautionary statements***Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**Keep away from clothing and other combustible materials.**Avoid breathing dust/fume/gas/mist/vapours/spray.**[In case of inadequate ventilation] wear respiratory protection.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *Substance is not listed.***Seveso category P8** *OXIDISING LIQUIDS AND SOLIDS***Qualifying quantity (tonnes) for the application of lower-tier requirements** *50 t***Qualifying quantity (tonnes) for the application of upper-tier requirements** *200 t***National regulations:****Waterhazard class:** *Water hazard class 1 (Assessment by list): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)**ICAO: International Civil Aviation Organisation**ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Ox. Sol. 2: Oxidizing solids – Category 2*

(Contd. on page 8)

Safety data Sheet

in accordance with SANS

Page 8/8

Printing date 19.03.2022

Version 6 (replaces version 5)

Revision: 19.03.2022

Trade name: Reagent TP1, Component 1

Acute Tox. 4: Acute toxicity – Category 4

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

*** Data compared to the previous version altered.**

(Contd. of page 7)

—ZA—

SECTION 1: Identification of the substance or mixture and of the supplier**Product identifier****Trade name:** Reagent TP2**Synonym:** *for total phosphate (C+D)***Article number:** 71251123**Recommended use of the chemical and restrictions on use** *No further relevant information available.***Application of the substance / the mixture** *Laboratory chemicals***Supplier's details****Manufacturer/Supplier:***Endress+Hauser**Conducta GmbH+Co. KG**Dieselstraße 24**D-70839 Gerlingen***Further information obtainable from:***Phone: +49 (0)7156 209-10117**E-Mail: MSDS.PCC@endress.com***Emergency phone number** +27 (0)861 555 777**SECTION 2: Hazard identification****Classification of the substance or mixture***corrosion**Skin Corr. 1A H314 Causes severe skin burns and eye damage.**Eye Dam. 1 H318 Causes serious eye damage.***GHS label elements****GHS label elements***The product is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms**

GHS05

Signal word *Danger***Hazard-determining components of labelling:***sulphuric acid***Hazard statements***Causes severe skin burns and eye damage.***Precautionary statements***IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a POISON CENTER/doctor.**Specific treatment (see on this label).**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Additional information:***Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).***Other hazards***The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.*

Trade name: Reagent TP2

(Contd. of page 1)

Results of PBT and vPvB assessmentPBT: *Not applicable.*vPvB: *Not applicable.***SECTION 3: Composition or information on ingredients****Mixtures****Description:** *Mixture of substances listed below with nonhazardous additions.*

Dangerous components:		
CAS: 7664-93-9 EINECS: 231-639-5	sulphuric acid Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 15\%$ Skin Irrit. 2; H315: $5\% \leq C < 15\%$ Eye Irrit. 2; H319: $5\% \leq C < 15\%$	15-25%
CAS: 13718-26-8 EINECS: 237-272-7	sodium metavanadate Acute Tox. 3, H301; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤1%

Additional information: *For the wording of the listed hazard phrases refer to section 16.***SECTION 4: First-aid measures****Description of necessary first-aid measures****General information:** *Immediately remove any clothing soiled by the product.***After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.***After skin contact:***Immediately wash with water and soap and rinse thoroughly.**Immediately rinse with water.***After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.***After swallowing:** *Drink plenty of water and provide fresh air. Call for a doctor immediately.***Most important symptoms or effects, acute and delayed** *No further relevant information available.***Indication of immediate medical attention and special treatment needed, if necessary***No further relevant information available.**** SECTION 5: Fire-fighting measures****Suitable extinguishing media****Suitable extinguishing agents:***CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.***For safety reasons unsuitable extinguishing agents:** *no further information***Specific hazards arising from the chemical***During heating or in case of fire poisonous gases are produced.***Special protective actions for fire fighters** *No further relevant information available.***Protective equipment:** *Mount respiratory protective device.***SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures***Mount respiratory protective device.**Wear protective equipment. Keep unprotected persons away.**Wear protective clothing.***Environmental precautions:***Dilute with plenty of water.**Do not allow to enter sewers/ surface or ground water.*

(Contd. on page 3)

Trade name: Reagent TP2

(Contd. of page 2)

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

Precautions for safe handling

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: *Keep respiratory protective device available.*

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *No special requirements.*

Information about storage in one common storage facility: *Not required.*

Further information about storage conditions: *Keep container tightly sealed.*

Storage class: *8 B*

Specific end use(s) *No further relevant information available.*

*** SECTION 8: Exposure controls or personal protection**

Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7664-93-9 sulphuric acid

OEL	Long-term value: 0.4* mg/m ³ *T, CARC
-----	---

DNELs

CAS: 7664-93-9 sulphuric acid

Inhalative	DNEL short-term	0.1 mg/m ³ (worker) (local effects)
	DNEL long-term	0.05 mg/m ³ (worker) (local effects)

PNECs

CAS: 7664-93-9 sulphuric acid

PNEC	8.8 mg/L (Wastewater treatment plant)
	0.25 mg/L (sea water)
PNEC	2.5 µg/L (fresh water)
PNEC	2 µg/kg (marine sediment)
	2 µg/kg (freshwater sediment)

Additional information: *The lists valid during the making were used as basis.*

Exposure controls

Appropriate engineering controls *No further data; see item 7.*

Individual protection measures, such as personal protective equipment (PPE)

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 4)

Trade name: Reagent TP2

(Contd. of page 3)

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye or face protection

Tightly sealed goggles

Body protection: *Protective work clothing*

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****General Information****Physical state**

Fluid

Colour:

Light yellow

Odour:

Odourless

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

نقطة الغليان أو نقطة الغليان الأولية ونطاق الغليان

100 °C

Flammability

Not applicable.

Upper or lower flammability or explosive limits**Lower:**

Not determined.

Upper:

Not determined.

Flash point:

Not applicable.

Decomposition temperature:

Not determined.

pH at 20 °C

<1

Viscosity:**Viscosity**

Not determined.

Dynamic:

Not determined.

Solubility**water:**

Fully miscible.

Partition coefficient: n-octanol or water

Not determined.

Vapour pressure at 20 °C:

23 hPa

Vapour density + Relative density**Density at 20 °C:**1.01 g/cm³**Relative density**

Not determined.

(Contd. on page 5)

Trade name: Reagent TP2

(Contd. of page 4)

Vapour density	Not determined.
Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard. Not determined.
Solvent content:	
Water:	74.7 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

LD/LC50 values relevant for classification:

CAS: 13718-26-8 sodium metavanadate

Oral	LD50	98 mg/kg (rat)
------	------	----------------

Skin corrosion or irritation Causes severe skin burns and eye damage.

Serious eye damage or irritation Causes serious eye damage.

(Contd. on page 6)

Trade name: Reagent TP2

(Contd. of page 5)

Information on other hazards**endocrine disrupting potential***None of the ingredients is listed.***SECTION 12: Ecological information****Toxicity****Aquatic toxicity:** *No further relevant information available.***Persistence and degradability** *No further relevant information available.***Bioaccumulative potential** *No further relevant information available.***Mobility in soil** *No further relevant information available.***Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***Endocrine disrupting properties***The product does not contain substances with endocrine disrupting properties.***Other adverse effects****Additional ecological information:****General notes:***Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water**Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**Must not reach sewage water or drainage ditch undiluted or unneutralised.**Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.***SECTION 13: Disposal considerations****Waste treatment methods****Recommendation***Must not be disposed together with household garbage. Do not allow product to reach sewage system.***Uncleaned packaging:****Recommendation:** *Disposal must be made according to official regulations.***Recommended cleansing agents:** *Water, if necessary together with cleansing agents.**** SECTION 14: Transport information****UN number****IMDG, IATA**

UN2796

UN proper shipping name**ADR**

UN2796 SULPHURIC ACID

IMDG

SULPHURIC ACID

IATA

Sulphuric acid

Transport hazard class(es)**ADR****Class**

8 (C1) Corrosive substances.

(Contd. on page 7)

—ZA—

Trade name: Reagent TP2

(Contd. of page 6)

Label 8

IMDG, IATA



Class 8 Corrosive substances.
Label 8
Packing group II
ADR, IMDG, IATA II
Environmental hazards: Not applicable.
Special precautions for user Warning: Corrosive substances.
Hazard identification number (Kemler code): 80
EMS Number: F-A,S-B
Segregation groups Strong acids
Stowage Category B
Segregation Code SG36 Stow "separated from" SGG18-alkalis.
 SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Transport/Additional information:

ADR
Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code E

IMDG

Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation": UN 2796 SULPHURIC ACID, 8, II

* SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS05

Signal word *Danger*

Hazard-determining components of labelling:

sulphuric acid

Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store locked up.

(Contd. on page 8)

Trade name: Reagent TP2

(Contd. of page 7)

Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWR

Contact: MSDS.pcc@endress.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* **Data compared to the previous version altered.**