Page 1/8

Printing date 19.03.2022 Version 6 (replaces version 5) Revision: 19.03.2022

SECTION 1: Identification of the substance or mixture and of the supplier

Product identifier

Trade name: Stripping reagent for CA72TOC

Article number: CAY450-V10AAE

Recommended use of the chemical and restrictions on use No further relevant information available.

Application of the substance / the mixture Laboratory chemicals

Supplier's details Manufacturer/Supplier:

Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC @endress.com

Emergency phone number +27 (0)861 555 777

SECTION 2: Hazard identification

Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

nitric acid

Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

(Contd. on page 2)

Printing date 19.03.2022 Version 6 (replaces version 5) Revision: 19.03.2022

Trade name: Stripping reagent for CA72TOC

(Contd. of page 1)

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition or information on ingredients

Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 7697-37-2	nitric acid	15-25%
EINECS: 231-714-2	Ox. Liq. 2, H272; Acute Tox. 1, H330; Skin Corr. 1A, H314, EUH071	
	Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 %	
	Ox. Liq. 3; H272: 70 % ≤ C < 99 %	
	Asp. Tox. 1; H304: C ≥ 65 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First-aid measures

Description of necessary first-aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Most important symptoms or effects, acute and delayed No further relevant information available.

Indication of immediate medical attention and special treatment needed, if necessary No further relevant information available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

Specific hazards arising from the chemical

During heating or in case of fire poisonous gases are produced.

Special protective actions for fire fighters No further relevant information available.

Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

(Contd. on page 3)

in accordance with SANS Printing date 19.03.2022

Version 6 (replaces version 5)

Trade name: Stripping reagent for CA72TOC

(Contd. of page 2)

Revision: 19.03.2022

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

Precautions for safe handling

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed.

Storage class: 8 B

Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls or personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7697-37-2 nitric acid

OEL Short-term value: 8 ppm

Long-term value: 4 ppm

CARC

DNELs

CAS: 7697-37-2 nitric acid

Inhalative DNEL long-term 1.3 mg/m³ (worker) (local effects)

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment (PPE)

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III.

(Contd. on page 4)

Printing date 19.03.2022 Version 6 (replaces version 5) Revision: 19.03.2022

Trade name: Stripping reagent for CA72TOC

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye or face protection



Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

General Information

Physical state Fluid
Colour: Colourless
Odour: Odourless
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

℃ 83 °C نقطة الغليان أو نقطة الغليان الأولية ونطاق الغليان

Flammability Not applicable.

Upper or lower flammability or explosive limits

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.Decomposition temperature:Not determined.

pH at 20 °C <2

Viscosity:

Viscosity Not determined.

Dynamic: Not determined.

Solubility

water: Fully miscible.

Partition coefficient: n-octanol or water Not determined.

Vapour pressure at 20 °C: 23 hPa

Vapour density + Relative density

Density at 20 °C:1.091 g/cm³Relative densityNot determined.Vapour densityNot determined.

Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Not determined.

(Contd. on page 5)

Printing date 19.03.2022 Version 6 (replaces version 5) Revision: 19.03.2022

Trade name: Stripping reagent for CA72TOC

(Contd. of page 4)

Solvent content:

Water: 77.4 % Solids content: 0.0 %

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard

classes

Void **Explosives** Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Skin corrosion or irritation Causes severe skin burns and eye damage.

Serious eve damage or irritation Causes serious eve damage.

Information on other hazards

endocrine disrupting potential

None of the ingredients is listed.

SECTION 12: Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 6)

Printing date 19.03.2022 Version 6 (replaces version 5) Revision: 19.03.2022

Trade name: Stripping reagent for CA72TOC

(Contd. of page 5)

Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

UN number

IMDG, IATA UN2031

UN proper shipping name

ADR UN2031 NITRIC ACID

IMDGNITRIC ACIDIATANitric acid

Transport hazard class(es)

ADR



Class 8 (C1) Corrosive substances.

Label 8

IMDG, IATA



Class 8 Corrosive substances.

Label 8

Packing group

ADR. IMDG. IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80
EMS Number: F-A,S-B
Segregation groups Strong acids

Stowage Category D

Segregation Code SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

(Contd. on page 7)

Printing date 19.03.2022 Version 6 (replaces version 5) Revision: 19.03.2022

Trade name: Stripping reagent for CA72TOC

(Contd. of page 6)

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code Not applicable.

Transport/Additional information:

Limited quantities (LQ) 1L **Transport category** 2 **Tunnel restriction code** Ε

IMDG

Limited quantities (LQ) 1L

Code: E2 **Excepted quantities (EQ)**

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation": UN 2031 NITRIC ACID, 8, II

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question **GHS** label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

nitric acid

Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWR Contact: MSDS.pcc@endress.com Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

(Contd. on page 8)

in accordance with SANS Printing date 19.03.2022

Version 6 (replaces version 5)

Trade name: Stripping reagent for CA72TOC

(Contd. of page 7)

Revision: 19.03.2022

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)

DNEL: Derived No-Effect Level (REACH)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Ox. Liq. 2: Oxidizing liquids – Category 2
Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

- 7A -

^{*} Data compared to the previous version altered.