in accordance with SANS

Printing date 31.03.2022

Endress+Hauser

People for Process Automation Version 3 (replaces version 2)

Revision: 31.03.2022

SECTION 1: Identification of the substance or mixture and of the supplier

Product identifier

Trade name: Cleaning solution acid

Article number: CAY747-VxxAAE

Recommended use of the chemical and restrictions on use No further relevant information available.

Application of the substance / the mixture Cleaning agent/ Cleaner

Laboratory chemicals

Supplier's details Manufacturer/Supplier: Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC@endress.com

Emergency phone number +27 (0)861 555 777

SECTION 2: Hazard identification

Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

GHS label elements GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: Lactic acid
Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.
Hazard statements
Causes severe skin burns and eye damage.
Precautionary statements
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

(Contd. on page 2)

in accordance with SANS

Printing date 31.03.2022

Version 3 (replaces version 2)

Revision: 31.03.2022

Trade name: Cleaning solution acid

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition or information on ingredients

Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
	citric acid	10-20%
EINECS: 201-069-1 🤇	🗘 Eye Irrit. 2, H319; STOT SE 3, H335	
	Lactic acid	5-10%
EINECS: 200-018-0 🏹	📎 Skin Corr. 1B, H314; 🚸 Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 85536-14-7 B	Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.	2-6%
EINECS: 287-494-3 🏹	📎 Skin Corr. 1A, H314; Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	
Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First-aid measures

Description of necessary first-aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately. Most important symptoms or effects, acute and delayed No further relevant information available.

Indication of immediate medical attention and special treatment needed, if necessary No further relevant information available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: no further information Specific hazards arising from the chemical

During heating or in case of fire poisonous gases are produced.

Special protective actions for fire fighters No further relevant information available. Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Wear protective clothing. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

(Contd. of page 1)

in accordance with SANS

Printing date 31.03.2022

Version 3 (replaces version 2)

Revision: 31.03.2022

Trade name: Cleaning solution acid

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about fire - and explosion protection: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *No special requirements.* Information about storage in one common storage facility: *Not required.* Further information about storage conditions: *Keep container tightly sealed.* Storage class: 8 *B* Specific end use(s) *No further relevant information available.*

SECTION 8: Exposure controls or personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

Exposure controls

Appropriate engineering controls *No further data; see item 7.* Individual protection measures, such as personal protective equipment (PPE)

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. of page 2)

Page 3/8

in accordance with SANS

Printing date 31.03.2022

Trade name: Cleaning solution acid

Revision: 31.03.2022

(Contd. of page 3)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye or face protection



Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical pro General Information	operties
Physical state	Fluid
Colour:	Colourless
Ddour:	Characteristic
Ddour threshold:	Not determined.
Aelting point/freezing point:	0 °C
نقطة الغليان أو نقطة الغليان الأولية ونطاق الغليار	Undetermined.
lammability	Not applicable.
Ipper or lower flammability or explosive limits	
ower:	Not determined.
lpper:	Not determined.
lash point:	Not applicable.
gnition temperature:	1 °C
Decomposition temperature:	Not determined.
H at 20 °C	<2
liscosity:	~2
/iscosity	Not determined.
Dynamic:	Not determined.
Solubility	
vater:	Fully missible
artition coefficient: n-octanol or water	Fully miscible. Not determined.
	23 hPa
apour pressure at 20 °C:	23 IIFA
apour density + Relative density	$1.07 a/am^3$
ensity at 20 °C:	1.07 g/cm³ Not determined.
Relative density	
/apour density	Not determined.
Other information	
Appearance:	
Form:	Fluid
mportant information on protection of health	
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
	Not determined.
Solvent content:	
Water:	>80.0 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not determined.
nformation with regard to physical hazard	
classes	
Explosives	Void
	(Contd. on

(Contd. on page 5)

in accordance with SANS Printing date 31.03.2022

Trade name: Cleaning solution acid

Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals		
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

LD/LC50 values relevant for classification:

CAS: 77-92-9 citric acid

Oral LD50 5,040 mg/kg (Mouse)

CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

Oral LD50 1,350 mg/kg (rat)

Skin corrosion or irritation Causes severe skin burns and eye damage. Serious eye damage or irritation Causes serious eye damage.

Information on other hazards

endocrine disrupting potential

None of the ingredients is listed.

SECTION 12: Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. of page 4)

in accordance with SANS

Printing date 31.03.2022

Version 3 (replaces version 2)

Trade name: Cleaning solution acid

Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information: General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

Waste treatment methods Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

UN number	
IMDG, IATA	UN3265
UN proper shipping name ADR	UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Lactic acid, Benzenesulfonic acid, 4-C10-13-sec- alkylderivs.)
IMDG	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Lactic acid, Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.)
ΙΑΤΑ	Corrosive liquid, acidic, organic, n.o.s. (Lactic acid/ Benzenesulfonic acid, 4-C10-13-sec-alkylderivs. solution)
Transport hazard class(es)	
ADR	
Class	8 (C3) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
Packing group	
ADR, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Segregation groups	Acids (Contd. on page 7)

Revision: 31.03.2022

(Contd. of page 5)

in accordance with SANS

Printing date 31.03.2022

Version 3 (replaces version 2)

Revision: 31.03.2022

Trade name: Cleaning solution acid

Stowage Category Stowage Code Segregation Code Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	(Contd. of page 6) B SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Transport category Tunnel restriction code	1L 2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ) UN "Model Regulation":	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (LACTIC ACID, BENZENESULFONIC ACID, 4- C10-13-SEC-ALKYLDERIVS.), 8, II

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: Lactic acid
Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.
Hazard statements
Causes severe skin burns and eye damage.
Precautionary statements
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

— 7A —

in accordance with SANS *Printing date 31.03.2022*

Version 3 (replaces version 2)

Revision: 31.03.2022

Trade name: Cleaning solution acid

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWR Contact: MSDS.pcc@endress.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered.

ZA —

Page 8/8