Printing date 31.03.2022

Endress+Hauser

People for Process Automation Version 4 (replaces version 3) Page 1/8

Revision: 31.03.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: <u>Cleaning solution</u> Synonym: for manganese

Article number: CAY844-V10AAE UFI: 5611-Y0KY-100Y-VFAD

1.2 Relevant identified uses of the substance or mixture and uses advised against Product category *PC21* Laboratory chemicals

Application of the substance / the mixture Laboratory chemicals

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: *Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen*

Further information obtainable from:

Phone: +49 (0)7156 209-10117 *E-Mail:* MSDS.PCC@endress.com

1.4 Emergency telephone number: 00353 01 809 2166 (from 8 am to 10 pm, 7 days a week) 00353 01 809 2566 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Warning Hazard statements H290 May be corrosive to metals. Precautionary statements P234 Keep only in original packaging. P390 Absorb spillage to prevent material damage. P406 Store in a corrosion resistant container / container with a resistant inner liner. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Printing date 31.03.2022

Revision: 31.03.2022

Trade name: Cleaning solution

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous components: | | |
|---|---|------|
| CAS: 7647-01-0 | hydrochloric acid | 2-6% |
| EINECS: 231-595-7 Registration number: 01- | ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; STOT SE 3, H335 | |
| 2119484862-27-XXXX | Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % | |
| | Skin Irrit. 2; H315: 10 % ≤ C < 25 % | |
| | Eye Irrit. 2; H319: 10 % ≤ C < 25 % | |
| | STOT SE 3; H335: C ≥ 10 % | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed *No further relevant information available.*

4.3 Indication of any immediate medical attention and special treatment needed *No further relevant information available.*

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. **For safety reasons unsuitable extinguishing agents:** no further information

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters No further relevant information available.

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Wear protective clothing.

6.2 Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

according to 1907/2006/EC, Article 31

Printing date 31.03.2022

Version 4 (replaces version 3)

Trade name: Cleaning solution

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling *No special precautions are necessary if used correctly.* **Information about fire - and explosion protection:** *No special measures required.*

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *No special requirements.* Information about storage in one common storage facility: *Not required.* Further information about storage conditions: *Keep container tightly sealed.* Storage class: *12* 7.3 Specific end use(s) *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

 Ingredients with limit values that require monitoring at the workplace:

 CAS: 7647-01-0 hydrochloric acid

 OEL (Ireland)
 Short-term value: 15 mg/m³, 10 ppm

 Long-term value: 8 mg/m³, 5 ppm
 IOEL V

| I | |
|---|---|
| | Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm |
| | IOELV |

DNELs

CAS: 7647-01-0 hydrochloric acid

| Inhalative | DNEL short-term | 15 mg/m ³ (worker) (local effects) |
|------------|-----------------|---|
| | | 15 mg/m³ (consumer) (local effects) |
| | DNEL long-term | 8 mg/m³ (worker) (local effects) |
| | | 8 mg/m³ (consumer) (local effects) |

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Hand protection

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. No chemical-protective gloves required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

Page 3/8

Revision: 31.03.2022

(Contd. of page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.03.2022

Version 4 (replaces version 3)

Trade name: Cleaning solution

checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical properties General Information | | |
|--|---------------------------------------|--------------------|
| Physical state | Fluid | |
| Colour: | Colourless | |
| Odour: | Odourless | |
| Odour threshold: | Not determined. | |
| | Undetermined. | |
| Melting point/freezing point: | Undetermined. | |
| Boiling point or initial boiling point and boiling | 100 °C | |
| range Elemmehility | | |
| Flammability | Not applicable. | |
| Lower and upper explosion limit | Not data main a d | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Flash point: | Not applicable. | |
| pH at 20 °C | <2 | |
| Viscosity: | | |
| Kinematic viscosity | Not determined. | |
| Dynamic: | Not determined. | |
| Solubility | | |
| water: | Fully miscible. | |
| Partition coefficient n-octanol/water (log value) | Not determined. | |
| Vapour pressure at 20 °C: | 23 hPa | |
| Density and/or relative density | | |
| Density at 20 °C: | 1.004 g/cm ³ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Fluid | |
| Important information on protection of health | | |
| and environment, and on safety. | | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion | n hazard. |
| | Not determined. | i nazarar |
| Solvent content: | | |
| Water: | 97.0 % | |
| Solids content: | 0.0 % | |
| Change in condition | | |
| Evaporation rate | Not determined. | |
| • | Not dotominod. | |
| Information with regard to physical hazard | | |
| classes | | |
| Explosives | Void | |
| | | (Contd. on page 5) |

Revision: 31.03.2022

(Contd. of page 3)

- IRL —

according to 1907/2006/EC, Article 31

Printing date 31.03.2022

Revision: 31.03.2022

Trade name: Cleaning solution

| | | (Contd. of page 4) |
|---|-----------------------------|--------------------|
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flammable |) | |
| gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | May be corrosive to metals. | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid *No further relevant information available.*

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil *No further relevant information available.*

Printing date 31.03.2022

PBT: Not applicable. vPvB: Not applicable. Version 4 (replaces version 3)

Revision: 31.03.2022

Trade name: Cleaning solution

12.5 Results of PBT and vPvB assessment

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Uncleaned packaging: **Recommendation:** Disposal must be made according to official regulations. Recommended cleansing agents: Water, if necessary together with cleansing agents. **SECTION 14: Transport information** 14.1 UN number or ID number ADR, IMDG, IATA UN1789 14.2 UN proper shipping name ADR UN1789 HYDROCHLORIC ACID solution IMDG HYDROCHLORIC ACID solution ΙΑΤΑ Hydrochloric acid solution 14.3 Transport hazard class(es) ADR Class 8 (C1) Corrosive substances. Label 8 _____ IMDG, IATA Class 8 Corrosive substances. Label 8 14.4 Packing group ADR, IMDG, IATA $\parallel \parallel$ 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 **EMS Number:** F-A,S-B Segregation groups Acids (Contd. on page 7) IRL

(Contd. of page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.03.2022

Version 4 (replaces version 3)

Revision: 31.03.2022

Trade name: Cleaning solution

| Stowage Category 14.7 Maritime transport in bulk according to IMO instruments | (Contd. of page 6) Not applicable. |
|---|---|
| Transport/Additional information: | |
| ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 |
| Tunnel restriction code | E |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation": | UN 1789 HYDROCHLORIC ACID SOLUTION, 8, III |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Warning Hazard statements H290 May be corrosive to metals. **Precautionary statements** P234 Keep only in original packaging. P390 Absorb spillage to prevent material damage. P406 Store in a corrosion resistant container / container with a resistant inner liner.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

CAS: 7647-01-0 hydrochloric acid

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors 3

CAS: 7647-01-0 hydrochloric acid

(Contd. on page 8)

3

according to 1907/2006/EC, Article 31

Printing date 31.03.2022

Version 4 (replaces version 3)

Trade name: Cleaning solution

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.1 Relevant phrases

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
16.3 Recommended restriction of use

Department issuing SDS: PCC-TWR Contact: MSDS.pcc@endress.com Date of previous version: 13.04.2021 Version number of previous version: 3 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered.

Revision: 31.03.2022

(Contd. of page 7)

IRL -