

## 1 Identification

### Product identifier

**Trade name:** KIT CAT411 Ersatzmembranen, 2 Stück

**Synonym:** *KIT CAT411 reserve membrane, 2 pcs*

**Article number:** 51511288

**Application of the substance / the mixture** *Laboratory chemicals*

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

*Endress+Hauser  
Conducta GmbH+Co. KG  
Dieselstraße 24  
D-70839 Gerlingen*

### Further information obtainable from:

*Phone: +49 (0)7156 209-10117  
E-Mail: MSDS.PCC@endress.com*

**Emergency telephone number:** +1 604 682 5050

## 2 Hazard identification

### Classification of the substance or mixture



GHS02 Flame

*Flammable Liquids - Category 2*

*H225 Highly flammable liquid and vapour.*



GHS07

*Eye Irritation - Category 2A*

*H319 Causes serious eye irritation.*

*Specific Target Organ Toxicity - Single Exposure -  
Category 3*

*H336 May cause drowsiness or dizziness.*

### Label elements

#### GHS label elements

*The product is classified and labelled according to the Globally Harmonised System (GHS).*

#### Hazard pictograms



GHS02 GHS07

**Signal word** *Danger*

#### Hazard-determining components of labelling:

*propan-2-ol*

#### Hazard statements

*Highly flammable liquid and vapour.*

*Causes serious eye irritation.*

*May cause drowsiness or dizziness.*

#### Precautionary statements

*Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*

*IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

(Contd. on page 2)

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 1)



**Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

**\* 3 Composition/Information on ingredients****Chemical characterisation: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 67-63-0	propan-2-ol	30-50% *
	 Flammable Liquids - Category 2, H225;  Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H336	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

**4 First-aid measures****Description of first aid measures**

**General information:** Immediately remove any clothing soiled by the product.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Immediately rinse with water.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If symptoms persist consult doctor.

**Information for doctor:****Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**5 Fire-fighting measures****Extinguishing media****Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** no further information

**Special hazards arising from the substance or mixture** No further relevant information available.

**Advice for firefighters** No further relevant information available.

**Protective equipment:** No special measures required.

**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

**Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

(Contd. on page 3)

**Trade name: KIT CAT411 Ersatzmembranen, 2 Stück**

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

**Precautions for safe handling**

Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.

**Storage class:** 3

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/ Personal protection

**Additional information about design of technical facilities:** No further data; see section 7.

**Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

**CAS: 67-63-0 propan-2-ol**

EL	STEL: 400 ppm TWA: 200 ppm
EV	STEL: 400 ppm TWA: 200 ppm

**Additional information:** The lists valid during the making were used as basis.

**Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:**



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.  
Only use chemical-protective gloves with CE-labelling of category III.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 4)

**Trade name: KIT CAT411 Ersatzmembranen, 2 Stück**

(Contd. of page 3)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**

Tightly sealed goggles

**Body protection:** Protective work clothing

## \* 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

##### Appearance:

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value: Not determined.

#### Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	82 °C

Flash point: < 23 °C

Flammability (solid, gas): Highly flammable.

Auto-ignition temperature: 425 °C

Decomposition temperature: Not determined.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

#### Explosion limits:

Lower:	2 Vol %
Upper:	12 Vol %

Vapour pressure at 20 °C: 43 hPa

Density at 20 °C: 0.892 g/cm<sup>3</sup>

Relative density: Not determined.

Vapour density: Not determined.

Evaporation rate: Not determined.

#### Solubility in / Miscibility with

water: Fully miscible.

Partition coefficient: n-octanol/water: Not determined.

#### Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

#### Solvent content:

Organic solvents: 50.0 %

(Contd. on page 5)

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 4)

Water: 50.0 %

Solids content: 0.0 %

Other information No further relevant information available.

## 10 Stability and reactivity

Reactivity No further relevant information available.

**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects****Acute toxicity****LD/LC50 values relevant for classification:****CAS: 67-63-0 propan-2-ol**

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rbt)
Inhalative	LC50/4 h	30 mg/l (rat)

**Primary irritant effect:****Skin corrosion/irritation** No irritant effect.**Serious eye damage/irritation** Irritating effect.**Respiratory or skin sensitisation** No sensitising effects known.**Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

## 12 Ecological information

**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behaviour in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

(Contd. on page 6)

—CDN—

**Trade name: KIT CAT411 Ersatzmembranen, 2 Stück**

(Contd. of page 5)

### 13 Disposal considerations

**Waste treatment methods**

**Recommendation**

*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*

**Uncleaned packaging:**

**Recommendation:** *Disposal must be made according to official regulations.*

**Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

### 14 Transport information

**UN-Number**

UN1219

**IMDG, IATA**

**UN proper shipping name**

UN1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution

**ADR**

ISOPROPANOL (ISOPROPYL ALCOHOL) solution

**IMDG**

**IATA**

**Transport hazard class(es)**

Isopropanol (isopropyl alcohol) solution

**ADR**



**Class**

3 (F1) Flammable liquids.

**Label**

3

**IMDG, IATA**



**Class**

3 Flammable liquids.

**Label**

3

**Packing group**

II

**ADR, IMDG, IATA**

**Environmental hazards:**

Not applicable.

**Special precautions for user**

Warning: Flammable liquids.

**Hazard identification number (Kemler code):**

33

**EMS Number:**

F-E,S-D

**Stowage Category**

B

**Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**Transport/Additional information:**

**ADR**

**Limited quantities (LQ)**

1L

**Transport category**

2

**Tunnel restriction code**

D/E

**IMDG**

**Limited quantities (LQ)**

1L

**Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 7)

**Trade name: KIT CAT411 Ersatzmembranen, 2 Stück****UN "Model Regulation":**UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL)  
SOLUTION, 3, II

(Contd. of page 6)

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements***The product is classified and labelled according to the Globally Harmonised System (GHS).***Hazard pictograms**

GHS02 GHS07

**Signal word** *Danger***Hazard-determining components of labelling:***propan-2-ol***Hazard statements***Highly flammable liquid and vapour.**Causes serious eye irritation.**May cause drowsiness or dizziness.***Precautionary statements***Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Date of the latest revision of the safety data sheet** *09/19/2023***Abbreviations and acronyms:***IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)**ICAO: International Civil Aviation Organisation**ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative***\* Data compared to the previous version altered.**