

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** KIT CAT411 Ersatzmembranen, 2 Stück**Synonym:** *KIT CAT411 reserve membrane, 2 pcs***Article number:** 51511288**1.2 Relevant identified uses of the substance or mixture and uses advised against***No further relevant information available.***Application of the substance / the mixture** *Laboratory chemicals***1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:***Endress+Hauser**Conducta GmbH+Co. KG**Dieselstraße 24**D-70839 Gerlingen***Further information obtainable from:***Phone: +49 (0)7156 209-10117**E-Mail: MSDS.PCC@endress.com***1.4 Emergency telephone number:** 0091-26589391**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008***flame**Flam. Liq. 2 H225 Highly flammable liquid and vapour.**Eye Irrit. 2 H319 Causes serious eye irritation.**STOT SE 3 H336 May cause drowsiness or dizziness.***2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008***The product is classified and labelled according to the CLP regulation.***Hazard pictograms**

GHS02 GHS07

Signal word *Danger***Hazard-determining components of labelling:***propan-2-ol***Hazard statements***H225 Highly flammable liquid and vapour.**H319 Causes serious eye irritation.**H336 May cause drowsiness or dizziness.***Precautionary statements***P210**Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*

(Contd. on page 2)

— IND —

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 1)

P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*

P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

P405 *Store locked up.*

P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: *Not applicable.*

vPvB: *Not applicable.*

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: *Mixture of substances listed below with nonhazardous additions.*

Dangerous components:

CAS: 67-63-0	propan-2-ol	30-50%
EINECS: 200-661-7	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	

Additional information: *For the wording of the listed hazard phrases refer to section 16.*

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: *Immediately remove any clothing soiled by the product.*

After inhalation: *Supply fresh air; consult doctor in case of complaints.*

After skin contact: *Immediately rinse with water.*

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: *If symptoms persist consult doctor.*

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: *no further information*

5.2 Special hazards arising from the substance or mixture *No further relevant information available.***5.3 Advice for firefighters** *No further relevant information available.*

Protective equipment: *No special measures required.*

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

(Contd. on page 3)

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 2)

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

Requirements to be met by storerooms and receptacles: *Store in a cool location.*

Information about storage in one common storage facility: *Not required.*

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 3

7.3 Specific end use(s) *No further relevant information available.*

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: *The lists valid during the making were used as basis.*

8.2 Exposure controls

Appropriate engineering controls *No further data; see section 7.*

Individual protection measures, such as personal protective equipment**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

(Contd. on page 4)

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 3)

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eyeface protection

Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information**

Physical state

Fluid

Colour:

According to product specification

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

82 °C

Flammability

Highly flammable.

Lower and upper explosion limit

Lower:

2 Vol %

Upper:

12 Vol %

Flash point:

< 23 °C

Auto-ignition temperature:

425 °C

Decomposition temperature:

Not determined.

pH

Not determined.

Viscosity:

Kinematic viscosity

Not determined.

Kinematic viscosity

Dynamic:

Not determined.

Solubility

water:

Fully miscible.

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure at 20 °C:

43 hPa

Vapour pressure:

Density and/or relative density

Density at 20 °C:

0.892 g/cm³

Relative density

Not determined.

Vapour density

Not determined.

9.2 Other information

Appearance:

Form:

Fluid

(Contd. on page 5)

IND

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 4)

Important information on protection of health and environment, and on safety.**Ignition temperature:***Product is not selfigniting.***Explosive properties:***Product is not explosive. However, formation of explosive air/vapour mixtures are possible.***Solvent content:****Organic solvents:**

50.0 %

Water:

50.0 %

Solids content:

0.0 %

Change in condition**Evaporation rate***Not determined.***Information with regard to physical hazard classes****Explosives***Void***Flammable gases***Void***Aerosols***Void***Oxidising gases***Void***Gases under pressure***Void***Flammable liquids***Highly flammable liquid and vapour.***Flammable solids***Void***Self-reactive substances and mixtures***Void***Pyrophoric liquids***Void***Pyrophoric solids***Void***Self-heating substances and mixtures***Void***Substances and mixtures, which emit flammable****gases in contact with water***Void***Oxidising liquids***Void***Oxidising solids***Void***Organic peroxides***Void***Corrosive to metals***Void***Desensitised explosives***Void***SECTION 10: Stability and reactivity****10.1 Reactivity** *No further relevant information available.***10.2 Chemical stability****Thermal decomposition / conditions to be avoided:***No decomposition if used according to specifications.***10.3 Possibility of hazardous reactions** *No dangerous reactions known.***10.4 Conditions to avoid** *No further relevant information available.***10.5 Incompatible materials:** *No further relevant information available.***10.6 Hazardous decomposition products:** *No dangerous decomposition products known.***SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** *Based on available data, the classification criteria are not met.***LD/LC50 values relevant for classification:****CAS: 67-63-0 propan-2-ol**

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rbt)
Inhalative	LC50/4 h	30 mg/l (rat)

Serious eye damage/irritation *Causes serious eye irritation.***STOT-single exposure** *May cause drowsiness or dizziness.*

(Contd. on page 6)

— IND —

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 5)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: *No further relevant information available.*

12.2 Persistence and degradability *No further relevant information available.*

12.3 Bioaccumulative potential *No further relevant information available.*

12.4 Mobility in soil *No further relevant information available.*

12.5 Results of PBT and vPvB assessment

PBT: *Not applicable.*

vPvB: *Not applicable.*

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: *Disposal must be made according to official regulations.*

Recommended cleansing agents: *Water, if necessary together with cleansing agents.*

SECTION 14: Transport information

14.1 UN number or ID number

IMDG, IATA

UN1219

14.2 UN proper shipping name

ADR

UN1219 ISOPROPANOL (ISOPROPYL ALCOHOL) solution

IMDG

IATA

ISOPROPANOL (ISOPROPYL ALCOHOL) solution

14.3 Transport hazard class(es)

ADR



Class

3 (F1) Flammable liquids.

Label

3

IMDG, IATA



Class

3 Flammable liquids.

(Contd. on page 7)

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 6)

Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E, S-D
Stowage Category	B
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.

Transport/Additional information:

ADR	
Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D/E

IMDG

Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTION, 3, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS07

Signal word *Danger*

Hazard-determining components of labelling:

propan-2-ol

Hazard statements

*H225 Highly flammable liquid and vapour.**H319 Causes serious eye irritation.**H336 May cause drowsiness or dizziness.*

Precautionary statements

*P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category *P5c FLAMMABLE LIQUIDS*Qualifying quantity (tonnes) for the application of lower-tier requirements *5,000 t*

(Contd. on page 8)

IND

Trade name: KIT CAT411 Ersatzmembranen, 2 Stück

(Contd. of page 7)

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t**National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.1 Relevant phrases*H225 Highly flammable liquid and vapour.**H319 Causes serious eye irritation.**H336 May cause drowsiness or dizziness.***16.3 Recommended restriction of use****Department issuing SDS:** *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)**ICAO: International Civil Aviation Organisation**ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Flam. Liq. 2: Flammable liquids – Category 2**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**** Data compared to the previous version altered.**

— IND —