

## Declaration of Compliance

Endress+Hauser GmbH + Co. KG, Obere Wank 1, 87484 Nesselwang

being the manufacturer, declares that the product stated below



### TA30H-

Is in conformity with the following provisions: **Standard of the Electronics Industry of the People's Republic of China – SJ/T 11363-2006**

| 部件名称<br>Component Name        | 有害物质<br>Hazardous substances |                   |                   |                                     |  |  |
|-------------------------------|------------------------------|-------------------|-------------------|-------------------------------------|--|--|
|                               | 铅<br>Lead (Pb)               | 汞<br>Mercury (Hg) | 镉<br>Cadmium (Cd) | 六价铬<br>Hexavalent Chromium (Cr(VI)) | 多溴联苯<br>Polybrominated Biphenyls (PBB) | 多溴二苯醚<br>Polybrominated Diphenyl Ethers (PBDE) |
| 壳体<br>Housing                 | X                            | 0                 | 0                 | 0                                   | 0                                      | 0  |
| 电气部件<br>Electrical Components | 0                            | 0                 | 0                 | 0                                   | 0                                      | 0  |
| 塑料部件<br>Plastic Components    | 0                            | 0                 | 0                 | 0                                   | 0                                      | 0  |
| 金属零件<br>Metal Components      | 0                            | 0                 | 0                 | 0                                   | 0                                      | 0  |

本表格依据SJ/T 11364的规定编制。This table is made per guidance of SJ/T 11364

O: 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。

O: Indicates that this hazardous substance contained in all of the homogeneous materials for the part is below the limit requirement in GB/T 26572.

X: 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求。

X: Indicates that this hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit requirement in GB/T 26572.