acc. to OSHA HCS Printing date 10/26/2020 Endress+Hauser

Version number 3

People for Process Automation

Reviewed on 10/26/2020

1 Identification

Product identifier

Trade name: Füllelektrolyt COY3-F Synonym: Electrolyte COY3-F

Article number: 50053349

Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet Manufacturer/Supplier: Endress+Hauser Conducta Inc. 4123 E. La Palma Ave., Suite 200 Anaheim CA 92807-1813 USA

Information department:

Phone: +49 (0)7156 209-117 Fax.: +49 (0)7156 209-222 E-Mail: Service.PCC@endress.com

Emergency telephone number: 001 18000 222 1222

2 Hazard(s) identification

Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS05 Signal word Danger Hazard statements Causes severe skin burns and eye damage.

Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. **Classification system:**

NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)

HEALTH 3 Health = 30 Fire = 0FIRE **REACTIVITY** Reactivity = 0

> (Contd. on page 2) - USA -

acc. to OSHA HCS

Printing date 10/26/2020

Version number 3

Reviewed on 10/26/2020

Trade name: Füllelektrolyt COY3-F

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: *Mixture of the substances listed below with nonhazardous additions.*

Dangerous components:

| 584-08-7 potassium carbonate | 🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | 5-10% | | |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------|-------|--|--|
| Additional information: For the wording of the listed hazard phrases refer to section 16. | | | | |

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Rinse with warm water. Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor: Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed *No further relevant information available.*

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: no further information Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Advice for firefighters Protective equipment: Mount respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Wear protective clothing. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

(Contd. of page 1)

acc. to OSHA HCS

Printing date 10/26/2020

Version number 3

Reviewed on 10/26/2020

Trade name: Füllelektrolyt COY3-F

Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. **Reference to other sections** No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **Protective Action Criteria for Chemicals** PAC-1: 584-08-7 potassium carbonate 5.6 mg/m³ PAC-2: 584-08-7 potassium carbonate 62 mg/m³ PAC-3:

7 Handling and storage

Handling:

Precautions for safe handling

584-08-7 potassium carbonate

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *No special requirements.* Information about storage in one common storage facility: *Not required.* Further information about storage conditions: *Keep receptacle tightly sealed.* Storage class: *8 B* Specific end use(s) *No further relevant information available.*

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. of page 2)

370 mg/m³

acc. to OSHA HCS

Printing date 10/26/2020

Version number 3

Reviewed on 10/26/2020

Trade name: Füllelektrolyt COY3-F

Protection of hands:

Protective gloves and protective skin cream



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labeling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

| General Information Appearance: Form: Color: Odor: Odor threshold: | Fluid Colorless Odorless Not determined. |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Important information on protection of health and environment, and on safety. pH-value at 20 °C (68 °F): | n 12.3 |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. 100 °C (212 °F) |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. Not determined. |
| Explosion limits: Lower: Upper: | Not determined. Not determined. (Contd. on page 5) |

Page 4/8

(Contd. of page 3)

acc. to OSHA HCS

Printing date 10/26/2020

Reviewed on 10/26/2020

(Contd. of page 4)

Trade name: Füllelektrolyt COY3-F

| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate | 1.059 g/cm³ (8.837 lbs/gal) Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with Water: | Fully miscible. |
| Partition coefficient (n-octanol/water): | Not determined. |
| Viscosity: Dynamic: Kinematic: | Not determined. Not determined. |
| Solvent content: Water: | >85.0 % |
| Solids content: Other information | 0.0 % No further relevant information available. |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

584-08-7 potassium carbonate

Oral LD50 1,870 mg/kg (rat)

Primary irritant effect:

on the skin: Strong caustic effect on skin and mucous membranes.

on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

acc. to OSHA HCS

Printing date 10/26/2020

Version number 3

Trade name: Füllelektrolyt COY3-F

Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low waterdangerous. Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: *Disposal must be made according to official regulations.* **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

| 4 Transport information | | |
|--------------------------------------|-----------------|--|
| UN-Number | | |
| DOT, ADR, ADN, IMDG, IATA | Void | |
| UN proper shipping name | | |
| DOT, ADR, ADN, IMDG, IATA | Void | |
| Transport hazard class(es) | | |
| DOT, ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| Packing group | | |
| DOT, ADR, IMDG, IATA | Void | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex | (II of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| UN "Model Regulation": | Void | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

 Section 355 (extremely hazardous substances):

 None of the ingredient is listed.

 Section 313 (Specific toxic chemical listings):

 None of the ingredients is listed.

 TSCA (Toxic Substances Control Act):

 All components have the value ACTIVE.

(Contd. of page 5)

acc. to OSHA HCS

Printing date 10/26/2020

Version number 3

(Contd. of page 6)

Trade name: Füllelektrolyt COY3-F

Hazardous Air Pollutants

None of the ingredients is listed. **Proposition 65** Chemicals known to cause cancer: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed. **Cancerogenity categories** EPA (Environmental Protection Agency) None of the ingredients is listed. TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. MAK (German Maximum Workplace Concentration) None of the ingredients is listed. NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. **GHS** label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS05 Signal word Danger **Hazard statements** Causes severe skin burns and eye damage. **Precautionary statements** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC - TWRC Contact: MSDS.pcc@endress.com Date of preparation / last revision 10/26/2020 / 2 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/26/2020

Version number 3

Reviewed on 10/26/2020

Trade name: Füllelektrolyt COY3-F

| | (Contd. of page 7) |
|-----------------------------------------------------------------------------|--------------------|
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| ACGIH: American Conference of Governmental Industrial Hygienists | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Skin Corr. 1A: Skin corrosion/irritation – Category 1A | |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2 | |
| Eye Dam. 1: Serious eye damage/eye irritation – Category 1 | |
| Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A | |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 | |
| * Data compared to the previous version altered. | |
| Data compared to the previous version ditered. | |
| | USA — |