


**UK Type Examination Certificate CML 21UKEX2441X Issue 0****United Kingdom Conformity Assessment**

- 1 Product or Protective System Intended for use in Potentially Explosive Atmospheres UKSI 2016:1107 (as amended) – Schedule 3A, Part 1
- 2 Equipment **Pressure transmitter  
CERABAR-S Types PMP71, PMP75 and PMC71 and  
DELTAPILOT-S Type FMB70 and  
Differential pressure transmitter  
DELTABAR-S Types PMD75, FMD77 and FMD78**
- 3 Manufacturer **Endress+Hauser SE+Co. KG**
- 4 Address **Hauptstraße 1,  
79689 Maulburg,  
Germany**
- 5 The equipment is specified in the description of this certificate and the documents to which it refers.
- 6 Eurofins E&E CML Limited, Newport Business Park, New Port Road, Ellesmere Port, CH65 4LZ, United Kingdom, Approved Body Number 2503, in accordance with Regulation 43 of the Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016, UKSI 2016:1107 (as amended), certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Schedule 1 of the Regulations.  
The examination and test results are recorded in the confidential reports listed in Section 12.
- 7 If an 'X' suffix appears after the certificate number, it indicates that the equipment is subject to specific conditions of use (affecting correct installation or safe use). These are specified in Section 14.
- 8 This UK Type Examination certificate relates only to the design and construction of the specified equipment. Further requirements of the Regulations apply to the manufacturing process and supply of the product. These are not covered by this certificate.
- 9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the confidential report, has been demonstrated through compliance with the following documents:  
EN IEC 60079-0:2018                      EN 60079-11:2012
- 10 The equipment shall be marked with the following:  
 Refer to attached certificate KEMA 04ATEX1100 X, Issue 6 for specific marking of explosion protection symbols.  
Refer to attached certificate KEMA 04ATEX1100 X, Issue 6 for marked code and ambient temperature range.



CML 21UKEX2441X  
Issue 0

### 11 Description

For product description refer to attached certificate KEMA 04ATEX1100 X, Issue 6.

### 12 Certificate history and evaluation reports

Issue	Date	Associated report	Notes
0	10 Dec 2021	R14139AH/00	Issue of the prime certificate. KEMA 04ATEX1100 X, Issue 6 is attached and shall be referred to in conjunction with this certificate.

Note: Drawings that describe the equipment are listed or referred to in the Annex.

### 13 Conditions of Manufacture

For conditions of manufacture, refer to attached certificate KEMA 04ATEX1100 X, Issue 6.

Any routine tests/verifications required by the ATEX certification shall be conducted.

### 14 Specific Conditions of Use

For specific conditions of use, refer to attached certificate KEMA 04ATEX1100 X, Issue 6.

## Certificate Annex



**Certificate Number** CML 21UKEX2441X  
**Equipment** Pressure transmitter  
CERABAR-S Types PMP71, PMP75 and PMC71 and  
DELTAPILOT-S Type FMB70 and  
Differential pressure transmitter  
DELTABAR-S Types PMD75, FMD77 and FMD78  
**Manufacturer** Endress+Hauser SE+Co. KG

The following documents describe the equipment defined in this certificate:

### Issue 0

For drawings describing the equipment, refer to attached certificate KEMA 04ATEX1100 X. In addition to the drawings listed on KEMA 04ATEX1100 X, the following drawings include the additional marking required for this UK Type Examination certification:

Drawing No	Sheets	Rev	Approved date	Title
961005406	1 of 1	A	10 Dec 2021	Deltabar S ATEX II 1G Ex ia/ATEX II 1D Ex ia....
961005410	1 of 1	A	10 Dec 2021	Cerabar S ATEX II 1G Ex ia/ATEX II 1D Ex ia....
961005411	1 of 1	A	10 Dec 2021	Cerabar S / Deltabar S / Deltapilot S ATEX II 1G Ex ia/ATEX II 1D Ex ia....
961005412	1 of 1	A	10 Dec 2021	Deltapilot S ATEX II 1G Ex ia/ATEX II 1D Ex ia....