

Page 1/8

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

# SECTION 1: Identification of the substance or mixture and of the supplier

#### 1.1 Product identifier

Trade name: Pufferlösung CPY3 +468 mV Synonym: Buffer Solution CPY3 +468 mV

Article number: CPY3-B-5

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Laboratory chemicals

# 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

#### Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC @endress.com

1.4 Emergency telephone number: 0064 800 764 766

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

# Classification according to Directive 67/548/EEC or Directive 1999/45/EC



💢 Xi; Irritant

R36/38: Irritating to eyes and skin.

# Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

# Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

## 2.2 Label elements

# Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

# Code letter and hazard designation of product:



Xi Irritant

## Risk phrases:

36/38 Irritating to eyes and skin.

#### Safety phrases:

23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

(Contd. on page 2)

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

# Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 1)

29 Do not empty into drains.

37 Wear suitable gloves.

60 This material and its container must be disposed of as hazardous waste.

#### 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

#### Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

# **SECTION 3: Composition/Information on ingredients**

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
CAS: 7664-93-9	sulphuric acid	2-6%	
EINECS: 231-639-5	<u>₹</u> C R35		
	Skin Corr. 1A, H314		
	Špecific concentration limits: Skin Corr. 1A; H314: C ≥ 15 %		
	Skin Irrit. 2; H315: 5 % ≤ C < 15 %		
	Eye Irrit. 2; H319: 5 % ≤ C < 15 %		
CAS: 10028-22-5	iron(III) sulfate	2-6%	
EINECS: 233-072-9	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319		
CAS: 7720-78-7	iron(II) sulfate	1-2.5%	
EINECS: 231-753-5	<b>X</b> Xn R22; <b>X</b> Xi R36/38		
	🗘 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319		

Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Fire fighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

**5.3 Advice for firefighters** *No further relevant information available.* 

(Contd. on page 3)

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 2)

Protective equipment: Mount respiratory protective device.

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

#### 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

#### 7.2 Conditions for safe storage, including any incompatibilities

# Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed.

Storage class: 8 B

**7.3 Specific end use(s)** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Inhalative DNEL short-term 0.1 mg/m³ (worker) (local effects)

DNEL long-term

## 8.1 Control parameters

orr control paramot	on control parameters			
Ingredients with limit values that require monitoring at the workplace:				
CAS: 7664-93-9 sulphuric acid				
WES (New Zealand)	Long-term value: 0.1 mg/m³ confirmed carcinogen			
IOELV (EU)	Long-term value: 0.05 mg/m³			
CAS: 10028-22-5 iron(III) sulfate				
WES (New Zealand)	Long-term value: 1 mg/m³			
	as Fe			
CAS: 7720-78-7 iron(II) sulfate				
WES (New Zealand)	Long-term value: 1 mg/m³			
	as Fe			
DNELs				
CAS: 7664-93-9 sulphuric acid				

0.05 mg/m³ (worker) (local effects)

(Contd. on page 4)

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 3)

PNECs				
CAS: 7664-93-9 sulphuric acid				
PNEC	8.8 mg/L (Wastewater treatment plant)			
	0.25 mg/L (sea water)			
PNEC	2.5 μg/L (fresh water)			
PNEC	2 μg/kg (marine sediment)			
	2 μg/kg (freshwater sediment)			

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

# Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

## **Hand protection**



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

# **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

## Eye/face protection



Tightly sealed goggles

Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid Colour: Dark yellow Odourless Odour:

(Contd. on page 5)

(Contd. of page 4)

in accordance with HSNO

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

Odour threshold: Not determined.

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined. Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.Decomposition temperature:Not determined.

pH at 20 °C <2

Viscosity:

**Kinematic viscosity Dynamic:**Not determined.
Not determined.

Solubility

water: Fully miscible.

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

Density at 20 °C: 1.1 g/cm³
Relative density Not determined.
Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

Not determined.

Solvent content:

 Water:
 90-95 %

 Solids content:
 0.0 %

Change in condition

**Evaporation rate**Not determined.

Information with regard to physical hazard

classes

**Explosives** Void Flammable gases Void **Aerosols** Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

(Contd. on page 6)

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 5)

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

# Additional ecological information:

## **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

# Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

# **SECTION 14: Transport information**

14.1 UN number or ID number IMDG, IATA

UN2796

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 6)

14.2 UN proper shipping name

ADR UN2796 SULPHURIC ACID

IMDGSULPHURIC ACIDIATASulphuric acid

14.3 Transport hazard class(es)

**ADR** 



Class 8 (C1) Corrosive substances.

Label 8

IMDG, IATA



Class 8 Corrosive substances.

Label 8

14.4 Packing group

ADR, IMDG, IATA

**14.5 Environmental hazards:** Not applicable.

**14.6 Special precautions for user**Warning: Corrosive substances.

Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groupsStrong acids

Stowage Category B

Segregation Code SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

**Transport/Additional information:** 

ADR

Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code E

**IMDG** 

Limited quantities (LQ)

1L

Code: (FQ)

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

UN 2796 SULPHURIC ACID, 8, II

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Inventory of Chemicals				
All ingredients are listed.				
HSNO Approval numbers				
CAS: 10028-22-5 iron(III) sulfate	HSR006912			
CAS: 7720-78-7 iron(II) sulfate	HSR003420			
·	(Contd. on page 8)			

d. on page

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 7)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

**National regulations:** 

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# 16.1 Relevant phrases

Harmful if swallowed. H302

Causes severe skin burns and eye damage. H314

Causes skin irritation. H315

H319 Causes serious eye irritation.

R22 Harmful if swallowed.

R35 Causes severe burns.

R36/38 Irritating to eyes and skin.

#### 16.3 Recommended restriction of use

# **Department issuing SDS:** PCC-TWR Contact: MSDS.pcc@endress.com Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

<sup>\*</sup> Data compared to the previous version altered.