Page 1/8

People for Process Automation

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Trade name: Pufferlösung CPY3 +468 mV Synonym: Buffer Solution CPY3 +468 mV

Article number: CPY3-B-5

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC@endress.com

Emergency telephone number: 00971 800 424 (from 7 am to 3 pm, from Sunday to Thursday)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

#### Label elements

#### **GHS** label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

#### **Hazard pictograms**



GHS05

#### Signal word Danger

#### Hazard-determining components of labelling:

sulphuric acid

## Hazard statements

Causes severe skin burns and eye damage.

#### **Precautionary statements**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 1)

#### Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 7664-93-9	sulphuric acid	2-6%
EINECS: 231-639-5	♦ Skin Corr. 1A, H314	1
	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 %	
	Skin Irrit. 2; H315: 5 % ≤ C < 15 %	
	Eye Irrit. 2; H319: 5 % ≤ C < 15 %	
	iron(III) sulfate	2-6%
EINECS: 233-072-9	🗘 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
	iron(II) sulfate	1-2.5%
EINECS: 231-753-5	💠 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: no further information

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters No further relevant information available.

Protective equipment: Mount respiratory protective device.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

#### Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 2)

Wear protective clothing.

#### **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

#### Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed.

Storage class: 8 B

Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## **Control parameters**

	onno paramotoro			
Ingredients with lin	Ingredients with limit values that require monitoring at the workplace:			
CAS: 7664-93-9 sul	S: 7664-93-9 sulphuric acid			
PEL (USA)	Long-term value: 1 mg/m³			
REL (USA)	Long-term value: 1 mg/m³			
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction, A2			
IOELV (EU)	Long-term value: 0.05 mg/m³			
WEL (Great Britain)	Long-term value: 0.05* mg/m³ *mist: defined as thoracic fraction			
CAS: 10028-22-5 ire	CAS: 10028-22-5 iron(III) sulfate			
REL (USA)	Long-term value: 1 mg/m³ as Fe			
TLV (USA)	Long-term value: 1 mg/m³ as Fe			
WEL (Great Britain)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ as Fe			
CAS: 7720-78-7 iron(II) sulfate				
REL (USA)	Long-term value: 1 mg/m³ as Fe			
	(Contd. on page 4)			

Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

#### Trade name: Pufferlösung CPY3 +468 mV

	(Contd. of page 3)	
TLV (USA)	Long-term value: 1 mg/m³	
	as Fe	
WEL (Great Britain)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ as Fe	

#### CAS: 7664-93-9 sulphuric acid

orte. Foot of Calpharia dola		
Inhalative	DNEL short-term	0.1 mg/m³ (worker) (local effects)
	DNEL long-term	0.05 mg/m³ (worker) (local effects)

#### **PNECs**

## CAS: 7664-93-9 sulphuric acid

PNEC 8.8 mg/L (Wastewater treatment plant)

0.25 mg/L (sea water)
PNEC 2.5 μg/L (fresh water)
PNEC 2 μg/kg (marine sediment)

2 μg/kg (freshwater sediment)

Additional information: The lists valid during the making were used as basis.

### **Exposure controls**

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### **Hand protection**



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber. CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)


according to 1907/2006/EC, Article 31

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 4)

#### Eye/face protection



Body protection: Protective work clothing

## **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties

**General Information** 

Physical stateFluidColour:Dark yellowOdour:OdourlessOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined. Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.Decomposition temperature:Not determined.

pH at 20 °C <2

Viscosity:

Kinematic viscosity

Dynamic:

Not determined.

Not determined.

Solubility

water: Fully miscible.

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

Density at 20 °C:1.1 g/cm³Relative densityNot determined.Vapour densityNot determined.

Other information Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

**Auto-ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Not determined.

Solvent content:

**Water:** 90-95 % **Solids content:** 0.0 %

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard

classes

ExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoid

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 5)

Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

## **SECTION 10: Stability and reactivity**

Reactivity No further relevant information available.

**Chemical stability** 

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Information on other hazards

**Endocrine disrupting properties** 

None of the ingredients is listed.

## **SECTION 12: Ecological information**

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

**Endocrine disrupting properties** 

The product does not contain substances with endocrine disrupting properties.

Other adverse effects

Additional ecological information:

**General notes:** 

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

(Contd. of page 6)

## **SECTION 13: Disposal considerations**

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

**UN number or ID number** 

IMDG, IATA UN2796

**UN proper shipping name** 

ADR UN2796 SULPHURIC ACID

IMDGSULPHURIC ACIDIATASulphuric acid

Transport hazard class(es)

**ADR** 



Class 8 (C1) Corrosive substances.

Label 8

#### IMDG, IATA



Class 8 Corrosive substances.

Label 8

Packing group

ADR, IMDG, IATA

**Environmental hazards:** Not applicable.

Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80

**EMS Number:** F-A,S-B **Segregation groups** Strong acids

Stowage Category B

Segregation Code SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

Maritime transport in bulk according to IMO

instruments Not applicable.

**Transport/Additional information:** 

**ADR** 

Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code E

**IMDG** 

Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 8)

according to 1907/2006/EC, Article 31

**UN "Model Regulation":** 

Printing date 13.05.2022 Version 11 Revision: 13.05.2022

Trade name: Pufferlösung CPY3 +468 mV

UN 2796 SULPHURIC ACID. 8. II

(Contd. of page 7)

## **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

#### **Hazard pictograms**



#### Signal word Danger

#### Hazard-determining components of labelling:

sulphuric acid

#### **Hazard statements**

Causes severe skin burns and eye damage.

#### **Precautionary statements**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

#### **National regulations:**

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# **Department issuing SDS:** *PCC-TWR* **Contact:** *MSDS.pcc* @*endress.com* **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

<sup>\*</sup> Data compared to the previous version altered.