

* SECTION 1: Identification

Product identifier

Trade name: cleaner CY820 oxidizing

Synonym: *cleaning concentrate*

Article number: *CY820-1+UA*

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Laboratory chemicals

Disinfectant

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser

Conducta GmbH+Co. KG

Dieselstraße 24

D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117

E-Mail: MSDS.PCC@endress.com

Regional representation:

Endress+Hauser Australia Pty Ltd

16 Giffnock Avenue

Macquarie Park, NSW 2113

Australia

Phone: 1300 363 707

Phone: +61 2 8877 7000

Emergency telephone number: *Poison Hotline: 13 11 26*

* SECTION 2: Hazard(s) Identification

Classification of the substance or mixture



flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Label elements

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

Trade name: cleaner CY820 oxidizing

(Contd. of page 1)

Hazard pictograms

GHS03 GHS05 GHS07

Signal word *Danger***Hazard-determining components of labelling:***hydrogen peroxide solution**peracetic acid**acetic acid***Hazard statements***May intensify fire; oxidizer.**Harmful if swallowed.**Causes severe skin burns and eye damage.***Precautionary statements***Take any precaution to avoid mixing with combustibles.**IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a POISON CENTER/doctor.**Specific treatment (see on this label).**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Other hazards***The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.***Results of PBT and vPvB assessment****PBT:** *Not applicable.***vPvB:** *Not applicable.***SECTION 3: Composition and Information on Ingredients****Mixtures****Description:** *Mixture of substances listed below with nonhazardous additions.*

Dangerous components:		
CAS: 7722-84-1 EINECS: 231-765-0	<i>hydrogen peroxide solution</i> ⚠ Ox. Liq. 1, H271; ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	20-40%
CAS: 64-19-7 EINECS: 200-580-7	<i>acetic acid</i> ⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H312	5-10%
CAS: 79-21-0 EINECS: 201-186-8	<i>peracetic acid</i> ⚠ Flam. Liq. 3, H226; Self-react. C, H242; Org. Perox. D, H242; ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	2-6%

Additional information: *For the wording of the listed hazard phrases refer to section 16.***SECTION 4: First Aid Measures****Description of first aid measures****General information:***Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.*

(Contd. on page 3)

Trade name: cleaner CY820 oxidizing

(Contd. of page 2)

After skin contact:

*Call a doctor immediately.
Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.*

After eye contact: *Rinse opened eye for several minutes under running water. Then consult a doctor.*

After swallowing:

*Call for a doctor immediately.
Drink plenty of water and provide fresh air. Call for a doctor immediately.*

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Fire Fighting Measures**Extinguishing media**

Suitable extinguishing agents: *Use fire extinguishing methods suitable to surrounding conditions.*

For safety reasons unsuitable extinguishing agents: *no further information*

Special hazards arising from the substance or mixture *Carbon monoxide (CO)*

Advice for firefighters *No further relevant information available.*

Protective equipment: *Wear self-contained respiratory protective device.*

*** SECTION 6: Accidental Release Measures****Personal precautions, protective equipment and emergency procedures**

*Ensure adequate ventilation
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Wear protective clothing.*

Environmental precautions:

*Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.*

Methods and material for containment and cleaning up:

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.*

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

*See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*

SECTION 7: Handling and Storage**Precautions for safe handling**

*Avoid splashes or spray in enclosed areas.
Keep away from heat and direct sunlight.*

Information about fire - and explosion protection:

*Fumes can combine with air to form an explosive mixture.
Emergency cooling must be available in case of nearby fire.*

Conditions for safe storage, including any incompatibilities**Storage:**

Requirements to be met by storerooms and receptacles: *Store only in the original receptacle.*

Information about storage in one common storage facility:

Store away from oxidising agents.

(Contd. on page 4)

Trade name: cleaner CY820 oxidizing

(Contd. of page 3)

*Store away from reducing agents.***Further information about storage conditions:***Store in a cool place.**Keep container tightly sealed.***Storage class:** 5.1 B**Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls and personal protection****Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 7722-84-1 hydrogen peroxide solution**WES (Australia) Long-term value: 1.4 mg/m³, 1 ppm**CAS: 64-19-7 acetic acid**WES (Australia) Short-term value: 37 mg/m³, 15 ppmLong-term value: 25 mg/m³, 10 ppm

IOELV (EU)

Short-term value: 50 mg/m³, 20 ppmLong-term value: 25 mg/m³, 10 ppm**Additional information:** *The lists valid during the making were used as basis.***Exposure controls****Appropriate engineering controls** *No further data; see item 7.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes.**Avoid contact with the eyes and skin.***Respiratory protection:** *Not required.***Hand protection**

Protective gloves

*To avoid skin problems reduce the wearing of gloves to the required minimum.**Only use chemical-protective gloves with CE-labelling of category III.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.***Material of gloves***Butyl rubber, BR**Nitrile rubber, NBR**Chloroprene rubber, CR**The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

(Contd. on page 5)

Trade name: cleaner CY820 oxidizing

(Contd. of page 4)

Eye/face protection*Tightly sealed goggles***Body protection:** *Protective work clothing***SECTION 9: Physical and Chemical Properties****Information on basic physical and chemical properties****General Information**

Physical state	<i>Fluid</i>
Colour:	<i>Colourless</i>
Odour:	<i>Acrid</i>
Odour threshold:	<i>Not determined.</i>
Melting point/freezing point:	<i>Undetermined.</i>
Boiling point or initial boiling point and boiling range	<i>Undetermined.</i>
Flammability	<i>Not applicable.</i>
Lower and upper explosion limit	
Lower:	<i>Not determined.</i>
Upper:	<i>Not determined.</i>
Flash point:	<i>> 60 °C</i>
Decomposition temperature:	<i>Not determined.</i>
pH at 20 °C	<i>0.5-1.5</i>
Viscosity:	
Kinematic viscosity	<i>Not determined.</i>
Dynamic:	<i>Not determined.</i>
Solubility	
water:	<i>Fully miscible.</i>
Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
Vapour pressure at 20 °C:	<i>23 hPa</i>
Density and/or relative density	
Density at 20 °C:	<i>1.12 g/cm³</i>
Relative density	<i>Not determined.</i>
Vapour density	<i>Not determined.</i>

Other information**Appearance:****Form:** *Fluid***Important information on protection of health and environment, and on safety.****Auto-ignition temperature:***Product is not selfigniting.***Explosive properties:***Product does not present an explosion hazard.
Not determined.***Solvent content:****Organic solvents:***9.0 %***Water:***58.0 %***Solids content:***0.0 %***Change in condition****Evaporation rate***Not determined.***Information with regard to physical hazard classes****Explosives***Void***Flammable gases***Void***Aerosols***Void***Oxidising gases***Void*

(Contd. on page 6)

Trade name: cleaner CY820 oxidizing

(Contd. of page 5)

Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	May intensify fire; oxidizer.
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

Corrosive action on metals.

Reacts with alkali and metals.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological Information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

CAS: 64-19-7 acetic acid

Oral	LD50	3,310 mg/kg (rat)
------	------	-------------------

Dermal	LD50	1,060 mg/kg (rbt)
--------	------	-------------------

CAS: 79-21-0 peracetic acid

Oral	LD50	1,740 mg/kg (rat)
------	------	-------------------

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

* SECTION 12: Ecological Information

Toxicity

Aquatic toxicity:

CAS: 7722-84-1 hydrogen peroxide solution

EC50[72h]	1.38 mg/l (Algae)
-----------	-------------------

CAS: 64-19-7 acetic acid

EC50[48h]	36.9 mg/l (Daphnia Magna)
-----------	---------------------------

EC50[72h]	>1,000 mg/l (Algae)
-----------	---------------------

(Contd. on page 7)

Trade name: cleaner CY820 oxidizing

(Contd. of page 6)

CAS: 79-21-0 peracetic acid

EC50[48h]	0.73 mg/l (Daphnia Magna)
EC50[72h]	0.7 mg/l (Algae)
EC50[96h]	0.8 mg/l (Fish)
NOEC (chron aqua tox)	0.00094 mg/l (danio rerio)

Persistence and degradability No further relevant information available.**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

Other adverse effects**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations**Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agents:** Water, if necessary together with cleansing agents.*** SECTION 14: Transport information****UN number or ID number****IMDG, IATA**

UN3149

UN proper shipping name**ADG**

UN3149 HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED

IMDG

HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED, MARINE POLLUTANT

IATA

Hydrogen peroxide and peroxyacetic acid mixture stabilized

Transport hazard class(es)**ADG****Class**

5.1 (OC1) Oxidising substances.

(Contd. on page 8)

AUS

Trade name: cleaner CY820 oxidizing

(Contd. of page 7)

Label 5.1+8

IMDG



Class 5.1 Oxidising substances.
Label 5.1/8

IATA



Class 5.1 Oxidising substances.
Label 5.1 (8)

Packing group

II

ADG, IMDG, IATA

Environmental hazards:

Product contains environmentally hazardous substances:
peracetic acid

Marine pollutant:

Symbol (fish and tree)

Special marking (ADG):

Symbol (fish and tree)

Special precautions for user

Warning: Oxidising substances.

Hazard identification number (Kemler code): 58

EMS Number:

F-H,S-Q

Segregation groups

Peroxides

Stowage Category

D

Stowage Code

SW1 Protected from sources of heat.

Segregation Code

SG16 Stow "separated from" class 4.1

SG59 Stow "separated from" SGG14-permanganates

SG72 See 7.2.6.3.2.

Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

ADG

Limited quantities (LQ) 1L

Transport category 2

Tunnel restriction code E

IMDG

Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation":

UN 3149 HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED, 5.1 (8), II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons

CAS: 7722-84-1 | hydrogen peroxide solution

S5, S6, S10

(Contd. on page 9)

Trade name: cleaner CY820 oxidizing

(Contd. of page 8)

CAS: 64-19-7	acetic acid	S2, S5, S6
CAS: 79-21-0	peracetic acid	S5, S6

Australia: Priority Existing Chemicals

None of the ingredients is listed.

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms

GHS03 GHS05 GHS07

Signal word *Danger***Hazard-determining components of labelling:***hydrogen peroxide solution**peracetic acid**acetic acid***Hazard statements***May intensify fire; oxidizer.**Harmful if swallowed.**Causes severe skin burns and eye damage.***Precautionary statements***Take any precaution to avoid mixing with combustibles.**IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a POISON CENTER/doctor.**Specific treatment (see on this label).**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***Seveso category***P8 OXIDISING LIQUIDS AND SOLIDS**E2 Hazardous to the Aquatic Environment***Qualifying quantity (tonnes) for the application of lower-tier requirements** *50 t***Qualifying quantity (tonnes) for the application of upper-tier requirements** *200 t***National regulations:****Waterhazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent*

(Contd. on page 10)

Trade name: cleaner CY820 oxidizing

(Contd. of page 9)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Self-react. C: Self-reactive substances and mixtures – Type C/D
Ox. Liq. 1: Oxidizing liquids – Category 1
Ox. Liq. 2: Oxidizing liquids – Category 2
Org. Perox. D: Organic peroxides – Type C/D
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
*** Data compared to the previous version altered.**

AUS —