

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Electrolyte COS22 Standard**

Article number: COS22Z-xxxx+E1

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture *Laboratory chemicals*

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Endress+Hauser
Conducta GmbH+Co. KG
Dieselstraße 24
D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117
E-Mail: MSDS.PCC@endress.com

1.4 Emergency telephone number: 0091-26589391

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word *Warning*

Hazard-determining components of labelling:

potassium hydroxide

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Trade name: Electrolyte COS22 Standard

(Contd. of page 1)

Results of PBT and vPvB assessmentPBT: *Not applicable.*vPvB: *Not applicable.***SECTION 3: Composition/information on ingredients****3.2 Mixtures**Description: *Mixture of substances listed below with nonhazardous additions.***Dangerous components:**

| | | |
|-------------------------------------|--|-----|
| CAS: 1310-58-3 EINECS: 215-181-3 | potassium hydroxide Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$ | ≤1% |
|-------------------------------------|--|-----|

Additional information: *For the wording of the listed hazard phrases refer to section 16.***SECTION 4: First aid measures****4.1 Description of first aid measures**General information: *Immediately remove any clothing soiled by the product.*After inhalation: *In case of unconsciousness place patient stably in side position for transportation.***After skin contact:***Immediately wash with water and soap and rinse thoroughly.**Immediately rinse with water.***After eye contact:***Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*After swallowing: *If symptoms persist consult doctor.***4.2 Most important symptoms and effects, both acute and delayed***No further relevant information available.***4.3 Indication of any immediate medical attention and special treatment needed***No further relevant information available.***SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:***CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.***For safety reasons unsuitable extinguishing agents:** *no further information***5.2 Special hazards arising from the substance or mixture** *No further relevant information available.***5.3 Advice for firefighters** *No further relevant information available.***Protective equipment:** *No special measures required.***SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures** *Wear protective clothing.***6.2 Environmental precautions:** *Dilute with plenty of water.***6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).***6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.*

(Contd. on page 3)

Trade name: Electrolyte COS22 Standard

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling *No special precautions are necessary if used correctly.*

Information about fire - and explosion protection: *No special measures required.*

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *Do not use light alloy receptacles.*

Information about storage in one common storage facility: *Not required.*

Further information about storage conditions: *Keep container tightly sealed.*

Storage class: *8 B*

7.3 Specific end use(s) *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: *The lists valid during the making were used as basis.*

8.2 Exposure controls

Appropriate engineering controls *No further data; see item 7.*

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: *Not required.*

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

(Contd. on page 4)

IND

Trade name: Electrolyte COS22 Standard

(Contd. of page 3)

Body protection: *Protective work clothing***SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

| | |
|--|-------------------------------|
| Physical state | <i>Fluid</i> |
| Colour: | <i>Colourless</i> |
| Odour: | <i>Odourless</i> |
| Odour threshold: | <i>Not determined.</i> |
| Melting point/freezing point: | <i>-4 °C</i> |
| Boiling point or initial boiling point and boiling range | <i>100 °C</i> |
| Flammability | <i>Not applicable.</i> |
| Lower and upper explosion limit | |
| Lower: | <i>Not determined.</i> |
| Upper: | <i>Not determined.</i> |
| Flash point: | <i>Not applicable.</i> |
| Decomposition temperature: | <i>Not determined.</i> |
| pH at 20 °C | <i>>12</i> |
| Viscosity: | |
| Kinematic viscosity | <i>Not determined.</i> |
| Dynamic: | <i>Not determined.</i> |
| Solubility | |
| water: | <i>Fully miscible.</i> |
| Partition coefficient n-octanol/water (log value) | <i>Not determined.</i> |
| Vapour pressure at 20 °C: | <i>23 hPa</i> |
| Density and/or relative density | |
| Density at 20 °C: | <i>1.005 g/cm³</i> |
| Relative density | <i>Not determined.</i> |
| Vapour density | <i>Not determined.</i> |

9.2 Other information**Appearance:****Form:***Fluid***Important information on protection of health and environment, and on safety.****Auto-ignition temperature:***Product is not selfigniting.***Explosive properties:***Product does not present an explosion hazard.
Not determined.***Solvent content:****Water:***92.0 %***Solids content:***0.0 %***Change in condition****Evaporation rate***Not determined.***Information with regard to physical hazard classes****Explosives***Void***Flammable gases***Void***Aerosols***Void***Oxidising gases***Void***Gases under pressure***Void***Flammable liquids***Void***Flammable solids***Void***Self-reactive substances and mixtures***Void***Pyrophoric liquids***Void***Pyrophoric solids***Void*

(Contd. on page 5)

Trade name: Electrolyte COS22 Standard

(Contd. of page 4)

| | |
|---|------|
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions Reacts with various metals.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

LD/LC50 values relevant for classification:

CAS: 1310-58-3 potassium hydroxide

| | | |
|------|------|-----------------|
| Oral | LD50 | 273 mg/kg (rat) |
|------|------|-----------------|

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

* SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Not hazardous for water.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 6)

IND

Trade name: Electrolyte COS22 Standard

(Contd. of page 5)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: *Disposal must be made according to official regulations.*

Recommended cleansing agents: *Water, if necessary together with cleansing agents.*

*** SECTION 14: Transport information**

14.1 UN number or ID number

IMDG, IATA

UN1814

14.2 UN proper shipping name

ADR

UN1814 POTASSIUM HYDROXIDE SOLUTION

IMDG

POTASSIUM HYDROXIDE SOLUTION

IATA

Potassium hydroxide solution

14.3 Transport hazard class(es)

ADR



Class

8 (C5) Corrosive substances.

Label

8

IMDG, IATA



Class

8 Corrosive substances.

Label

8

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A,S-B

Segregation groups

Alkalis

Stowage Category

A

Segregation Code

SG35 Stow "separated from" SGG1-acids

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Transport category

3

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

Trade name: Electrolyte COS22 Standard

UN "Model Regulation":*UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8,
III*

(Contd. of page 6)

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Labelling according to Regulation (EC) No 1272/2008***The product is classified and labelled according to the CLP regulation.***Hazard pictograms**

GHS07

Signal word *Warning***Hazard-determining components of labelling:***potassium hydroxide***Hazard statements***H315 Causes skin irritation.**H319 Causes serious eye irritation.***Precautionary statements***P280 Wear protective gloves / eye protection / face protection.**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P332+P313 If skin irritation occurs: Get medical advice/attention.**P362+P364 Take off contaminated clothing and wash it before reuse.**P337+P313 If eye irritation persists: Get medical advice/attention.***Directive 2012/18/EU****Named dangerous substances - ANNEX I** *None of the ingredients is listed.***15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***16.1 Relevant phrases***H302 Harmful if swallowed.**H314 Causes severe skin burns and eye damage.***16.3 Recommended restriction of use****Department issuing SDS:** *PCC-TWR***Contact:** *MSDS.pcc@endress.com***Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)**ICAO: International Civil Aviation Organisation**ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 4: Acute toxicity – Category 4*

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.04.2022

Version 3 (replaces version 2)

Revision: 01.04.2022

Trade name: Electrolyte COS22 Standard

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. of page 7)

*** Data compared to the previous version altered.**

IND —