according to WHS Regulations Printing date 03.11.2023

Version 11 (replaces version 10)

Endress+Hauser 🖪

People for Process Automation

Revision: 17.07.2023

SECTION 1: Identification

Product identifier

Trade name: Cleaning solution Synonym: for CA80PH/CR

Article number: CY800-AFx1

Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture Cleaning agent/ Cleaner

Details of the supplier of the safety data sheet Manufacturer/Supplier: Endress+Hauser Conducta GmbH+Co. KG Dieselstraße 24 D-70839 Gerlingen

Further information obtainable from:

Phone: +49 (0)7156 209-10117 E-Mail: MSDS.PCC@endress.com

Regional representation: Endress+Hauser Australia Pty Ltd 16 Giffnock Avenue Macquarie Park, NSW 2113 Australia

Phone: 1300 363 707 Phone: +61 2 8877 7000

Emergency telephone number: Poison Hotline: 13 11 26

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage.

Label elements **GHS** label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: hydrochloric acid

(Contd. on page 2)

according to WHS Regulations

Printing date 03.11.2023

Version 11 (replaces version 10)

Trade name: Cleaning solution

Revision: 17.07.2023

(Contd. of page 1)

Hazard statements Highly flammable liquid and vapour. Causes severe skin burns and eye damage. Precautionary statements IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition and Information on Ingredients

Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7	propan-2-ol Flam. Liq. 2, H225; () Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H336	10-20%
	hydrochloric acid ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; STOT SE 3, H335	5-10%
CAS: 5949-29-1 EINECS: 201-069-1	1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H335	2-6%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First Aid Measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately. **Most important symptoms and effects, both acute and delayed** No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

according to WHS Regulations

Printing date 03.11.2023

Trade name: Cleaning solution

SECTION 6: Accidental Release Measures Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Wear protective clothing. Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information.	For safety reasons unsuitable extinguishing agents: Water with full jet Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Advice for firefighters No further relevant information available. Protective equipment: Mount respiratory protective device.	(Conta
 Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Wear protective clothing. Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	SECTION 6: Accidental Release Measures	
	 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Wear protective clothing. Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	st).

SECTION 7: Handling and Storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility: Not required.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Storage class: 3
Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls and personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:			
	CAS: 67-63-0 propan-2-ol		
WES (Australia)	Short-term value: 1230 mg/m³, 500 ppm Long-term value: 983 mg/m³, 400 ppm		
CAS: 7647-01-0	hydrochloric acid		
WES (Australia)	Peak limitation: 7.5 mg/m ³ , 5 ppm		
IOELV (EU)	Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm		
	(Contd. on page 4)		

(Contd. of page 2)

Page 3/9

according to WHS Regulations

Printing date 03.11.2023

Version 11 (replaces version 10)

Revision: 17.07.2023

(Contd. of page 3)

Trade name: Cleaning solution

		(Conta: of page of	
DNELs			
CAS: 764	CAS: 7647-01-0 hydrochloric acid		
Inhalative	DNEL short-term	15 mg/m ³ (worker) (local effects)	
		15 mg/m³ (consumer) (local effects)	
	DNEL long-term	8 mg/m³ (worker) (local effects)	
		8 mg/m³ (consumer) (local effects)	
Additional informations. The lists valid during the median wave used as having			

Additional information: The lists valid during the making were used as basis.

Exposure controls Appropriate engineering controls *No further data; see section 7.* Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum. Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR Natural rubber, NR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and Chemical Properties

Information on basic physical and	chemical properties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Alcohol-like
Odour threshold:	Not determined.

Page 4/9

Safety Data Sheet according to WHS Regulations

Printing date 03.11.2023

Version 11 (replaces version 10)

Page 5/9

Revision: 17.07.2023

Trade name: Cleaning solution

Melting point/freezing point:	(Contd. of page 4) Undetermined.
Boiling point or initial boiling point and boiling	Undetermined.
range	82 °C
Flammability	Highly flammable.
Lower and upper explosion limit	3 9 1 1
Lower:	2 Vol %
Upper:	12 Vol %
Flash point:	< 23 °C
Auto-ignition temperature:	425 °C
Decomposition temperature:	Not determined.
pH at 20 °C	<2
Viscosity:	
Kinematic viscosity	Not determined.
Kinematic viscosity	
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	43 hPa
Vapour pressure:	
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents: Water:	15.0 % 71.4 %
Solids content:	0.0 %
Change in condition	0.0 %
Evaporation rate	Not determined.
•	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void Highly flammable liquid and vapour
Flammable liquids Flammable solids	Highly flammable liquid and vapour. Void
Self-reactive substances and mixtures	Vola Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
	(Contd. on page 6)

according to WHS Regulations

Printing date 03.11.2023

Version 11 (replaces version 10)

Revision: 17.07.2023

(Contd. of page 5)

Page 6/9

Trade name: Cleaning solution

Desensitised explosives

Void

SECTION 10: Stability and Reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological Information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 67-	CAS: 67-63-0 propan-2-ol		
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rbt)	
Inhalative	LC50/4 h	30 mg/l (rat)	
CAS: 764	CAS: 7647-01-0 hydrochloric acid		
Oral	LD50	900 mg/kg (rabbit)	
Skin corr	Skin corrosion/irritation Causes severe skin burns and eye damage.		

Serious eye damage/irritation Causes serious eye damage.

Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological Information

Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. Other adverse effects Additional ecological information: **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

- AUS -

according to WHS Regulations Printing date 03.11.2023

Version 11 (replaces version 10)

Trade name: Cleaning solution

Revision: 17.07.2023

(Contd. of page 6)

SECTION 13: Disposal considerations


Waste treatment methods Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information



according to WHS Regulations

Printing date 03.11.2023

Revision: 17.07.2023

Trade name: Cleaning solution

Segregation Code	SG35 Stow "separated from" SGG1-acids	(Contd. of page 7)
Maritime transport in bulk according to IMO instruments	Not applicable.	
Transport/Additional information:		
ADG		
Limited quantities (LQ)	1L	
Transport category	2	
Tunnel restriction code	D/E	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	Code: E2	
UN "Model Regulation":	Maximum net quantity per inner packaging: Maximum net quantity per outer packaging: UN 2924 FLAMMABLE LIQUID, CORROSI (ISOPROPANOL (ISOPROPYL ALCOHOL HYDROCHLORIC ACID), 3 (8), II	[.] 500 ml IVE, N.O.S.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Industrial Chemicals		
All ingredients are listed.		
Standard for the Uniform Scheduling of Medicines and Poisons		
CAS: 7647-01-0 hydrochloric acid	S5, S6	
Australia: Priority Existing Chemicals		
None of the ingredients is listed.		

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). **Hazard pictograms**



Signal word Danger

Hazard-determining components of labelling: hydrochloric acid Hazard statements Highly flammable liquid and vapour. Causes severe skin burns and eye damage. Precautionary statements IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category *P5c FLAMMABLE LIQUIDS* Qualifying quantity (tonnes) for the application of lower-tier requirements *5,000 t*

according to WHS Regulations

Printing date 03.11.2023

Version 11 (replaces version 10)

Revision: 17.07.2023

Trade name: Cleaning solution

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: PCC-TWR Contact: MSDS.pcc@endress.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered.

(Contd. of page 8)

- AUS ----

